

ED LIBRARY



STATE OF CALIFORNIA

The Resources Agency

Department of Water Resources

BULLETIN No. 130-68

HYDROLOGIC DATA: 1968

VOLUME III: CENTRAL COASTAL AREA

AUGUST 1970

NORMAN B. LIVERMORE, JR.
Secretary for Resources
The Resources Agency

RONALD REAGAN
Governor
State of California

WILLIAM R. GIANELLI
Director
Department of Water Resources

STATE OF CALIFORNIA
The Resources Agency
Department of Water Resources

BULLETIN No. 130-68

HYDROLOGIC DATA: 1968

VOLUME III: CENTRAL COASTAL AREA

Copies of this bulletin at \$3.50 each may be ordered from:

Office of Procurement
DOCUMENTS SECTION
P.O. Box 20191
Sacramento, California 95820


Make checks payable to STATE OF CALIFORNIA.
California residents add 5 percent sales tax.

AUGUST 1970

NORMAN B. LIVERMORE, JR.
Secretary for Resources
The Resources Agency

RONALD REAGAN
Governor
State of California

WILLIAM R. GIANELLI
Director
Department of Water Resources



FOREWORD

The data collection programs of the Department of Water Resources have been designed to supplement the activities of other agencies to satisfy specific needs of the State. Bulletin No. 130-68 presents useful, comprehensive, accurate and timely hydrologic data which are prerequisites for effective planning, design, construction, and operation of water facilities.

The Bulletin No. 130 series is published annually in five volumes. Each volume presents hydrologic data for one of five reporting areas of the State. These areas are delineated on the map to the left.

William R. Gianelli

William R. Gianelli, Director
Department of Water Resources
The Resources Agency
State of California
June 15, 1970

METRIC CONVERSION TABLE

ENGLISH UNIT	EQUIVALENT METRIC UNIT
1 Inch (in)	2.54 Centimeters
1 Foot (ft)	0.3048 Meters
1 Mile (mi)	1.609 Kilometers
1 Acre	0.405 Hectares
1 Square mile (sq.mi.)	2.590 Square kilometers
1 U. S. gallon (gal)	3.785 Liters
1 Acre-foot (ac.ft.)	1,233.5 Cubic meters
1 U. S. gallon per minute (gpm)	0.0631 Liters per second
1 Cubic foot per second (cfs)	1.7 Cubic meters per minute
1 Part per million (ppm)	1 Milligram per liter (mg/l)
1 Part per billion (ppb)	1 Microgram per liter (ug/l)
1 Part per trillion (ppt)	1 Nanogram per liter (ng/l)
1 Equivalent per million (epm)	1 Milliequivalent per liter (me/l)
Degrees Fahrenheit (°F)	5/9 (°F-32) Degrees Centigrade (°C)

TABLE OF CONTENTS

	<u>Page</u>
AREAL COVERAGE OF VOLUMES	ii
FOREWORD	iii
METRIC CONVERSION TABLE	iv
ACKNOWLEDGMENTS	viii
ORGANIZATION	ix
ABSTRACT	x
APPENDIXES	

Appendix A: CLIMATOLOGICAL DATA

Introduction	3
------------------------	---

Figure Number

FIGURES

A-1	Climatological Observation Stations 1967-68	4
-----	---	---

Table Number

TABLES

A-1	Index of Climatological Stations for 1967-68	7
A-2	Precipitation Data	12
A-3	Temperature Data	17
A-4	Evaporation Data	25

Appendix B: SURFACE WATER MEASUREMENTS

Introduction	29
------------------------	----

Table Number

TABLES

B-1	Surface Water Imports to the Central Coastal Area	30
B-2	Daily Mean Gage Height, Rector Reservoir near Yountville	31
B-3	Daily Maximum and Minimum Tides	32
B-4	Corrections and Revisions to Previously Published Reports of Surface Water Data	34

METRIC CONVERSION TABLE

ENGLISH UNIT	EQUIVALENT METRIC UNIT
1 Inch (in)	2.54 Centimeters
1 Foot (ft)	0.3048 Meters
1 Mile (mi)	1.609 Kilometers
1 Acre	0.405 Hectares
1 Square mile (sq.mi.)	2.590 Square kilometers
1 U. S. gallon (gal)	3.785 Liters
1 Acre-foot (ac.ft.)	1,233.5 Cubic meters
1 U. S. gallon per minute (gpm)	0.0631 Liters per second
1 Cubic foot per second (cfs)	1.7 Cubic meters per minute
1 Part per million (ppm)	1 Milligram per liter (mg/l)
1 Part per billion (ppb)	1 Microgram per liter (ug/l)
1 Part per trillion (ppt)	1 Nanogram per liter (ng/l)
1 Equivalent per million (epm)	1 Milliequivalent per liter (me/l)
Degrees Fahrenheit (°F)	5/9 (°F-32) Degrees Centigrade (°C)

TABLE OF CONTENTS

	<u>Page</u>
AREAL COVERAGE OF VOLUMES	ii
FOREWORD	iii
METRIC CONVERSION TABLE	iv
ACKNOWLEDGMENTS	viii
ORGANIZATION	ix
ABSTRACT	x
APPENDIXES	

Appendix A: CLIMATOLOGICAL DATA

Introduction	3
------------------------	---

Figure Number

FIGURES

A-1	Climatological Observation Stations 1967-68	4
-----	---	---

Table Number

TABLES

A-1	Index of Climatological Stations for 1967-68	7
A-2	Precipitation Data	12
A-3	Temperature Data	17
A-4	Evaporation Data	25

Appendix B: SURFACE WATER MEASUREMENTS

Introduction	29
------------------------	----

Table Number

TABLES

B-1	Surface Water Imports to the Central Coastal Area	30
B-2	Daily Mean Gage Height, Rector Reservoir near Yountville	31
B-3	Daily Maximum and Minimum Tides	32
B-4	Corrections and Revisions to Previously Published Reports of Surface Water Data	34

TABLE OF CONTENTS (Continued)

	<u>Page</u>
 Appendix C: GROUND WATER MEASUREMENTS	
Introduction	37
 <div style="display: flex; justify-content: space-between;"> <div style="width: 15%;"> <u>Figure Number</u> </div> <div style="width: 70%; text-align: center;"> FIGURES </div> <div style="width: 15%;"></div> </div>	
C-1 Ground Water Basins in the Central Coastal Area	39
C-2 Average Depth to Water in Wells, Spring 1958 to Spring 1968	44
 <div style="display: flex; justify-content: space-between;"> <div style="width: 15%;"> <u>Table Number</u> </div> <div style="width: 70%; text-align: center;"> TABLES </div> <div style="width: 15%;"></div> </div>	
C-1 Average Change of Ground Water Levels and Summary of Well Measurements Reported	42
C-2 Ground Water Levels at Wells	50
 Appendix D: SURFACE WATER QUALITY	
Introduction	63
 <div style="display: flex; justify-content: space-between;"> <div style="width: 15%;"> <u>Figure Number</u> </div> <div style="width: 70%; text-align: center;"> FIGURES </div> <div style="width: 15%;"></div> </div>	
D-1 Surface Water Observation Stations 1967-68	64
D-2 Maximum, Minimum and Average Daily Specific Conductance, Alameda Creek near Niles	70
 <div style="display: flex; justify-content: space-between;"> <div style="width: 15%;"> <u>Table Number</u> </div> <div style="width: 70%; text-align: center;"> TABLES </div> <div style="width: 15%;"></div> </div>	
D-1 Sampling Station Data and Index	68
D-2 Mineral Analyses of Surface Water	71
D-3 Miscellaneous Constituents in Surface Water	83
D-4 Salinity Observations at Bay and Delta Stations	87
D-5 Nutrients in Surface Water	90
D-6 Pesticides in Surface Water and Sediment	95
D-7 Plankton Analysis of Surface Water	97
 Appendix E: GROUND WATER QUALITY	
Introduction	101
Index to Monitored Areas	102

TABLE OF CONTENTS (Continued)

	<u>Page</u>
 Appendix E: GROUND WATER QUALITY (Continued)	
<u>Table Number</u>	TABLES
E-1 Mineral Analyses of Ground Water	103
E-2 Trace Element Analyses of Ground Water	121
 Appendix F: WASTE WATER	
Introduction	125
Definitions	129
<u>Figure Number</u>	FIGURES
F-1 Location of Waste Dischargers	138
<u>Table Number</u>	TABLES
F-1 Summary, Quantity of Waste Water Discharged and Reused . .	130
F-2 Quantity of Waste Water Discharged and Reused	131
F-3 Analyses of Waste Water	135

ACKNOWLEDGMENTS

In the preparation of this report, valuable assistance and contributions were received from many public and private agencies. This cooperation is gratefully acknowledged. Special mention is made of the following agencies:

Federal

U. S. Army Corps of Engineers
U. S. Army, Post Engineer, Fort Ord
U. S. Bureau of Reclamation
U. S. Coast Guard
U. S. Geological Survey
U. S. Soil Conservation Service
U. S. Weather Bureau

State

Department of Public Health
Department of Veterans Affairs
Division of Highways
Division of Forestry
University of California,
Agricultural Extension Service
North Coastal Water Quality
Control Board
San Francisco Bay Regional Water
Quality Control Board
Central Coastal Regional Water
Quality Control Board
State Water Resources Control Board

Local

Alameda County Flood Control and
Water Conservation District
Alameda County Water District
Marin County
Mendocino County
Monterey County Flood Control and
Water Conservation District
Napa County
San Benito County
San Luis Obispo County Flood Control
and Water Conservation District
Santa Clara County Flood Control and
Water District
Santa Clara Valley Water Conservation
District
Santa Cruz County, Department of Public
Works
Solano Irrigation District
Sonoma County Flood Control and Water
Conservation District
South Santa Clara Valley Water
Conservation District

State of California
The Resources Agency
DEPARTMENT OF WATER RESOURCES

RONALD REAGAN, Governor, State of California
NORMAN B. LIVERMORE, JR., Secretary for Resources
WILLIAM R. GIANELLI, Director, Department of Water Resources
JOHN R. TEERINK, Deputy Director

This report was prepared in the

CENTRAL DISTRICT

John M. Haley District Engineer
Vernon Bengal Chief, Water Resources Evaluation Section

by

Edward J. Labrie Chief, Ground Water Unit
Glenn R. Peterson Chief, Surface Water Unit

assisted by

Grant C. Ardell Water Resources Engineering Associate
Jan C. Bush Water Resources Engineering Associate
Joseph L. Clausse Water Resources Engineering Associate
Emil M. Padjen Water Resources Engineering Associate

A portion of the data was furnished by the

SAN JOAQUIN DISTRICT

Carl L. Stetson District Engineer
Floyd I. Bluhm Chief, Engineering Services Section
Richard W. Meffley Chief, Special Investigations Section

by

Cledith L. Chastain Chief, Hydraulic Unit
Victor B. McIntyre Chief, Water Quality Unit

Reviewed and coordinated by
Division of Resources Development
Program Formulation and Coordination Office
Water Resources Evaluation Section

ABSTRACT

Report contains tables showing data on climate, surface water flow, ground water levels, surface and ground water quality, and waste water in the Central Coastal Area for the 1967-68 water year. Figures show the location of climatological observation stations and ground water basins; the average depth to water in wells; the location of surface water measurement and surface water quality stations; the daily mean specific conductance of Alameda Creek near Niles; the location of waste dischargers; and major drainage and hydrographic unit boundaries.

Appendix A
CLIMATOLOGICAL DATA

INTRODUCTION

This appendix summarizes monthly precipitation, temperature, wind movement, and evaporation data for the Central Coastal Area from July 1, 1967, to September 30, 1968. Eighteen cooperating agencies and 24 local observers supplied the data. Detailed daily and hourly data not published here are available in the files of the Department of Water Resources.

To insure accuracy, stations are inspected regularly to see that the equipment is properly maintained and that the observations generally are taken in accordance with U. S. Weather Bureau standards.

Each station in this appendix has been assigned an identification number. The letter and first digit denote the drainage basin as shown below. The remaining digits denote the sequence of the station in alphabetical order.

Central Coastal Area


- D0 Santa Cruz Coast
- D1 Pajaro-San Benito Rivers
- D2 Lower Salinas River
- D3 Upper Salinas River
- D4 Monterey Coast

San Francisco Bay Area

- E0 San Francisco Bay Area
- E1 Coast-Marin
- E2 Marin-Sonoma
- E3 Napa-Solano
- E4 East Bay
- E5 Alameda Creek
- E6 Santa Clara Valley
- E7 Bayside-San Mateo
- E8 Coast-San Mateo

North Coastal Area


- F8 Mendocino Coast
- F9 Russian River



CLIMATOLOGICAL OBSERVATION STATIONS 1967-68



CLIMATOLOGICAL OBSERVATION STATIONS 1967-68



CLIMATOLOGICAL OBSERVATION STATIONS 1967-68

TABLE A-1

INDEX OF CLIMATOLOGICAL STATIONS FOR 1967-68

An explanation of the column headings and the code symbols used in connection with the climatological station listing follows:

40-Acre Tract - This denotes the location of the station within the section in which it is located. The letter code is derived from the diagram to the right.

D	C	B	A
E	F	G	H
M	L	K	J
N	P	Q	R

Base and Meridian - The code for this column is as follows:

M - Mount Diablo Base and Meridian

Cooperator Number - This number is assigned from the following list:

000	Private Cooperator
403	Sonoma County Flood Control and Water Conservation District
407	San Benito County
411	Marin County
413	Marin Municipal Water District
414	Santa Clara Valley Water Conservation District
418	Vallejo Water Department
426	Santa Clara County Flood Control and Water District
801	Pomology Department, University of California, Davis
804	California Department of Beaches and Parks
806	California Department of Water Resources
808	California Division of Forestry
809	California Division of Highways
900	U. S. Weather Bureau
901	U. S. Corps of Engineers, San Francisco District
907	State Climatologist (unpublished U. S. Weather Bureau)
909	U. S. Soil Conservation Service

Cooperator's Index Number - This is the number assigned to the station by the agency responsible for or handling the records of the station. The U. S. Weather Bureau number is only shown in this column when it differs from the alpha order number.

County - This is a standard code for California counties and adjacent areas as shown below:

Alameda	60	San Francisco	80
Contra Costa	07	San Luis Obispo	40
Marin	21	San Mateo	41
Mendocino	23	Santa Clara	43
Monterey	27	Santa Cruz	44
Napa	28	Solano	48
San Benito	35	Sonoma	49

TABLE A-1 (Cont.)
INDEX OF CLIMATOLOGICAL STATIONS FOR 1967-68

Station		Elevation (in Feet)	Section	Township	Range	40-Acre Tract	Base & Meridian	Latitude			Longitude			Cooperator Number	Cooperator's Index Number	Record Began	Record Ended	Years Missing	County Code
Number	Name							0	1	11	0	1	11						
E6 0053	ALAMITOS PERCOLATION POND	185					M	37	15	18	121	52	18	414		1959			43
E4 0064	ALAMO 1 N	410	SEC 12	T01S	R02W		M	37	52	00	122	02	00	900		1957			07
E6 0125	ALMADEN RESERVOIR	640	SEC 11	T09S	R01E	E	M	37	10	00	121	50	00	414		1936			43
F9 0135	ALPINE DAM	680		T01N	R07W		M	37	56	30	122	38	18	413		1925			21
E3 0212	ANGWIN P U C	1815	SEC 05	T08N	R05W	K	M	38	34	17	122	26	05	900		1939			28
D2 0322	ARROYO SECO	800	SEC 36	T19S	R04E		M	36	14	00	121	29	00	900		1931			27
D3 0360-01	ATASCADERO MAINT STATION	940	SEC 26	T28S	R12E	R	M	35	27	30	120	38	24	809	L145	1948			40
E3 0372	ATLAS ROAD	1660	SEC 25	T07N	R04W	G	M	38	25	36	122	14	53	900		1940			28
D0 0677	BEN LOMOND #3	720	SEC 10	T10S	R01W		M	37	05	00	122	04	00	900		1967			44
E4 0693	BERKELEY	299		T01S	R03W		M	37	52	00	122	15	00	900		1887			60
D4 0790	BIG SUR STATE PARK	235	SEC 30	T19S	R02E		M	36	15	00	121	47	00	900		1914			27
E6 0850	BLACK MOUNTAIN 2 SW	2331	SEC 36	T07S	R03W		M	37	18	00	122	10	00	900		1943			43
F9 0876	BLAKES LANDING	40	SEC 13	T04N	R01W		M	38	11	42	122	55	00	000		1956			21
F9 0969	BON TEMPE DAM	723	SEC 11	T01N	R07W		M	37	57	24	122	36	36	413		1958			21
F8 0973	BOONVILLE H M S	342	SEC 02	T13N	R14W	F	M	39	00	54	123	22	20	900	PN0971	1936			23
D0 1005	BOULDER CREEK LOCATELLI RCH	2175	SEC 16	T09S	R03W	Q	M	37	08	32	122	11	43	900		1943			44
D3 1034	BRADLEY	540	SEC 08	T24S	R11E		M	35	52	00	120	48	00	900		1946			27
D3 1142	BRYSON	925	SEC 34	T24S	R08E		M	35	48	00	121	05	00	900		1946			27
D1 1170	BUENA VISTA	1640	SEC 27	T13S	R07E	R	M	36	46	00	121	11	00	900		1932			35
E7 1206	BURLINGAME	10		T04S	R05W		M	37	35	00	122	21	00	900		1946			41
E4 1216	BURTON RANCH	530	SEC 09	T01S	R02W		M	37	52	00	122	05	00	900		1955			07
D1 1247	BUZZARD LAGOON	1275	SEC 26	T10S	R01E	M	M	37	02	00	121	50	00	000		1959			44
E5 1281	CALAVERAS RESERVOIR	805	SEC 24	T05S	R01E		M	37	29	12	121	49	06	900		1874			60
E6 1285	CALERO RESERVOIR	500	SEC 04	T09S	R02E	E	M	37	10	48	121	45	48	414		1958			43
E3 1312	CALISTOGA	364	SEC 36	T09N	R07W	K	M	38	35	05	122	34	59	900		1873			28
E6 1341-10	CAMBRIAN PARK						M	37	15	12	121	55	24	426					43
E6 1377-01	CAMPBELL WATER COMPANY	192	SEC 35	T01S	R01W	C	M	37	17	00	121	57	00	000		1897	09		43
D4 1534	CARMEL VALLEY	425	SEC 03	T17S	R02E		M	36	29	00	121	44	00	900		1957			27
E3 1537	CARNEROS VALLEY	300	SEC 13	T05N	R05W		M	38	17	00	121	21	30	901		1931			28
F9 1602	CAZADERO	1040	SEC 13	T08N	R12W	R	M	38	31	48	123	07	31	900		1939			49
D1 1739	CHITTENDEN PASS	125	SEC 12	T12S	R03E		M	36	54	00	121	36	00	900		1945			44
D1 1739-01	CHITTENDEN	104	SEC 11	T12S	R03E	K	M	36	54	08	121	36	17	909		1960			44
D3 1743	CHOLAME ALLEY RANCH	1975	SEC 12	T26S	R16E		M	35	41	00	120	12	00	900		1925			40
D1 1766	CIENEGA	900	SEC 18	T14S	R06E	B	M	36	42	54	121	20	48	407		1950			35
F9 1838	CLOVERDALE 3 SSE	320	SEC 29	T11N	R01W		M	38	46	00	122	59	00	900		1950			49
F9 1840	CLOVERDALE 11 W	1820	SEC 17	T11N	R12W		M	38	46	00	123	13	00	900		1939			49
E3 1919	COLLINSVILLE	34	SEC 22	T03N	R01E	F	M	38	05	26	121	51	17	000		1946			48
E4 1962	CONCORD 3 E	200		T01N	R01W		M	37	58	00	121	59	00	900		1954			07
D0 2048	CORRALITOS	260	SEC 12	T11S	R01E		M	36	59	00	121	48	00	900		1958			44
F9 2105	COYOTE DAM	720	SEC 34	T16N	R12W		M	39	11	00	123	11	00	901		1960			23
E6 2109	COYOTE RESERVOIR	800	SEC 09	T10S	R04E	C	M	37	05	06	121	32	24	414		1938			43
D0 2159	CREST RANCH	2640		T10S	R02W		M	37	05	06	122	08	00	000		1948			44
E4 2177	CROCKETT	12	SEC 32	T03N	R03W		M	38	02	00	122	13	00	900		1918			07
D0 2290	DAVENPORT	273	SEC 32	T10S	R03W	Q	M	37	01	00	122	12	00	900		1910			44
D2 2362	DEL MONTE	46		T15S	R01E		M	36	36	00	121	52	00	900		1911			27
E3 2399-48	DENVERTON 1 S	22	SEC 08	T04N	R01E	F	M	38	12	23	121	53	28	000		1950			48
E3 2580	DUTTONS LANDING	20	SEC 09	T04N	R04W	R	M	38	12	07	122	18	11	900		1955			28
E3 2933	FAIRFIELD	13	SEC 25	T05N	R02W	M	M	38	15	01	122	02	25	900		1940			48
E3 2934	FAIRFIELD FIRE STATION	34	SEC 24	T05N	R02W	N	M	38	15	36	122	02	26	900		1951			48
F8 3161	FORT BRAGG	80	SEC 06	T18N	R17W	N	M	39	26	45	123	48	24	900		1895			23
F8 3164	FORT BRAGG AVIATION	74	SEC 25	T18N	R18W	K	M	39	23	34	123	48	51	900		1940			23
F8 3191	FORT ROSS	116	SEC 30	T08N	R12W	D	M	38	31	00	123	15	00	900		1874			49
D1 3232	FREEDOM 8 NNW	1495	SEC 24	T10S	R01E		M	37	03	00	121	49	00	900		1952			44
D1 3238	FREMONT PEAK	2500	SEC 35	T13S	R04E		M	36	45	36	121	29	54	000		1950			35
E5 3387	GERBER RANCH	2140	SEC 36	T06S	R04E	P	M	37	22	00	121	29	12	900		1912			43
F9 3395-07	GEYSERVILLE HOCKING	200	SEC 18	T10N	R09W	J	M	38	43	00	122	53	30	806		1965			49
D1 3417	GILROY	194	SEC 06	T11S	R04E		M	37	00	00	121	34	00	900		1957			43
D1 3419	GILROY 8 NE	1050	SEC 29	T10S	R05E		M	37	02	00	121	27	00	900		1942			43
D1 3422	GILROY 14 ENE	1350	SEC 05	T10S	R06E		M	37	06	00	121	20	00	900		1940			43
D2 3502	GONZALES 9 ENE	2350	SEC 15	T16S	R06E		M	36	33	00	121	18	00	900		1943			35
F9 3577	GRATON	200	SEC 21	T07N	R09W	P	M	38	25	51	122	51	49	000		1928			49
F9 3578	GRATON 1 W	210		T07N	R09W		M	38	26	00	122	53	00	900		1896	1968		29
D2 3591	GREENFIELD BAKER	280		T18S	R07E		M	36	19	24	121	14	36	901		1958			47
E3 3612-01	GREEN VALLEY	414	SEC 03	T05N	R03W		M	38	17	00	122	10	00	418		1893		18	48
E6 3681	GUADALUPE RESERVOIR	450	SEC 29	T08S	R01E	Q	M	37	12	00	121	53	00	414		1936			43
F9 3683	GUERNEVILLE	145	SEC 29	T08N	R10W	P	M	38	30	15	122	59	40	900		1939			49
E8 3714	HALF MOON BAY	60	SEC 29	T05S	R05W	P	M	37	27	41	122	26	01	900		1965			41
D3 3722	HAMES VALLEY	725	SEC 32	T23S	R10E		M							000		1963			27
E4 3863	HAYWARD 6 ESE	715	SEC 21	T03S	R01W	N	M	37	39	08	121	59	09	900		1940			60
F9 3875	HEALDSBURG	101	SEC 19	T09N	R09W		M	38	37	00	122	50	00	900		1877			49

TABLE A-1 (Cont.)
INDEX OF CLIMATOLOGICAL STATIONS FOR 1967-68

Station		Elevation (In Feet)	Section	Township	Range	40-Acre Tract	Base & Meridian	Latitude			Longitude			Cooperator Number	Cooperator's Index Number	Record Began	Record Ended	Years Missing	County Code
Number	Name							O	I	II	O	I	II						
F9 3878	HEALDSBURG 2 E	102		T09N	R09W	M		38	37		122	50	00	900		1943			49
D1 3925	HERNANDEZ 2 NW	2160	SEC 29	T17S	R10E	M		36	25	00	120	55	00	900		1940			35
D1 3928	HERNANDEZ 7 SE	2765	SEC 06	T19S	R12E	M		36	18	00	120	42	00	900		1940			35
D1 4022	HOLLISTER 1 SW	279		T13S	R05E	M		36	50	00	121	25	00	900		1874			35
D1 4025	HOLLISTER 2	284	SEC 10	T12S	R05E	M		36	51	00	121	24	00	900		1938			35
D1 4035	HOLLISTER 10 ENE	2578	SEC 08	T12S	R07E	M		36	55	00	121	14	00	900		1962			35
F9 4100	HOPLAND LARGO STATION	550		T13N	R12W	M		39	01	00	123	07	00	900		1948			23
F9 4277	INVERNESS MERY	150		T03N	R09W	M		38	05	24	122	51	06	000		1951	1968		21
F9 4480	KELLOGG	1800	SEC 09	T09N	R07W	M		38	40	00	122	40	00	900		1936			49
E2 4500	KENTFIELD	80	SEC 08	T01N	R06W	Q	M	37	56	47	122	33	02	900		1888			21
F9 4502	KENT LAKE	360		T02N	R08W	M		37	59	54	122	42	30	413		1954			21
D2 4555	KING CITY	320	SEC 08	T20S	R08E	M		36	12	00	121	08	00	900		1887			27
F9 4593	KNIGHTS VALLEY	480	SEC 18	T09N	R07W	M		38	37	00	122	40	00	900		1964			49
E4 4633	LAFAYETTE 2 NNE	540		T01N	R02W	M		37	55	00	122	06	00	900		1956			07
F9 4652	LACUNITAS LAKE	785		T01N	R07W	M		37	56	48	122	35	42	413		1881			21
E8 4660	LA HONDA	670	SEC 14	T07S	R04W	M		37	19	00	122	16	00	900		1950			41
E3 4677	LAKE CURRY	386	SEC 19	T06N	R02W	M		38	21	18	122	07	18	418		1926	09		28
D3 4767	LA PANZA RANCH	1550	SEC 20	T29S	R17E	M		35	23	00	120	10	00	900		1948			40
E6 4916	LEROY ANDERSON DAM	700	SEC 10	T09S	R03E	K	M	37	09	48	121	37	48	414		1950			43
E6 4922	LEXINGTON RESERVOIR	700	SEC 05	T09S	R01W	J	M	37	10	36	121	59	18	414		1951			43
D3 4963	LINN RANCH	870	SEC 07	T26S	R12E	F	M	35	41	06	120	43	24	000		1925	1968		40
E5 4997	LIVERMORE SEWAGE PLANT	405	SEC 12	T03S	R01E	A	M	37	41	28	121	48	20	000		1961			60
E5 4996	LIVERMORE 2 SSW	545	SEC 20	T03S	R02E	M		37	39	00	121	47	00	900		1871	1967		60
D3 5017	LOCKWOOD 2 N	1104	SEC 34	T22S	R08E	M		35	58	00	121	05	00	900		1940			27
E6 5123	LOS GATOS	428		T08S	R01W	M		37	13	00	121	59	00	900		1885			43
E6 5123-04	LOS GATOS WRIGHT	1610	SEC 26	T09S	R01W	H	M	37	07	24	121	56	00	000		1947	1968		43
D0 5125	LOS GATOS 4 SW	2215	SEC 01	T09S	R02W	M		37	11	00	122	02	00	900		1957			43
D4 5184	LUCIA WILLOW SPRINGS	360	SEC 05	T24S	R05E	M		35	53	00	121	27	00	900		1941			27
E3 5333	MARE ISLAND NAVY	52		T03N	R03W	M		38	06	00	122	16	12	900		1867			48
E4 5371	MARTINEZ 3 S	225		T02N	R02W	M		37	58	00	122	08	00	900		1941			07
E4 5372	MARTINEZ 3 SSE	280		T02N	R02W	M		37	58	00	122	06	00	900		1956			07
E4 5377	MARTINEZ FIRE STATION	26		T02N	R02W	M		38	01	00	122	08	00	900		1891			07
E2 5647	MILL VALLEY	10	SEC 31	T01N	R06W	M		37	53	48	122	31	36	411		1944			21
D4 5795	MONTEREY	335		T15S	R01E	M		36	36	00	121	54	00	900		1878			27
E6 5844	MORGAN HILL 2 E	225		T09S	R03E	M		37	08	00	121	37	00	900		1943			43
E6 5846	MORGAN HILL 6 WNW	660		T09S	R02E	M		37	09	00	121	46	00	900					43
D1 5853	MORGAN HILL S C S	350	SEC 20	T09S	R03E	M		37	08	00	121	39	00	900		1945			43
E4 5915	MOUNT DIABLO NORTH GATE	2070	SEC 02	T01S	R01W	R	M	37	52	07	121	56	05	900		1952			07
E5 5933	MOUNT HAMILTON	4206		T07S	R03E	M		37	20	00	121	39	00	900		1881			43
D1 5973	MOUNT MADONNA	1800	SEC 35	T10S	R02E	M		37	01	00	121	43	00	900		1945			44
D1 5973-11	MT MADONNA COUNTY PARK	1880	SEC 01	T11S	R02E	B	M	37	00	42	121	42	12	909		1937			43
F9 5996	MT TAMALPAIS 2 SW	1480		T01N	R07W	M		37	54	00	122	36	00	900		1959			21
E2 6027	MUIR WOODS	170				M		37	54	00	122	34	00	900		1940			21
D3 6056	NACIMIENTO DAM	770	SEC 15	T25S	R10E	M		35	46	00	120	53	00	900		1957			40
E3 6074	NAPA STATE HOSPITAL	73	SEC 14	T05N	R04W	J	M	38	16	40	122	15	50	900		1877			28
F9 6105	NAVARRO 1 NW	220	SEC 18	T15N	R15W	M		39	09	50	123	33	47	900		1958			23
E5 6144	NEWARK	14	SEC 01	T05S	R02W	Q	M	37	31	18	122	01	43	900		1891			60
F9 6187	NICASIO			T03N	R08W	M								413					21
E5 6199-10	NILES PINNA	75		T04S	R01W	M										1962			60
F9 6290	NOVATO 8 WNW	350	SEC 24	T04N	R08W	M		38	08	00	122	43	00	900		1943			21
E2 6290-02	NOVATO FIRE HOUSE	18		T03N	R06W	M		38	06	30	122	33	42	411		1957			21
E4 6332-01	OAKLAND 39TH AVENUE			T02S	R03W	M								907		1960			60
E4 6333	OAKLAND CITY HALL	40	SEC 35	T01S	R04W	M		37	48	00	122	16	00	900		1949			60
E4 6335	OAKLAND WB AP	3		T02S	R03W	M		37	44	00	122	12	00	900		1939			60
E3 6351	OAKVILLE 1 WNW	165	SEC 21	T07N	R05W	G	M	38	26	46	122	25	07	900		1906			28
E3 6356	OAKVILLE 4 SW NO. 2	1685	SEC 01	T06N	R06W	A	M	38	23	55	122	27	54	900		1963			28
F9 6370	OCCIDENTAL	960	SEC 34	T07N	R10W	D	M	38	24	46	122	57	43	900		1940			49
D1 6610	PAICINES OHRWALL RANCH	950	SEC 12	T14S	R05E	M		36	44	00	121	22	00	900		1924			35
E6 6646	PALO ALTO CITY HALL	43	SEC 01	T06S	R03W	B	M	37	26	43	122	08	22	900		1953			43
D2 6650	PALOMA	1835	SEC 23	T18S	R04E	M		36	21	00	121	30	00	900		1940			27
D3 6703	PARKFIELD	1482	SEC 35	T23S	R14E	M		35	53	00	120	26	00	900		1938			27
D3 6706	PARKFIELD 7 NNW	3590	SEC 21	T22S	R14E	N	M	36	59	46	120	28	26	900		1948			27
D3 6730	PASO ROBLES	700	SEC 33	T26S	R12E	M		35	38	00	120	41	00	900		1887			40
D3 6736	PASO ROBLES 5 NW	1040	SEC 11	T26S	R11E	M		35	41	00	120	45	00	900		1940			40
D3 6742	PASO ROBLES FAA AP	803	SEC 13	T26S	R12E	M		35	40	00	120	38	00	900		1944			40
E6 6791-43	PENITENCIA RAIN GAGE	255	SEC 23	T06S	R01E	L	M	37	24	00	121	49	54	426					43
E2 6826	PETALUMA FIRE STATION NO. 2	16	SEC 33	T05N	R07W	A	M	38	14	28	122	37	44	900		1871			49
E2 6826-01	PETALUMA BURNS	240	SEC 02	T04N	R08W	M		38	13	00	122	42	48	901		1959			49
F8 6851-01	PHILO 2 NW	240		T14N	R15W	M		39	05	30	123	28	30	000		1953			23
F8 6851-02	PHILO 4 NW	240	SEC 33	T15N	R15W	M		39	01	00	123	37	00	403					23

TABLE A-1 (Cont.)
INDEX OF CLIMATOLOGICAL STATIONS FOR 1967-68

Station		Elevation (in Feet)	Section	Township	Range	40-Acre Tract	Base & Meridian	Latitude			Longitude			Cooperator Number	Cooperator's Index Number	Record Began	Record Ended	Years Missing	County Code
Number	Name							O	I	II	O	I	II						
F9 6853	PHOENIX LAKE DAM	175					M	37	57	18	122	34	24	413		1937			21
D2 6926	PINNACLES NATIONAL MONUMENT	1310	SEC 02	T17S	R07E		M	36	29	00	121	11	00	900		1937			35
E5 6991-05	PLEASANTON NURSERY	345	SEC 20	T03S	R01E		M	37	40	00	122	53	00	000		1939			60
F8 7009	POINT ARENA	122	SEC 12	T12N	R17W		M	38	55	00	123	42	00	900		1940			23
E4 7070	PORT CHICAGO N A D	50		T02N	R01W		M	38	01	00	122	01	00	900		1946			07
E8 7086	PORTOLA STATE PARK	422	SEC 08	T08S	R03W	Q	M	37	14	42	122	12	42	901		1959			41
F9 7108	POTTER VALLEY 3 SE	1100	SEC 27	T17N	R11W		M	39	18	00	123	04	00	900		1952			23
F9 7109	POTTER VALLEY POWERHOUSE	1014	SEC 06	T17N	R11W		M	39	22	00	123	08	00	900		1911			23
D2 7150	PRIEST VALLEY	2300	SEC 17	T20S	R12E		M	36	11	00	120	42	00	900		1898			27
D1 7190	QUIEN SABE HAY CAMP	1630	SEC 27	T12S	R07E	M	M	36	51	30	121	11	48	000		1949			35
D1 7249	RANCHO QUIEN SABE	1800	SEC 04	T13S	R07E	D	M	36	50	12	121	12	48	000		1931			35
E6 7339	REDWOOD CITY	31		T05S	R03W		M	37	29	00	122	14	00	900		1899			41
F9 7351	REDWOOD VALLEY	718	SEC 09	T16N	R12W		M	39	16	00	123	12	00	900		1937			23
E4 7414	RICHMOND	55					M	37	56	00	122	21	00	900		1950			07
D4 7539-01	ROOSEVELT RANCH	1100	SEC 24	T20S	R02E	F	M	36	10	48	121	41	48	000		1946			27
E3 7643	SAINT HELENA	225	SEC 31	T08N	R05W	C	M	38	30	25	122	27	40	900		1907			28
E3 7646	SAINT HELENA 4 WSW	1792	SEC 04	T07N	R06W		M	38	30	00	122	32	00	900		1939			21
E4 7661	SAINT MARYS COLLEGE	625	SEC 17	T01S	R02W		M	37	50	00	122	06	00	900		1942			07
D2 7668	SALINAS 2 E	80		T14S	R03E		M	36	40	00	121	37	00	900		1958			27
D2 7669	SALINAS FAA AP	80		T14S	R03E		M	36	40	00	121	36	00	900		1873			27
D3 7672	SALINAS DAM	1380	SEC 08	T30S	R14E		M	35	20	00	120	30	00	900		1942			40
E2 7707-01	SAN ANSELMO	100		T02N	R06W		M	37	58	36	122	33	42	411		1957			21
D3 7714	SAN ANTONIO MISSION	1060	SEC 18	T22S	R07E		M	36	01	00	121	15	00	900		1959			27
D2 7716	SAN ARDO	440	SEC 09	T22S	R10E		M	36	02	00	120	54	00	900		1894			27
D1 7719	SAN BENITO	1355	SEC 27	T16S	R08E	H	M	36	30	30	121	04	54	900		1936			35
D4 7731	SAN CLEMENTE DAM	600	SEC 23	T17S	R02E		M	36	26	12	121	42	30	900	NPGS18	1940			27
D1 7755	SAN FELIPE HIGHWAY STATION	365	SEC 32	T10S	R06E		M	37	01	00	121	20	00	900		1943			43
E8 7767	SAN FRANCISCO SUNSET	300		T02S	R06W		M	37	46	00	122	30	00	900		1948			80
E7 7769	SAN FRANCISCO WB AIRPORT	8		T04S	R05W		M	37	37	00	122	23	00	900		1928			41
E7 7772	SAN FRANCISCO F O B	52		T02S	R05W		M	37	47	00	122	25	00	900		1931			80
E8 7807	SAN GREGORIO 2 SE	245	SEC 23	T07S	R05W	Q	M	37	18	14	122	21	38	900		1964			41
E6 7821	SAN JOSE	70		R07S	R01E		M	37	21	00	121	54	00	900		1874			43
E6 7824-01	SAN JOSE DECID F F S	90	SEC 15	T07S	R01W	J	M	37	19	00	121	57	00	801		1935			43
D1 7834	SAN JUAN BAUTISTA 3 SSE	615	SEC 10	T13S	R04E		M	36	49	00	121	31	00	900		1943			35
D1 7835	SAN JUAN BAUTISTA MISSION	200		T12S	R04E		M	36	50	42	121	32	00	804		1900	02		35
E7 7864	SAN MATEO	30	SEC 29	T04S	R04W		M	37	34	00	122	19	00	900		1874			41
E2 7880	SAN RAFAEL	31			R06W		M	37	58	00	122	32	00	900		1948			21
E2 7880-08	SAN RAFAEL NO. 1	25		T02N	R06W		M	37	58	24	122	31	30	413		1876			21
E6 7912	SANTA CLARA UNIVERSITY	88	SEC 02	T07S	R01W	P	M	37	20	52	121	56	27	900		1881			43
D0 7916	SANTA CRUZ	125		T11S	R01W		M	36	59	00	122	01	00	900		1866			44
D3 7930	SANTA MARGARITA 2 SW	1200	SEC 36	T29S	R12E		M	35	22	00	120	38	00	900		1940			40
D3 7933	SANTA MARGARITA BSTR	1100	SEC 25	T29S	R12E		M	35	22	00	120	38	00	900		1931	03		40
F9 7964	SANTA ROSA SEWAGE PLANT	20	SEC 21	T07N	R08W	P	M	38	26	24	122	45	12	000		1956			49
F9 7965	SANTA ROSA	167		T07N	R08W		M	38	27	00	122	42	00	900		1888			49
E6 7998-01	SARATOGA CLARK	272		T07S	R01W		M	37	16	48	121	59	42	414		1956			43
E6 7998-02	SARATOGA GAP MAINT STN						M							809					43
E6 7998-03	SARATOGA KRIEGE			T08S	R02W		M	37	15	00	122	02	00	426		1960			43
E6 8068	SEARSVILLE LAKE	350	SEC 12	T06S	R03W		M	37	24	00	122	14	00	900		1949			41
F9 8072	SEBASTOPOL 4 SSE	145	SEC 24	T06N	R09W	E	M	38	21	06	122	48	42	900		1935			49
F9 8272	SKAGGS SPRING LAS LOMAS	1930	SEC 36	T10N	R12W	B	M	38	40	38	123	08	04	900		1939			49
D2 8276	SLACK CANYON	1730	SEC 22	T21S	R12E	M	M	36	05	00	120	40	00	900		1955			27
D2 8338	SOLEDAD	204		T17S	R06E		M	36	26	00	121	19	00	900		1874			27
D2 8338-01	SOLEDAD C T F	230	SEC 12	T17S	R05E	B	M	36	28	26	121	22	34	806		1961			27
E2 8351	SONOMA	20		T05N	R05W		M	38	17	00	122	27	00	900		1952			49
E0 8376	S E FARALLON	27					M	37	42	00	123	00	00	900		1941			80
D2 8446	SPRECKLES HIGHWAY BRIDGE	60		T15S	R03E		M	36	36	00	121	41	00	900		1905			27
D2 8446-01	SPRECKELS	55	SEC 16	T15S	R03E		M	36	37	14	121	39	27	000		1905			27
D1 8447	SPRECKELS HILL-LAGUNA SECA	384		T09S	R03E		M	37	12	00	121	44	00	414			1967		43
E6 8519	STEVENS CREEK RESERVOIR	600	SEC 28	T07S	R02W	H	M	37	18	00	122	05	00	414		1937			43
D1 8680	SUNSET BEACH STATE PARK	85		T12S	R01E		M	36	54	00	121	50	00	900		1956			44
E2 8779	TAMALPAIS VALLEY	250		T01N	R06W		M	37	52	42	122	32	36	901		1959			21
D3 8849	TEMPLETON	773	SEC 29	T27S	R12E		M	35	32	54	120	42	20	000		1886	05		40
F9 8885	THE GEYSERS	1668	SEC 14	T11N	R09W	G	M	38	48	02	122	49	32	900		1939			49
E2 8920-21	TIBURON TOPHAM	400		T01S	R05W		M	37	52	24	122	27	12	000		1960			21
F9 9122	UKIAH	623	SEC 17	T15N	R12W		M	39	09	00	123	12	00	900		1877			23
F9 9124	UKIAH 4 WSW	1900		T15N	R12W		M	39	08	00	123	17	00	900		1951			23
E4 9185	UPPER SAN LEANDRO FIL	390	SEC 11	T02S	R03W	G	M	37	46	00	122	10	00	900		1944			07
D1 9189	UPPER TRES PINOS	2050	SEC 07	T15S	R09E		M	36	38	00	121	02	00	900		1940			35
D3 9221	VALLETON	950	SEC 32	T23S	R12E		M	35	53	00	120	42	00	900		1940			27
E6 9270	VASONA RESERVOIR	300		T08S	R01W		M	37	14	36	121	58	00	426					43

TABLE A-1 (Cont.)
INDEX OF CLIMATOLOGICAL STATIONS FOR 1967-68

Station		Elevation (In Feet)	Section	Township	Range	40-Acre Tract Base & Meridian	Latitude			Longitude			Cooperator Number	Cooperator's Index Number	Record Began	Record Ended	Years Missing	County Code
Number	Name						0	1	11	0	1	11						
F9 9273	VENADO	1260	SEC 19	T09N	R10W	M	38	37	00	123	01	00	900		1939			49
E3 9305	VETERANS HOME	170	SEC 01	T06N	R05W	M	38	23	00	122	22	00	000		1912			28
E4 9420	WALMAR SCHOOL	128				M	37	57	00	122	05	00	900		1954			07
E4 9423	WALNUT CREEK 2 ESE	245	SEC 36	T01N	R02W	M	37	53	00	122	02	00	900		1887			07
E4 9426	WALNUT CREEK 2 ENE	220	SEC 30	T01N	R02W	M	37	54	00	122	01	00	900		1944			07
E4 9427	WALNUT CREEK 4 E	265	SEC 29	T01N	R01W	G M	37	54	23	121	59	40	900		1954			07
D1 9473	WATSONVILLE WATERWORKS	95	SEC 32	T11S	R02E	M	36	56	00	121	46	00	900		1880			44
D0 9675	WILDER RANCH	50				M	36	57	36	122	05	24	000		1924			44
E3 9675-41	WILD HORSE VALLEY	1240	SEC 10	T05N	R03W	D M	38	17	53	122	11	13	418					48
F9 9770	WOODACRE	430				M	38	00	24	122	38	30	808	049770	1950			21
E6 9814	WRIGHTS	1600	SEC 23	T09S	R01W	M	37	08	00	121	57	00	900		1918			43
F8 9851	YORKVILLE	1120	SEC 08	T12N	R12W	M M	38	54	18	123	18	46	900		1939			23
E3 9861	YOUNTVILLE GAMBLE	120	SEC 24	T07N	R05W	P M	38	26	05	122	22	05	806		1962			28

TABLE A-2
PRECIPITATION DATA

The definition of terms and abbreviations used in connection with this table are as follows:

- No record or record incomplete.
- * Amount included in the following measurement. Time distribution unknown.
- E Wholly or partially estimated.
- T Trace, an amount too small to measure.
- V Includes total from previous month.
- RB Record began.
- RE Record ended.

Precipitation values are shown to the nearest hundredth (.01) of an inch, except where Fischer & Porter recording rain gages are used, these values are shown to the nearest tenth (.1) of an inch.

**TABLE A-2 (Cont.)
PRECIPITATION DATA**

Precipitation in Inches																	
Station Name	Total July 1 to June 30	1967						1968						Total Oct 1 to Sept 30			
		July	Aug	Sept.	Oct.	Nov	Dec	Jan	Feb	Mar	Apr.	May	June		July	Aug	Sept
CENTRAL COASTAL AREA																	
SANTA CRUZ D0																	
BEN LOMOND NO. 3			RB	0	0.54	2.53	5.45	10.86	6.45	5.24	1.03	0.54	0	T	0.49	T	33.13
BOULDER CREEK LOCATELLI RCH	45.03	0	0	0	1.05	3.42	9.03	14.94	7.68	6.16	1.08	1.67	0	0	0.92	0	45.95
CORRALITOS	--	0	0	0	0.20	1.90	--	5.10	3.70	5.10	0.80	0.10	0	0	0.70	0	--
CREST RANCH	44.97	0	0	0	0.93	3.36	9.40	13.42	8.05	6.91	1.27	1.63	0	0	0.93	0	45.90
DAVENPORT	21.06	0	0	T	0.34	1.04	2.99	5.72	5.79	3.94	0.78	0.46	0	0	0.44	0.08	21.58
LOS GATOS 4 SW	36.03	0	T	0	0.52	2.46	5.93	15.46	4.47	6.04	1.20	0.95	0	0	0.30	0	37.33
SANTA CRUZ	20.91	0	0	0	0.13	2.14	3.10	3.82	4.93	5.64	0.97	0.18	0	T	0.55	0	21.46
SUNSET BEACH STATE PARK	14.00	0	0	0	0	1.20	2.00	3.00	2.70	4.10	0.90	0.10	0	0	0.20	0	14.20
WILDER RANCH	21.44	0	0	0	0.11	1.75	2.91	4.81	5.58	5.04	1.00	0.24	0	0	0.47	0	21.91
PAJARO-SAN BENITO RIVERS D1																	
BUENA VISTA	--	0	0	--	--	--	--	--	--	1.75	0.14	0.43	0	0	0.05	0	--
BUZZARD LAGOON	23.19	0	0	0	0.41	2.24	4.65	5.79	4.66	4.61	0.72	0.11	0	0	0.16	0	23.35
CHITTENDEN PASS	14.59	0	T	T	0.34	0.99	4.26	3.12	2.08	2.85	0.78	0.17	0	0	0.19	0	14.78
CHITTENDEN	13.96	0	0	T	0.29	0.95	4.10	3.00	1.86	2.81	0.77	0.18	0	0	0.16	0	14.12
CIENEGA	11.55	0	0	0.36	0.24	0.76	2.99	2.70	1.50	2.15	0.70	0.15	0	0	0	0	11.19
FREEDOM 8 NNW	--	0	0	0	0.48	2.14	5.05	7.69	3.99	--	--	0.17	0	0	0.52	0	--
GILROY	12.56	0	T	0.01	0.32	1.54	2.61	3.23	1.68	2.92	0	0.25	0	0	0.02	0	12.57
GILROY 14 ENE	11.24	0	0	0	0.30	1.06	2.34	2.43	1.99	2.20	0.79	0.13	0	0	0.08	0	11.32
HERNANDEZ 2 NW	9.30	0	0	0.65	0.07	1.33	1.53	1.22	1.34	2.20	0.76	0.20	0	0	T	0	8.65
HERNANDEZ 7 SE	--	0	0.10	0.49	0.10	1.87	1.66	--	1.62	2.50	1.01	0.52	0	0	0	0	--
HOLLISTER 1 SW	9.05	0	T	0.01	0.36	1.31	1.41	1.51	1.20	2.62	0.41	0.22	0	0	0	0	9.04
HOLLISTER 2	9.20	0	0	0	0.40	1.30	1.60	1.40	1.30	2.70	0.40	0.10	0	0	0	0	9.20
HOLLISTER 10 ENE	12.12E	0	0	0	0.10	2.13	1.91E	2.18	2.26	2.81	0.35	0.38	0	0	0.41	0	12.53
MORGAN HILL 2 E	13.37E	0	0	T	0.22	1.66	2.27	3.93	1.23	3.21	0.70	0.15	0 E	0	0.39	0	13.76E
MORGAN HILL SCS	--	0	0	0	0.20	1.90	2.30	4.10	1.20	3.30	0.80	--	0	0	0.10	0	--
MOUNT MADONNA	22.66	0	0	0	0.37	2.20	4.16	5.93	4.08	4.73	0.97	0.22	0	0	0.64	0	23.30
MOUNT MADONNA COUNTY PARK	21.11	0.02	0.01	0.04	0.44	1.87	3.98	4.89	4.11	4.17	1.12	0.35	0.11	0.03	0.54	0.10	21.71
PAICINES OHRWALL RANCH	9.39	0	0	0.15	0.25	0.65	2.27	1.98	1.20	2.11	0.45	0.33	0	0	0	0	9.24
QUIEN SABE HAY CAMP	11.31	0	0.05	0.04	0.37	1.13	2.96	1.79	1.79	2.42	0.30	0.40	0.06	T	0.22	0	11.44
RANCHO QUIEN SABE	10.62	0	0	0	0.59	1.05	2.60	1.84	1.38	2.38	0.35	0.43	0	0	0.25	0	10.87
SAN BENITO	6.44	0	0	0.25	0.09	0.94	0.95	0.93	0.57	1.75	0.70	0.26	0	0	0.13	0	6.32
SAN FELIPE HIGHWAY STATION	11.03	0	0	0	0.46	1.27	2.68	1.94	1.90	1.95	0.67	0.16	0	0	0.15	0	11.18
SAN JUAN BAUTISTA 3 SSE	12.27	0	0	0	0.15	1.76	1.68	2.15	1.69	3.50	0.92	0.42	0	0	0.10	0	12.37
SAN JUAN BAUTISTA MISSION	--	0	0	0.05	--	1.30	2.50	--	1.29	--	0.97	0.30	0	T	0.02	0	--
SPRECKELS HILL-LAGUNA SECA	--	RE															
UPPER TRES PINOS	--	0	0	0.20	0.07	1.43	1.30	1.34	0.87	1.65	0.73	--	0	0	0	0	--
WATSONVILLE WATERWORKS	15.59	0	0	0	0.05	1.04	3.27	3.48	2.58	4.26	0.85	0.06	T	0	0.22	0.01	15.82
LOWER SALINAS RIVER D2																	
ARROYO SECO	--	0	0	0.18	0.25	1.43	1.94	2.82	0.94	2.30	--	0.17	0	0	0	0	--
DEL MONTE	--	0	0	0.14	0.21	1.29	1.31	1.81	0.70	1.75	0.33	--	0	0	0.08	0	--
FREMONT PEAK	18.55	0	0	0.12	0.67	2.34	2.59	4.30	2.09	4.79	0.66	0.80	0.19	T	0.73	0	19.16
GONZALES 9 ENE	8.22	0	0	0.06	0.18	1.36	1.44	1.38	0.52	2.32	0.45	0.37	0.14	0	0	0	8.16
GREENFIELD BAKER	6.40	0	0	0.62	0.08	0.66	1.34	0.79	0.37	1.76	0.78	0	0	0	0	0	5.78
HAMES VALLEY	6.62	0	0	0.54	0	1.56	0.60	0.85	0.55	1.65	0.87	T	0	0	T	0	6.08
KING CITY	6.04	0	0	0.49	0.05	0.62	0.98	0.88	0.88	1.43	0.71	T	0	0	T	0	5.55
MONTEREY	10.97	0.02	0.06	0.17	0.38	1.61	2.27	0.88	1.40	3.06	0.79	0.32	0.01	0.06	0.23	0.05	11.06
PALOMA	13.61	T	0	0.69	0.32	1.26	1.82	3.06	2.22	3.04	0.68	0.29	0.23	T	0.06	0	12.98
PINNACLES NATL MONUMENT	9.14	0	0	0.14	1.09	0.90	1.49	0.99	1.17	2.30	0.90	0.16	0	0.02	0	0	9.02
PRIEST VALLEY	11.55	0	0.04	0.11	0.15	2.89	1.87	1.44	1.39	2.32	1.01	0.33	0	0	T	0	11.40
SALINAS 2 E	8.82	0	0	0.16	0.08	1.35	1.87	1.93	0.97	2.05	0.32	0.09	0	0	0	0	8.66
SALINAS FAA AIRPORT	8.10	0	T	0.15	0.05	1.38	1.43	1.82	0.85	2.03	0.33	0.06	T	T	0.08	T	8.03
SALINAS DE DAMPIERRE	--	T	T	0.15	RE												
SAN ARDO	--	0	0	0.34	0.02	0.97	1.31	--	--	1.30	0.75	T	0	0	--	0	--
SLACK CANYON	7.58	0	0	0.18	0.10	1.87	1.01	0.60	1.08	1.91	0.70	0.13	0	0	0	0	7.40
SOLEDAD	5.13	0.02	0	0.05	0.06	0.43	1.38	0.79	0.42	1.53	0.40	0.05	0	T	T	0	5.06
SOLEDAD CTF	5.27	0	0	0.03	0.20	0.57	1.45	0.70	0.42	1.44	0.39	0.07	0	0	0	0.52	5.76
SPRECKELS HIGHWAY BRIDGE	9.43	0	0	0.21	0.01	1.10	2.05	1.89	0.88	2.58	0.49	0.21	0.01	T	0.05	0	9.27
SPRECKELS	8.62	0	0	0.27	0.15	1.16	1.29	2.04	0.80	2.28	0.49	0.14	0	0	0.05	0	8.40
UPPER SALINAS RIVER D3																	
ATASCADERO MAINTENANCE STN	12.12	0	0	0.70	0.14	2.55	1.83	1.86	1.42	2.30	1.32	0	0	0	0	0	11.42
BRADLEY	--	T	0	0.35	0	1.17	1.25	0.71	0.53	1.00	0.90	0.18	--	--	--	--	--
BRYSON	11.20	0	0	0.39	0.26	1.55	2.25	1.55	0.90	2.84	1.17	0.29	0	0	0	0	10.81
CHOLAME ALLEY RANCH	7.69	0	0	0.40	0	2.28	0.93	0.80	0.71	1.78	0.72	0.07	0	0	0	0	7.29
LA PANZA RANCH	6.53	0	0	0.50	0	1.79	1.44	0.57	0.38	1.14	0.67	0.04	0	0	0	0	6.03
LINN RANCH	8.27	0.02	0	0.68	0.13	1.84	1.44	0.86	0.67	1.66	0.88	0.09	0	0	RE		
LOCKWOOD 2 N	6.67	0	0	0.28	0	1.30	1.09	1.04	0.69	1.64	0.58	0.05	0	0	0	0	6.39
NACIMIENTO DAM	8.28	0.07	0	0.48	0.07	1.56	1.71	0.63	0.67	1.82	1.22	0.05	0	0	0	0	7.73
PARKFIELD	11.79	0	0	1.75	0	4.10	1.46	1.01	0.55	1.74	1.08	0.10	0	0	0	0	10.04
PARKFIELD 7 NNW	--	0	0	1.05	0.16	1.60	0.71	0.55	0.82	--	0.50	0.23	0	0	0.06	0	--
PASO ROBLES	8.74	T	0	0.79	0.14	1.74	1.70	1.19	0.68	1.76	0.70	0.04	0	0	T	0	7.95
PASO ROBLES 5 NW	--	0	0	1.06	0.07	1.71	1.47	--	0.60	1.65	0.75	0.11	0	0	0	0	--
PASO ROBLES FAA AIRPORT	7.35	0.02	0	0.28	0.14	1.39	0.97	1.15	0.81	1.75	0.82	0.02	0	0			

TABLE A-2 (Cont.)
PRECIPITATION DATA

Precipitation in Inches																
Station Name	Total July 1 to June 30	1967						1968								
		July	Aug	Sept.	Oct.	Nov	Dec	Jan.	Feb	Mar.	Apr.	May	June	July	Aug.	Sept.
CENTRAL COASTAL AREA																
UPPER SALINAS RIVER D3																
SANTA MARGARITA 2 SW	19.98	0	0	1.21	0.23	4.32	2.92	3.39	1.88	4.31	1.48	0.24	0	0	T	0
SANTA MARGARITA BSTR	20.11	T	0	1.32	0.20	4.33	3.32	3.31	1.89	4.05	1.49	0.20	0	T	T	T
TEMPLETON	11.16	0	0	0.62	0.16	1.98	2.67	2.03	0.85	1.89	0.96	0	0	0	0	0
VALLETON	--	0	0	0.22	0.11	1.50	0.92	0.66	--	1.68	0.90	0.12	0	0	0	0
MONTEREY COAST D4																
BIG SUR STATE PARK	25.03	0	0	0.18	0.29	1.83	4.51	8.30	4.23	3.94	1.25	0.50	0	0	0.21	0
CARMEL VALLEY	11.60	0	0	0.10	0.20	2.04	2.06	2.90	0.61	2.45	0.58	0.57	0.09	0.04	0.05	0
LUCIA WILLOW SPRINGS	15.74	0	0	0.25	0.21	1.27	1.97	3.56	3.05	3.74	1.40	0.29	0	0	0.18	0
ROOSEVELT RANCH	--	0	T	--	0.35	1.44	3.56	5.63	3.28	3.18	0.75	0.50	0	0	0.26	0
SAN CLEMENTE DAM	12.90	0	0	0.13	0.27	1.13	2.49	3.36	1.01	3.15	0.81	0.43	0.12	0	0.02	0
SAN FRANCISCO BAY AREA																
SAN FRANCISCO BAY E0																
S E FARALLON	11.73	0	0	0.04	0.68	1.26	1.39	2.69	2.11	3.14	0.20	0.22	0	0	0.05	0.04
COAST-MARIN E-1																
MUIR WOODS	28.22	0	0	0.12	0.86	2.37	3.00	8.48	7.37	4.66	0.30	1.06	0	0	0.63	0.17
MARIN-SONOMA E2																
KENTFIELD	35.18	0	0	T	1.07	3.25	7.12	10.22	7.63	5.01	0.43	0.45	0	0	0.97	0
MILL VALLEY	19.32	0	0	0	0	1.33	2.43	6.47	5.66	3.13	0.30	0	0	0	0.10	0
NOVATO FIRE HOUSE	19.39	0	0	0	0.76	1.14	3.15	7.31	3.03	3.74	0.20	0.06	0	0	0.25	0
OAKVILLE 4 SW NO. 2	33.42	0	0	0.10	1.26	2.93	5.27	11.83	5.17	5.40	0.68	0.78	0	0	0.31	0.09
PETALUMA FIRE STN NO. 2	20.96	0	0	0.03	0.82	2.35	3.15	6.58	3.70	3.43	0.32	0.58	0	0	0.62	0.03
PETALUMA BURNS	25.86	0	0	0.03	0.87	1.84	4.03	9.04	4.69	4.28	0.69	0.39	0	0	0.36	0.06
SAN ANSELMO	30.41	0	0	0	0	2.21	5.47	11.20	6.25	4.70	0.48	0.10	0	0	0.15	0
SAN RAFAEL	28.97	0	0	0.02	0.44	2.71	5.94	9.77	5.56	4.06	0.32	0.15	0	T	0.32	0
SAN RAFAEL NO. 1	28.68	0	0	0.03	0.68	2.39	5.77	9.40	6.05	3.95	0.31	0.10	0	T	0.27	T
SONOMA	19.42	0	0	0.02	0.53	1.21	1.97	7.34	3.69	3.92	0.27	0.47	0	0	0.27	0
TAMALPAIS VALLEY	25.56	0	0	0.09	0.78	1.94	3.20	7.53	6.29	4.62	0.40	0.71	0	0	0.56	0.15
TIBURON TOPHAM	--	0	T	0	0.43	1.20	5.24	7.12	3.71	2.99	0.20	0.25	--	0	0.37	0
NAPA-SOLANO E3																
ANGWIN PUC	30.13	0	0	0.13	1.16	2.77	4.85	10.46	5.50	3.91	0.63	0.72	T	0	0.97	0.02
ATLAS ROAD	--	0	0	--	1.00	2.50	3.50	9.50	5.30	--	--	--	0	0	1.10	0
CALISTOGA	32.66	0	T	0.13	1.43	2.97	5.20	12.13	5.06	4.15	0.58	1.01	0	0	0.94	0.07
CARNEROS VALLEY	23.16	0	0	0.08	0.70	1.77	2.71	8.68	4.39	4.10	0.20	0.53	0	0	0.33	0.20
COLLINSVILLE	11.61	0	0	0.03	0.32	0.97	1.34	4.14	2.28	1.82	0.71	T	0	0	0	0
DENVERTON 1 S	11.57	T	0	0.04	0.42	1.13	1.01	3.80	2.44	2.28	0.35	0.10	0	T	T	0
DUTTONS LANDING	15.57	0	0	0.05	0.50	1.24	1.61	5.89	3.40	2.51	0.24	0.13	0	0	0.09	0
FAIRFIELD	--	0	0	0.07	0.29	1.24	1.57	5.01	2.85	2.51	0.25	--	0	0	--	0
FAIRFIELD FIRE STATION	14.56	T	T	0.05	0.36	1.36	1.75	4.93	3.11	2.31	0.29	0.40	0	0	1.18	0
GREEN VALLEY	18.92	0	0	0.05	0.72	2.18	2.00	6.43	3.91	3.04	0.35	0.24	0	0	0.36	0
LAKE CURRY	18.41	0	0	0.03	0.55	1.62	2.23	7.40	3.31	2.90	0.10	0.27	0	0	0.33	0
MARE ISLAND NAVY	15.56	0	0	0.04	0.89	1.21	2.05	5.64	2.56	2.55	0.27	0.31	0	0	0.04	T
NAPA STATE HOSPITAL	17.16	0	0	0.09	0.80	1.49	2.07	6.50	2.99	2.41	0.45	0.36	0	0	0.25	0
OAKVILLE 1 WNW	--	--	--	--	--	--	3.60	10.30	4.14	4.14	0.50	0.32	0	0	0.35	T
SAINT HELENA	29.24	0	0	0.10	0.92	2.41	4.59	11.55	4.80	3.85	0.55	0.47	0	0	0.81	T
SAINT HELENA 4 WSW	31.17	0	0	0.01	1.40	3.40	4.70	11.60	5.70	3.46	0.90	0	0	0	0.80	0.20
VETERANS HOME	29.41	0	0	0.07	0.89	1.99	5.09	12.17	4.42	4.14	0.35	0.29	0	0	0.53	0
WILD HORSE VALLEY	21.45	0	0	0.08	0.96	2.62	2.03	7.47	4.16	3.30	0.58	0.25	0	0	0.43	0
YOUNTVILLE GAMBLE	24.03	0	0.42	0.31	0.54	1.77	3.83	8.50	4.17	4.08	0.09	0.32	0	0	0.96	0
EAST BAY E4																
ALAMO 1 N	16.24	T	T	0.03	0.71	1.00	2.98	6.34	2.18	2.41	0.40	0.19	T	T	0.10	0
BERKELEY	18.08	0	0	0.02	0.56	1.56	2.23	6.16	3.04	3.84	0.44	0.23	0	0	0.55	0
BURTON RANCH	17.99	0	T	0.03	0.66	1.28	3.00	6.72	2.67	2.87	0.46	0.30	0	T	0.14	0
CONCORD 3 E	12.51	0	0	0.06	0.56	1.01	1.83	4.67	1.60	2.29	0.44	0.05	0	0	0.02	0
CROCKETT	16.55	0	0	0.04	0.93	1.61	2.00	6.14	2.22	2.94	0.47	0.20	0	0	0.02	T
HAYWARD 6 ESE	18.73	0	0	0	0.58	1.51	2.71	6.59	1.89	3.59	1.04	0.79	0.03	0	0.14	0
LAFAYETTE 2 NNE	18.13	0.01	T	0	0.80	1.02	2.67	7.01	2.79	3.23	0.38	0.22	0	T	0.13	T
MARTINEZ 3 S	15.39	0	0	0.06	0.66	1.46	2.01	5.39	1.85	3.37	0.52	0.07	0	0	0.29	0
MARTINEZ 3 SSE	15.06	0	T	0.04	0.62	1.39	1.90	5.54	1.82	3.02	0.55	0.04	0	0.02	0.11	0.01
MARTINEZ FIRE STATION	15.00	0	0	0.14	0.55	1.19	1.95	5.30	2.09	3.06	0.50	0.22	0	0	0.17	0
MOUNT DIABLO NORTH GATE	18.84	0	0	0.05	0.55	1.31	4.21	5.92	2.52	3.46	0.31	0.51	0	0	0.18	0
OAKLAND 39TH AVENUE	19.59	0	T	0.03	0.68	1.64	3.04	6.67	3.02	3.51	0.48	0.52	T	T	0.33	0
OAKLAND CITY HALL	--	0	0	T	0.41	1.25	1.78	--	1.46	2.61	0.26	0.05	0	0.01	0.01	0
OAKLAND WB AIRPORT	15.78	0	T	0.01	0.53	1.32	2.70	5.05	1.82	3.07	0.83	0.45	T	T	0.03	T
PORT CHICAGO NAD	11.51	0	0	0.06	0.41	1.08	1.46	4.07	1.57	2.46	0.40	T	0	0	T	0
RICHMOND	16.47	0	0	0.02	0.38	1.02	2.40	5.20	3.21	3.60	0.46	0.18	0	T	0.13	0
SAINT MARYS COLLEGE	20.06	0	0	0.04	0.85	1.74	3.27	6.92	3.19	3.28	0.45	0.32	0	T	0.30	0
UPPER SAN LEANDRO FIL	19.71	0	0	0.02	0.66	1.20	3.79	6.61	2.81	3.61	0.44	0.57	T	T	0.25	0.03
WALMAR SCHOOL	13.78	0	0	0	0	1.15	1.51	5.84	2.03	2.68	0.43	0.14	0	0	0.15	0
WALNUT CREEK 2 ESE	13.61	0	0	0.04	0.65	0.96	2.25	5.43	1.84	2.00	0.34	0.10	0	0	0.03	0

TABLE A-2 (Cont.)
PRECIPITATION DATA

Precipitation in Inches

Station Name	Total July 1 to June 30	1967												1968						Total Oct 1 to Sept 30
		July	Aug	Sept	Oct	Nov	Dec.	Jan.	Feb	Mar	Apr.	May	June	July	Aug	Sept				
SAN FRANCISCO BAY AREA																				
EAST BAY E4																				
WALNUT CREEK 2 ENE	12.43	0	0	0.03	0.52	0.91	1.80	5.26	1.70	1.80	0.31	0.10	0	0	0.02	0	12.42			
WALNUT CREEK 4 E	12.26	T	T	0.04	0.61	0.86	1.91	5.04	1.65	1.69	0.29	0.17	0	T	0.03	0	12.25			
ALAMEDA CREEK E5																				
CALAVERAS RESERVOIR	17.68	0	0	0	0.36	1.31	3.92	5.63	1.52	3.53	0.58	0.81	0.02	0	0.38	0	18.06			
GERBER RANCH	11.26	0	T	T	0.20	1.15	2.13	3.00	1.46	2.17	0.53	0.62	0	0	0.04	0	11.30			
LIVERMORE COUNTY FD	10.57	0	0	0.02	0.24	0.88	1.62	3.93	0.90	2.40	0.43	0.15	0	0	T	T	10.55			
LIVERMORE SEWAGE PLANT	10.62	0	0	0.03	0.07	1.13	1.16	4.18	0.91	2.45	0.58	0.11	0	0	0.05	0	10.64			
LIVERMORE 2 SSW	--	0	T	0.02	0.24	RE														
MOUNT HAMILTON	--	0	0	0	0.63	1.15	--	4.10	1.00	2.75	0.40	0.51	0	0	0.33	0	--			
NILES PINNA	--	--	--	T	0.43	1.09	3.22	4.51	1.03	3.52	0.98	0.43	0	0	2.35	0	--			
NEWARK	10.86	0	0	T	0.22	1.02	2.18	3.77	0.56	2.17	0.76	0.18	0	0	0.72	0	11.58			
PLEASANTON NURSERY	15.34	0	0	0.02	0.28	1.26	2.43	5.71	1.16	3.39	0.87	0.22	0	0	0.02	0	15.34			
SANTA CLARA VALLEY E6																				
ALAMITOS PERCOLATION POND	13.66	0	0	T	0.10	1.59	1.68	5.87	0.97	2.44	0.83	0.18	0	0	0.06	0	13.72			
ALMADEN RESERVOIR	24.48	0	0	T	T	2.02	3.41	10.10	1.94	4.87	1.01	1.13	0	0	0.47	0	24.95			
BLACK MOUNTAIN 2 SW	26.67	0	0	T	0.63	1.94	5.34	8.58	3.06	4.83	1.18	1.05	0.06	0	0.55	0.08	27.30			
CALERO RESERVOIR	16.22	0	0	0.01	0.20	1.78	2.05	6.55	1.07	3.09	0.92	0.55	0	0	0.04	0	16.25			
CAMBRIAN PARK	15.34	0	0	T	0.13	1.29	2.73	6.48	1.18	2.67	0.56	0.30	0	0	0.05	0	15.39			
CAMPBELL WATER COMPANY	14.51	0	T	T	0.09	1.24	1.86	7.01	0.95	2.51	0.70	0.15	0	0	0.04	0	14.55			
COYOTE RESERVOIR	14.00	0	0	0	0.40	1.60	2.98	3.21	1.28	3.28	1.20	0.05	T	0	0.05	0.01	14.06			
GILROY 8 NE	12.49	0	0	0	0.47	1.82	2.45	2.69	1.68	2.35	0.79	0.24	0	0	0.18	0	12.67			
GUADALUPE RESERVOIR	24.70	0	0	0.01	0.22	2.35	2.69	11.34	1.94	4.32	0.99	0.84	0	0	0.05	0	24.74			
LAKE ELSMAN														RB	0.14	0	--			
LEROY ANDERSON DAM	13.54	0	0	0	0.20	1.42	2.24	4.46	1.32	3.11	0.67	0.12	T	0	0.78	0	14.32			
LEXINGTON RESERVOIR	29.80	0	0	0.02	0.36	2.62	4.55	11.89	3.25	5.01	1.20	0.90	0	0	0.16	0	29.94			
LOS GATOS	19.33	0	T	0	0.16	1.65	2.66	9.03	1.37	3.37	0.67	0.42	0	0	0.07	0	19.40			
LOS GATOS WRIGHT	37.30	0	T	0	0.52	2.46	5.93	15.46	4.74	6.04	1.20	0.95	0	RE						
MORGAN HILL 2 E	--	0	0	T	0.22	--	2.27	3.93	1.23	3.21	0.70	0.15	--	0	0.39	0	--			
MORGAN HILL 6 WNW	--	0	0	0	--	--	1.20	6.99	2.04	3.43	--	--	0	0	--	0	--			
NEWARK	10.86	0	0	T	0.22	1.02	2.18	3.77	0.56	2.17	0.76	0.18	0	0	0.72	0	11.58			
PALO ALTO CITY HALL	11.81	0	T	0.02	0.22	1.11	2.03	3.91	0.46	3.00	0.96	0.10	0	T	0.04	0	11.83			
PENITENCIA RAIN GAGE	13.93	0	0	0.02	0.14	1.38	2.80	5.03	0.91	2.89	0.76	0	0	0	0.26	0	14.17			
REDWOOD CITY	15.58	0	0	0	0.25	1.33	2.86	5.44	1.42	3.43	0.78	0.07	0	0	0.11	0	15.69			
SAN JOSE	13.14	0	0	0.02	0.19	1.27	2.15	5.37	0.77	2.62	0.57	0.18	T	T	1.96	0	15.08			
SAN JOSE DECIDUOUS FFS	13.22	0	0	0.01	0.15	1.10	2.12	5.91	0.76	2.48	0.61	0.08	0	0	0.22	0	13.43			
SANTA CLARA UNIVERSITY	14.38	0	0	0	0.35	1.34	2.83	5.73	0.74	2.64	0.60	0.15	0	0	0.66	0	15.04			
SARATOGA CLARK	17.74	0	0	T	0.11	1.00	2.68	8.48	1.35	2.84	0.89	0.39	0	0	0.13	0	17.87			
SARATOGA GAP MAINT STN	31.99	0	0	0	0.76	1.60	6.16	11.49	4.27	5.53	1.30	0.88	0	0	0.38	0	32.37			
SARATOGA KRIEGE	19.61	0	0	T	0.08	0.97	3.18	9.63	1.46	3.11	0.78	0.40	0	0	0.09	0	19.70			
SEARSVILLE LAKE	21.05	0	0	0	0.35	1.80	4.46	6.50	1.89	4.38	1.25	0.42	0	T	0.36	0	21.41			
STEVENS CREEK RESERVOIR	22.72	0	0	T	0.32	1.44	3.87	9.49	2.09	3.31	1.38	0.82	0	0	0.34	0	23.06			
VASONA RESERVOIR	17.45	0	0	0.11	0.34	1.40	2.76	7.43	1.75	2.50	0.74	0.42	0	0	0.12	0	17.46			
WRIGHTS	35.51	0	0	T	0.59	3.50	4.67	13.10	4.56	6.48	1.28	1.33	0	0	0.33	0	35.84			
BAYSIDE-SAN MATEO E7																				
BURLINGAME	16.75	0	0	0.02	0.31	1.36	3.28	5.37	1.70	3.43	0.90	0.38	0	0	0.07	0	16.80			
SAN FRANCISCO WB AIRPORT	15.83	T	T	0.01	0.48	1.29	3.50	5.25	1.44	3.03	0.55	0.28	T	T	0.06	T	15.88			
SAN FRANCISCO FOB	14.46	0	T	0.04	0.53	1.10	2.12	4.54	2.28	3.15	0.48	0.22	T	T	0.03	0.06	14.51			
SAN MATEO	13.93	0	0	T	0.21	1.35	2.18	5.68	1.04	2.80	0.49	0.18	T	0	0.07	0	14.00			
COAST-SAN MATEO E8																				
HALF MOON BAY	21.22	0	0	T	0.76	2.13	2.89	6.19	2.62	5.78	0.61	0.24	T	0	0.28	0	21.50			
LA HONDA	24.31	0	0	0.17	0.70	2.03	4.25	7.46	2.48	4.88	1.41	0.86	0.07	T	0.53	0	24.77			
PORTOLA STATE PARK	34.14	0	T	T	0.74	2.49	7.21	10.99	4.07	5.98	1.63	1.01	0.02	0.03	0.43	0.13	34.73			
SAN FRANCISCO SUNSET	15.48	0	0	0.05	0.68	1.02	2.11	5.02	2.77	3.41	0.26	0.16	T	0.01	0.10	0.05	15.59			
SAN GREGORIO 2 SE	23.79	0	0.08	0.08	0.92	2.11	4.09	6.43	2.77	5.03	1.36	0.80	0.12	0.15	0.42	0.28	24.48			
NORTH COASTAL AREA																				
MENDOCINO COAST F8																				
BOONVILLE HMS	33.53	0	T	0.02	2.12	3.91	6.56	9.98	4.73	5.05	0.57	0.59	0	0	1.25	0.14	34.90			
BOONVILLE FARRER	--	0	0	T	RE															
CLOVERDALE 11 W	--	0	0	--	--	--	--	--	--	--	0.97	0.95	0	0	--	--	--			
FORT BRAGG	33.19	0.06	0.02	0.45	3.60	3.90	6.51	8.05	4.33	4.43	0.56	1.19	0.09	0.05	1.34	0.43	34.48			
FORT BRAGG AVIATION	30.08	0	0	T	2.83	4.03	4.44	7.48	4.70	3.85	1.39	1.27	0.09	0.05	1.02	0.39	31.54			
FORT ROSS	30.96	T	0	0.07	1.37	4.52	3.98	8.11	7.55	4.09	0.40	0.85	0.02	0	0.98	0.35	32.22			
NAVARRO 1 NW	31.76	0	0	0.10	2.74	4.00	4.42	9.77	4.31	5.32	0	1.10	0	0	0.97	0	32.63			
PHILO 2 NW	32.94	0	0	0	2.45	4.07	4.93	10.61	4.53	4.76	0.81	0.78	T	0	1.19	0.14	34.27			
PHILO 4 NW	34.15	0	0	0.23	2.38	4.10	5.11	10.62	4.39	5.50	0.72	1.10	0	0	1.42	0.21	35.55			
POINT ARENA	31.39	T	0.05	0.19	1.95	4.20	4.53	8.37	5.11	5.42	0.55	1.00	0.02	0.02	1.07	0.23	32.47			
SKAGGS SPRING LAS LOMAS	--	0	0	0.10	2.64	5.20	8.67	--	9.22	7.07	1.05	1.26	0	0	2.00	0.20	--			
YORKVILLE	--	0	0	0	2.70	3.20	7.80	--	8.20	6.00	0.90	0.80	0	0	2.50	0.10	--			

**TABLE A-2 (Cont.)
PRECIPITATION DATA**

Precipitation in Inches

Station Name		Total July 1 to June 30	1967									1968						Total Oct. 1 to Sept. 30
			July	Aug	Sept.	Oct	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	
NORTH COASTAL AREA																		
RUSSIAN RIVER F9																		
ALPINE DAM	35.02	0	0	0	0.95	3.34	4.50	9.20	9.45	5.94	0.60	1.04	0	0	1.32	0	36.34	
BLAKES LANDING	--	0	0	0	1.43	2.79	3.86	5.85	5.50	3.95	0.50	0.20	--	--	0.40	0.10	--	
BON TEMPA DAM	28.37	0	0	0	0.75	4.41	2.68	8.91	5.69	4.64	0.66	0.63	0	0	0.75	0	29.12	
CAZADERO	54.26	0	0	0.02	2.92	7.26	8.18	16.91	12.05	5.59	1.01	0.32	0	0	1.56	0.35	56.15	
CLOVERDALE 3 SSE	37.46	0	0.01	0.04	1.48	3.64	6.30	12.12	6.42	5.33	1.75	0.37	0	0	1.18	T	38.59	
COYOTE DAM	29.87	0	0.03	0.03	1.98	3.35	4.98	9.18	5.10	4.05	0.40	0.77	0	0	1.65	0.14	31.60	
GEYSERVILLE HOCKING	--	0	0	0.15	--	3.56	5.63	11.40	5.14	6.15	0.10	--	0	0	2.20	0	--	
GRATON	32.98	0	0	0.05	0.98	2.97	6.05	10.66	6.57	4.02	1.21	0.47	0	0	0.83	0.04	33.80	
GRATON 1 W	--	0	0	0.01	1.23	3.54	5.81	10.61	6.63	4.67	0	--	0	RE				
GUERNEVILLE	--	0	0	0	1.34	2.90	5.24	12.76	8.21	5.64	2.27	--	0	0	1.30	0.03	--	
HEALDSBURG	34.63	0	0	0.02	1.14	3.47	5.89	10.96	6.59	4.89	1.44	0.23	0	0	0.86	0.03	35.50	
HEALDSBURG NO. 2	32.95	0	0	0.04	1.09	3.06	5.83	10.20	6.44	4.82	1.19	0.28	0	0	0.65	0.03	33.59	
HOPLAND LARGO STATION	--	0	0	0	1.73	3.15	5.05	10.09	5.68	--	0.66	--	--	--	--	--	--	
INVERNESS MERY	--	0	0	0	1.22	3.15	4.35	8.76	6.16	5.05	0.60	RE						
KELLOGG	40.04	0	T	0.22	2.06	4.43	6.54	12.95	6.92	5.02	0.84	1.06	T	0	1.08	0.17	41.07	
KENT LAKE	41.48	0	0	0.05	1.31	2.63	8.33	11.57	9.08	7.30	0.54	0.67	0	0	1.15	0.07	42.65	
KNIGHTS VALLEY	--	0	0	0.12	2.39	3.34	7.89	11.40	4.59	4.13	0.02	0.48	--	--	--	0.23	--	
LAGUNITAS LAKE	36.87	0	0	0	0.80	3.25	5.85	11.37	8.11	6.12	0.73	0.64	0	0	0.75	0	37.62	
MOUNT TAMALPAIS 2 SW	31.31	0	0	0.09	1.25	2.83	3.54	8.38	8.70	4.94	0.38	1.20	0	0	1.10	0.20	32.52	
NICASIO	23.97	0	0	0.01	1.38	1.26	3.60	7.58	4.28	5.17	0.40	0.29	0	0	0.36	0.06	24.38	
NOVATO 8 WNW	--	0	0	0	0.70	2.45	1.39	4.74	4.15	3.60	0.86	--	0	0	--	0	--	
OCCIDENTAL	41.41	0	0	0.12	1.98	4.14	6.28	11.76	9.24	5.72	1.04	1.13	0	0	0.99	0.19	42.47	
PHOENIX LAKE DAM	39.06	0	0	0	1.04	3.20	6.21	12.64	8.92	6.05	0.67	0.33	0	0	0.65	0	39.72	
POTTER VALLEY 3 SE	27.57	0	0	0.13	1.77	3.13	4.52	8.04	4.98	3.90	0.13	0.97	0	0	1.53	0.13	29.10	
POTTER VALLEY POWERHOUSE	36.75	0	0	0	2.47	4.47	5.88	10.38	6.36	5.41	0.23	1.55	0	0	2.37	0.11	39.23	
REDWOOD VALLEY	--	0	0.03	0	1.86	3.08	3.99	8.35	5.23	3.15	0.38	--	0	0	1.37	0.12	--	
SANTA ROSA SEWAGE PLANT	24.03	0	0	0.06	0.57	2.37	4.38	6.84	5.22	3.69	0.68	0.22	0	T	0.57	0.02	24.56	
SANTA ROSA	25.01	0	0	0.07	0.86	2.68	4.01	7.63	4.82	4.20	0.48	0.26	0	0	1.68	0.02	26.64	
SEBASTOPOL 4 SSE	24.30	0	0	0	0.90	0.10	3.30	8.40	6.40	3.70	1.00	0.50	0	0	0.60	0	24.90	
THE GEYSERS	--	0	0.03	0.05	2.21	4.80	6.15	18.87	3.57	5.54	1.45	--	0	0	1.62	0	--	
UKIAH	32.95	0	0.03	0.01	2.09	4.15	5.90	9.58	5.60	4.04	0.48	1.07	0	0	1.35	0.07	34.33	
UKIAH 4 WSW	41.09	T	0.03	0.06	2.63	5.32	7.69	11.48	6.35	5.74	0.45	1.33	0.01	0	2.40	0.20	43.60	
VENADO	--	0	0	0	2.30	5.40	--	18.20	8.80	7.20	1.50	0.70	0	0	2.50	0.10	--	
WOODACRE	33.12	0	0	0.06	1.00	3.26	6.04	10.58	5.82	5.70	0.38	0.28	0	T	0.66	0.03	33.75	

TABLE A-3
TEMPERATURE DATA

The definition of terms and the abbreviations used in connection with Table A-3 are as follows:

MAXIMUM	The highest temperature of record for the month.
MINIMUM	The lowest temperature of record for the month.
AVG MAX	The arithmetic average of daily maximum temperatures for the month.
AVG MIN	The arithmetic average of daily minimum temperatures for the month.
AVERAGE	The arithmetic average of the daily maximum and minimum temperatures for the month.
-	Record incomplete.
RB	Record began.
RE	Record ended.

**TABLE A-3 (Cont.)
TEMPERATURE DATA**

Temperature in Degrees Fahrenheit

Station Name		1967						1968								
		July	Aug	Sep*	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	June	July	Aug	Sept
CENTRAL COASTAL AREA																
SANTA CRUZ COAST D0																
BEN LOMOND NO. 3	MAXIMUM			100	95	92	75	79	79	85	89	94	100	99	101	102
	MINIMUM			47	39	33	28	25	28	32	31	34	37	43	44	38
	AVG MAX		RB	85.7	82.3	68.2	58.8	59.4	64.0	67.0	74.0	74.1	82.8	84.8	83.5	84.3
	AVG MIN			52.0	46.7	44.3	36.8	34.8	44.5	40.0	39.9	43.9	48.9	50.2	50.9	50.0
	AVERAGE			68.9	64.5	56.3	47.8	47.1	54.3	53.5	57.0	59.0	65.9	67.5	67.2	67.2
DAVENPORT	MAXIMUM	75	69	80	89	77	70	74	71	70	72	73	75	75	90	79
	MINIMUM	47	47	50	47	44	30	37	43	40	39	40	44	48	43	43
	AVG MAX	62.8	61.7	68.6	70.3	65.1	--	57.8	60.2	60.2	58.7	59.3	62.7	62.8	67.2	68.3
	AVG MIN	50.0	50.6	54.4	52.1	50.4	--	43.9	48.9	46.7	44.8	46.0	49.5	50.5	52.4	50.9
	AVERAGE	56.4	56.2	61.5	61.2	57.6	--	50.9	54.6	53.5	51.8	52.7	56.3	56.7	59.8	59.6
SANTA CRUZ	MAXIMUM	88	86	93	96	85	74	78	77	83	85	89	88	90	99	96
	MINIMUM	44	47	47	40	36	28	26	37	34	32	35	38	44	42	38
	AVG MAX	76.1	73.5	79.2	80.1	69.1	58.6	60.6	64.3	66.1	70.5	71.4	75.2	75.4	77.9	78.7
	AVG MIN	51.1	52.2	53.4	45.3	44.3	35.9	36.5	46.3	42.3	41.4	43.7	48.3	50.0	50.1	48.3
	AVERAGE	63.6	62.9	66.3	62.7	56.7	47.3	48.6	55.3	54.2	56.0	57.6	61.8	62.7	64.0	63.5
PAJARO-SAN BENITO RIVERS D1																
GILROY	MAXIMUM	103	103	100	94	86	74	74	78	86	91	91	98	100	102	98
	MINIMUM	49	50	50	30	32	25	24	33	33	34	37	42	49	49	41
	AVG MAX	91.0	90.2	86.9	81.3	70.4	57.5	58.3	64.3	68.7	73.1	75.4	83.8	87.7	84.8	84.9
	AVG MIN	52.7	53.0	54.7	44.5	43.2	31.5	32.8	45.6	41.1	41.8	45.1	51.7	53.1	53.8	51.4
	AVERAGE	71.9	71.6	70.8	62.9	56.8	44.5	45.6	55.0	54.9	57.5	60.3	67.8	70.4	69.3	68.2
QUIEN SABE HAY CAMP	MAXIMUM	99	100	95	90	84	77	78	80	84	86	90	95	100	97	96
	MINIMUM	41	43	44	33	26	13	16	29	24	22	26	29	42	38	32
	AVG MAX	90.6	92.5	84.8	80.0	70.2	58.1	61.6	65.9	66.7	72.4	74.7	89.7	89.2	82.8	83.0
	AVG MIN	50.7	51.4	49.8	39.1	37.7	27.9	28.5	42.3	34.8	33.1	38.8	44.0	50.2	48.5	44.9
	AVERAGE	70.6	72.0	67.3	59.6	54.0	43.0	45.1	54.1	50.8	52.8	56.8	66.9	69.7	65.7	64.0
WATSONVILLE WATERWORKS	MAXIMUM	81	79	93	95	89	74	77	77	83	85	85	83	82	98	93
	MINIMUM	42	50	48	41	35	26	28	37	36	35	37	42	48	43	42
	AVG MAX	71.2	69.4	75.1	76.8	69.5	58.9	60.1	63.6	66.4	66.6	66.6	69.8	70.4	72.1	73.6
	AVG MIN	51.8	53.4	54.4	46.9	45.4	36.0	36.3	47.2	42.9	43.7	46.7	50.8	51.7	53.2	51.7
	AVERAGE	61.5	61.4	64.8	61.9	57.5	47.5	48.2	55.4	54.7	55.2	56.7	60.3	61.1	62.7	62.7
LOWER SALINAS RIVER D2																
FREMONT PEAK	MAXIMUM	102	103	94	90	83	74	76	76	80	84	83	90	101	98	94
	MINIMUM	58	60	43	42	30	16	24	37	33	30	35	40	44	39	40
	AVG MAX	92.1	94.2	82.0	77.5	65.3	52.5	56.5	60.9	68.6	66.6	67.2	78.2	85.1	78.2	81.6
	AVG MIN	66.0	69.1	57.7	52.4	46.1	34.6	36.4	44.6	40.6	42.4	44.4	53.3	61.8	55.5	51.5
	AVERAGE	79.0	81.6	69.8	65.0	55.7	43.6	46.5	52.8	54.6	54.5	55.8	65.8	73.5	66.9	66.6
KING CITY	MAXIMUM	101	98	100	94	88	74	80	84	90	92	91	99	101	--	100
	MINIMUM	44	46	47	38	29	17	22	36	32	31	34	40	45	--	37
	AVG MAX	87.7	85.5	85.5	84.2	72.2	59.9	64.5	69.6	72.7	76.7	77.7	84.2	85.1	--	84.4
	AVG MIN	51.5	52.2	53.3	44.1	42.9	30.6	32.8	45.4	39.7	40.8	44.4	50.3	52.2	--	47.9
	AVERAGE	69.6	68.9	69.4	64.2	57.6	45.3	48.7	57.5	56.2	58.8	61.1	67.3	68.7	--	66.2
MONTEREY	MAXIMUM	80	78	92	92	87	74	77	75	80	82	74	81	80	95	90
	MINIMUM	48	51	51	48	42	27	33	40	41	40	41	43	46	51	46
	AVG MAX	67.2	68.3	73.1	74.9	67.0	58.7	59.5	63.0	63.6	63.2	62.8	66.3	66.4	70.5	72.6
	AVG MIN	51.8	52.5	55.4	53.3	49.8	41.6	42.5	48.9	46.5	45.8	47.5	50.0	51.6	53.8	53.3
	AVERAGE	59.5	60.4	64.3	64.1	58.4	50.2	51.0	56.0	55.1	54.5	55.2	58.2	59.0	62.2	63.0
PINNACLES NATL MONUMENT	MAXIMUM	108	110	102	96	94	76	81	83	87	91	95	103	105	106	102
	MINIMUM	43	46	48	38	29	19	20	31	30	30	34	38	43	42	38
	AVG MAX	100.4	102.5	93.2	86.9	73.8	59.7	63.3	67.4	69.8	76.0	79.8	92.3	97.9	92.3	92.7
	AVG MIN	53.3	54.7	52.0	43.9	41.3	32.1	31.3	41.6	37.3	37.6	41.7	48.8	52.0	49.5	47.8
	AVERAGE	76.9	78.6	72.6	65.4	57.6	45.9	47.3	54.5	53.6	56.8	60.8	70.6	75.0	70.9	70.3
PRIEST VALLEY	MAXIMUM	105	106	97	90	84	71	76	77	81	86	94	102	103	102	99
	MINIMUM	41	40	42	28	25	13	16	28	25	22	25	35	41	33	30
	AVG MAX	97.6	99.5	90.2	82.2	68.0	54.3	58.1	62.7	64.0	72.0	77.7	90.9	95.3	89.1	89.0
	AVG MIN	50.0	51.2	46.9	34.2	36.1	27.3	26.1	39.0	32.7	32.8	37.6	46.1	50.7	45.5	42.2
	AVERAGE	73.8	75.4	68.6	58.2	52.1	40.8	42.1	50.9	48.4	52.4	57.7	68.5	73.0	67.3	65.6
SALINAS 2 E	MAXIMUM	84	80	96	98	90	78	80	80	86	88	80	84	83	102	94
	MINIMUM	45	49	50	42	35	24	27	36	34	32	39	42	49	47	40
	AVG MAX	72.7	72.1	77.2	80.4	70.2	60.8	62.6	66.4	67.5	68.4	68.7	71.6	71.4	--	76.6
	AVG MIN	52.4	53.3	55.3	48.2	45.8	35.7	37.2	47.5	42.8	42.5	47.5	50.2	52.5	53.4	51.4
	AVERAGE	62.6	62.7	66.3	64.3	58.0	48.3	49.9	57.0	55.2	55.5	58.1	60.9	62.0	--	64.0
SALINAS FAA AIRPORT	MAXIMUM	83	77	95	96	90	76	80	76	83	86	78	83	81	98	93
	MINIMUM	44	49	50	40	34	30	30	39	34	33	38	41	49	47	40
	AVG MAX	71.1	70.2	75.3	78.3	68.7	60.7	64.4	63.1	64.1	65.4	65.3	68.6	69.0	73.3	74.2
	AVG MIN	51.4	52.4	54.6	47.9	45.6	38.9	39.2	47.1	42.4	42.7	47.1	50.8	52.6	53.8	52.0
	AVERAGE	61.3	61.3	65.0	63.1	57.2	49.8	51.8	55.1	53.3	54.1	56.2	59.7	60.8	63.6	63.1
SOLEDAD CTF	MAXIMUM	104	86	96	93	90	73	79	80	87	88	84	88	--	97	94
	MINIMUM	49	45	48	39	34	21	25	35	34	35	35	42	--	42	39
	AVG MAX	83.9	75.7	79.2	79.0	71.2	58.6	61.7	65.6	68.3	69.8	70.4	74.9	--	76.3	77.4
	AVG MIN	57.1	51.9	53.8	45.8	44.3	34.4	35.8	46.6	41.1	40.4	45.4	49.5	--	50.9	49.3
	AVERAGE	70.5	63.8	66.5	62.4	57.8	46.5	48.8	56.1	54.7	55.1	57.9	62.2	--	63.6	63.4

**TABLE A-3 (Cont.)
TEMPERATURE DATA**

Temperature in Degrees Fahrenheit

Station Name		1967						1968								
		July	Aug	Sept	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	June	July	Aug	Sept
CENTRAL COASTAL AREA																
LOWER SALINAS RIVER D2																
SPRECKELS	MAXIMUM	90	79	96	96	90	77	82	80	86	90	85	82	85	100	95
	MINIMUM	44	48	48	40	38	20	24	36	55	60	36	40	46	45	30
	AVG MAX	74.5	--	80.9	81.2	72.4	58.7	64.0	67.8	71.0	70.3	70.6	72.5	74.3	76.7	81.0
	AVG MIN	51.3	--	53.0	44.7	43.4	31.7	32.4	46.0	44.0	43.5	44.7	50.8	51.9	52.6	46.0
	AVERAGE	62.9	--	67.0	63.0	57.9	45.2	48.2	56.9	57.5	56.9	57.7	61.7	63.1	64.7	63.5
UPPER SALINAS RIVER D3																
ATASCADERO MAINT STATION	MAXIMUM	106	107	98	94	92	72	76	79	78	90	96	98	103	100	--
	MINIMUM	51	51	50	38	30	20	20	34	32	32	33	42	44	40	--
	AVG MAX	97.5	97.6	89.8	83.4	72.2	58.7	62.0	66.0	67.4	75.3	78.9	85.8	94.5	87.7	--
	AVG MIN	58.3	57.5	55.6	44.0	42.5	29.0	29.6	43.6	39.7	38.8	43.1	51.4	54.8	51.5	--
	AVERAGE	77.9	77.6	72.7	63.7	57.4	43.8	45.8	54.8	53.6	57.1	61.0	68.6	74.7	69.6	--
LINN RANCH	MAXIMUM	104	103	94	90	83	67	74	76	84	89	95	102	102		
	MINIMUM	52	53	46	39	30	22	21	32	31	32	31	44	48		
	AVG MAX	94.9	95.9	87.3	80.9	67.1	55.3	58.5	64.0	67.4	73.0	77.9	88.1	92.9	RE	
	AVG MIN	57.2	57.5	56.0	46.8	43.8	31.3	31.4	45.1	38.3	41.0	46.5	54.9	56.1		
	AVERAGE	76.0	76.7	71.6	63.9	55.5	43.3	45.0	54.6	52.9	57.0	62.2	71.5	74.5		
NACIMIENTO DAM	MAXIMUM	109	108	98	94	89	72	74	80	87	93	98	102	105	103	105
	MINIMUM	44	50	50	40	35	18	24	35	33	33	35	42	46	45	40
	AVG MAX	99.1	101.3	91.8	85.5	73.1	58.9	61.0	66.2	69.9	75.8	81.5	91.5	96.7	92.4	92.9
	AVG MIN	55.2	56.3	56.1	48.9	45.4	32.0	33.2	45.0	39.8	41.3	43.2	48.8	51.3	51.0	49.3
	AVERAGE	77.2	78.8	74.0	67.2	59.3	45.5	47.1	55.6	54.9	58.6	62.4	70.2	74.0	71.7	71.1
PASO ROBLES	MAXIMUM	106	106	99	95	89	73	78	79	87	91	98	104	104	100	102
	MINIMUM	47	45	45	29	26	15	17	32	30	26	30	38	43	37	33
	AVG MAX	97.0	98.5	91.5	85.3	71.5	59.3	63.1	67.6	70.0	76.3	80.5	88.9	93.3	89.8	89.8
	AVG MIN	52.3	51.4	51.6	40.0	40.1	27.9	28.5	44.1	36.8	37.0	41.2	46.8	50.8	48.0	45.6
	AVERAGE	74.7	75.0	71.6	62.7	55.8	43.6	45.8	55.9	53.4	56.7	60.9	67.9	72.1	68.9	67.7
PASO ROBLES FAA AIRPORT	MAXIMUM	110	110	101	94	89	73	78	79	88	92	99	105	107	104	104
	MINIMUM	51	50	50	36	30	17	20	33	31	31	35	43	47	40	38
	AVG MAX	99.3	100.7	91.0	84.9	70.3	58.8	61.5	66.3	69.4	76.3	81.4	91.0	95.9	90.4	90.0
	AVG MIN	56.7	56.3	55.7	43.6	42.5	29.5	30.8	44.3	38.5	40.5	45.1	51.5	55.2	52.4	49.8
	AVERAGE	78.0	78.5	73.4	64.3	56.4	44.2	46.2	55.3	54.0	58.4	63.3	71.3	75.6	71.4	69.9
SAN ANTONIO MISSION	MAXIMUM	109	112	101	95	94	76	78	80	85	91	100	103	111	105	105
	MINIMUM	45	45	46	36	27	15	19	30	28	26	28	38	42	34	32
	AVG MAX	103.7	104.7	95.2	88.2	73.7	61.0	63.7	67.4	69.9	77.5	83.1	95.6	101.1	94.5	93.4
	AVG MIN	54.4	53.9	51.8	42.1	39.0	28.3	29.8	40.2	35.2	34.8	38.9	45.8	51.0	44.9	42.9
	AVERAGE	79.1	79.3	73.5	65.2	56.4	44.7	46.8	53.8	52.6	56.2	61.0	70.7	76.1	69.7	68.2
TEMPLETON	MAXIMUM	107	108	100	99	88	72	76	78	83	90	96	104	103	99	101
	MINIMUM	49	42	48	37	30	18	21	35	32	31	32	40	42	37	36
	AVG MAX	95.5	96.2	89.3	84.8	65.6	58.8	61.0	65.3	68.4	72.5	77.4	86.8	91.7	87.9	86.6
	AVG MIN	55.8	54.5	55.0	43.5	43.5	31.7	32.9	46.3	39.4	38.7	44.4	49.0	53.3	49.6	46.4
	AVERAGE	75.6	75.4	72.2	64.2	54.6	45.3	47.0	55.8	53.9	55.6	60.9	67.9	72.5	68.8	66.5
MONTEREY COAST D4																
CARMEL VALLEY	MAXIMUM	97	99	99	97	96	78	80	80	85	85	83	90	89	99	102
	MINIMUM	41	42	46	42	36	23	28	34	35	32	34	35	40	41	40
	AVG MAX	78.5	79.3	82.6	82.8	70.8	62.0	62.6	66.7	66.9	68.7	69.5	76.1	76.3	79.0	80.5
	AVG MIN	49.4	49.8	52.7	48.5	45.7	36.3	37.5	46.1	40.9	41.0	43.7	47.2	48.3	49.2	49.0
	AVERAGE	64.0	64.7	67.7	65.7	58.3	49.2	50.1	56.4	53.9	54.9	56.6	61.7	62.3	64.1	64.8
ROOSEVELT RANCH	MAXIMUM	91	87	87	86	82	71	75	72	77	86	85	88	86	88	88
	MINIMUM	52	51	53	54	49	37	40	47	45	44	45	50	52	54	53
	AVG MAX	77.3	71.1	70.1	75.4	67.8	58.2	59.1	60.7	63.3	65.6	66.3	71.9	72.0	70.5	72.5
	AVG MIN	61.9	57.2	56.5	63.2	56.3	48.0	48.2	52.8	51.6	51.7	53.1	60.2	58.0	58.8	60.0
	AVERAGE	69.6	64.2	63.3	69.3	62.1	53.1	53.7	56.8	57.5	58.7	59.7	66.1	65.0	64.7	66.3
SAN FRANCISCO BAY AREA																
MARIN-SONOMA E2																
KENTFIELD	MAXIMUM	98	92	97	89	86	76	72	73	81	85	87	99	99	100	97
	MINIMUM	46	47	48	44	36	28	28	36	37	39	37	44	46	47	45
	AVG MAX	82.9	84.1	84.1	79.3	67.9	56.8	54.6	61.2	66.5	71.5	71.6	81.4	83.3	--	82.2
	AVG MIN	51.2	51.0	53.5	49.3	46.4	36.4	36.5	46.3	43.2	43.1	46.0	50.6	51.2	--	53.4
	AVERAGE	67.1	67.6	68.8	64.3	57.2	46.6	45.6	53.8	54.9	57.3	58.8	66.0	67.3	--	67.8
PETALUMA FIRE STN NO. 2	MAXIMUM	98	--	100	91	89	81	70	75	84	89	83	93	98	105	100
	MINIMUM	46	47	49	40	30	25	23	31	32	35	36	45	42	49	45
	AVG MAX	83.9	--	83.8	80.1	68.8	58.6	55.1	63.3	65.9	71.2	71.2	80.1	83.5	80.8	81.8
	AVG MIN	51.1	50.8	54.0	46.7	43.9	34.8	34.6	46.2	42.6	41.9	45.9	50.7	51.1	54.3	52.7
	AVERAGE	67.5	--	68.9	63.4	56.4	46.7	44.9	54.8	54.3	56.6	58.6	65.4	67.3	67.6	67.3
SAN RAFAEL	MAXIMUM	95	91	97	90	86	79	75	75	82	87	83	97	98	100	97
	MINIMUM	51	50	52	48	41	33	32	39	43	41	41	49	49	51	48
	AVG MAX	84.0	83.8	83.8	81.0	69.5	59.7	59.2	65.2	68.9	74.5	72.3	82.0	83.0	82.0	82.4
	AVG MIN	53.8	53.9	56.9	53.6	49.9	40.6	39.5	48.4	46.7	46.7	49.5	53.5	53.8	56.4	57.2
	AVERAGE	68.9	68.9	70.4	67.3	59.7	50.2	49.4	56.8	57.8	60.6	60.9	67.8	68.4	69.2	69.8

**TABLE A-3 (Cont.)
TEMPERATURE DATA**

Temperature in Degrees Fahrenheit

Station Name			1967						1968									
			July	Aug	Sept	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	June	July	Aug	Sept.	
SAN FRANCISCO BAY AREA																		
MARIN-SONOMA E2																		
SONOMA	MAXIMUM	103	104	100	90	86	80	71	76	84	89	91	100	105	106	100		
	MINIMUM	43	43	44	39	29	24	22	31	32	30	33	40	42	44	40		
	AVG MAX	90.5	93.8	88.7	82.2	67.9	58.3	55.3	64.6	68.5	75.6	76.7	87.6	90.8	86.6	87.4		
	AVG MIN	50.0	49.1	50.4	43.5	42.2	32.7	32.1	44.6	39.7	39.5	43.1	47.5	49.4	51.1	49.7		
	AVERAGE	70.3	71.5	69.6	62.9	55.1	45.5	43.7	54.6	54.1	57.6	59.9	67.6	70.1	68.9	68.6		
NAPA-SOLANO E3																		
ANGWIN PUC	MAXIMUM	96	101	95	84	86	74	70	69	78	81	88	98	101	95	89		
	MINIMUM	47	50	45	42	32	25	24	33	33	29	36	44	44	39	41		
	AVG MAX	88.9	92.3	84.8	74.0	64.1	51.4	50.9	56.4	60.3	68.0	71.1	84.7	88.8	79.0	78.1		
	AVG MIN	56.3	60.9	53.6	52.3	46.9	37.1	36.6	43.6	42.2	44.6	44.7	53.2	54.0	49.8	51.7		
	AVERAGE	72.6	76.6	69.2	63.2	55.5	44.3	43.8	50.0	51.3	56.3	57.9	69.0	71.4	64.4	64.9		
CALISTOGA	MAXIMUM	100	104	102	98	92	84	83	78	83	87	93	102	105	103	102		
	MINIMUM	44	33	42	38	30	22	31	31	30	31	34	38	40	43	41		
	AVG MAX	93.5	96.2	89.9	82.5	69.3	59.9	57.5	64.4	67.8	75.3	76.8	89.5	93.4	87.6	88.1		
	AVG MIN	51.6	50.8	51.0	44.5	42.4	35.5	31.8	43.6	38.9	38.3	41.2	47.2	50.1	50.4	49.4		
	AVERAGE	72.6	73.5	70.5	63.5	55.9	47.7	44.7	54.0	53.4	56.8	59.0	68.4	71.8	69.0	68.8		
DENVERTON 1 S	MAXIMUM	101	102	100	91	85	72	67	77	82	85	89	97	102	104	98		
	MINIMUM	53	53	50	43	34	22	18	32	32	30	38	50	52	45	40		
	AVG MAX	89.1	90.7	86.5	80.0	67.9	54.3	52.8	--	68.2	73.9	75.0	79.5	88.5	85.0	85.9		
	AVG MIN	59.4	58.3	57.2	51.2	45.4	32.0	32.9	--	39.3	43.3	48.6	54.5	56.4	53.0	54.3		
	AVERAGE	74.2	74.5	71.8	65.6	56.7	43.2	42.9	--	53.8	58.6	61.8	67.0	72.5	69.0	70.1		
DUTTONS LANDING	MAXIMUM	92	88	98	88	83	78	68	72	80	86	88	93	95	102	95		
	MINIMUM	50	49	51	43	35	29	26	37	36	39	39	40	48	45	45		
	AVG MAX	76.8	78.3	80.1	77.9	68.9	--	56.1	61.1	65.7	72.0	71.7	77.0	78.4	78.1	81.5		
	AVG MIN	54.6	53.3	54.0	48.2	45.7	--	34.6	45.1	44.0	44.5	46.1	51.3	52.9	53.8	53.0		
	AVERAGE	65.7	65.8	67.1	63.1	57.3	--	45.4	53.1	54.9	58.3	58.9	64.2	65.7	66.0	67.3		
FAIRFIELD FIRE STATION	MAXIMUM	102	105	97	89	87	74	76	80	84	87	91	99	102	102	98		
	MINIMUM	52	52	54	42	34	26	24	35	37	32	38	39	52	50	43		
	AVG MAX	90.7	94.5	88.3	83.1	69.1	57.5	55.4	65.1	67.8	74.6	74.6	85.9	88.0	83.9	85.6		
	AVG MIN	57.2	57.2	58.6	50.7	46.8	35.5	34.4	45.6	44.5	45.7	49.3	54.6	56.4	56.7	54.2		
	AVERAGE	74.0	75.9	73.5	66.9	58.0	46.5	44.9	55.4	56.2	60.2	62.0	70.3	72.2	70.3	69.9		
MARE ISLAND NAVY	MAXIMUM	93	90	96	86	82	73	66	72	82	85	88	95	96	98	95		
	MINIMUM	57	53	58	53	42	34	33	40	43	44	46	54	56	56	55		
	AVG MAX	81.8	79.3	81.4	78.0	65.7	55.4	53.3	61.5	67.2	72.3	73.5	81.9	82.0	82.3	81.8		
	AVG MIN	60.0	58.5	61.9	58.1	53.0	41.9	41.1	50.7	50.1	50.9	54.0	59.1	59.9	61.8	61.3		
	AVERAGE	70.9	68.9	71.7	68.0	59.4	48.7	47.2	56.1	58.7	61.6	63.8	70.5	71.0	72.1	71.6		
NAPA STATE HOSPITAL	MAXIMUM	99	98	102	92	85	81	80	77	83	87	90	100	98	105	97		
	MINIMUM	49	49	49	43	33	--	26	35	34	36	37	44	45	45	44		
	AVG MAX	82.9	84.9	85.4	82.3	69.2	61.3	57.0	64.9	68.3	74.5	73.6	82.6	82.2	81.8	83.7		
	AVG MIN	54.0	53.4	54.3	49.1	45.5	37.3	35.3	46.7	42.9	44.0	46.0	52.8	53.0	54.0	54.3		
	AVERAGE	68.5	69.2	69.9	65.7	57.4	49.3	46.2	55.8	55.6	59.3	59.8	67.7	67.6	67.9	69.0		
SAINT HELENA	MAXIMUM	102	104	101	90	91	83	79	79	85	88	95	101	103	102	101		
	MINIMUM	46	47	46	42	30	25	22	31	32	35	35	44	46	45	42		
	AVG MAX	89.8	92.3	87.7	81.1	69.3	58.3	56.5	64.0	67.9	75.8	76.8	87.7	89.3	85.6	86.7		
	AVG MIN	53.2	52.7	52.3	46.8	43.7	35.2	32.6	44.8	40.1	41.5	45.0	51.1	52.7	53.1	51.8		
	AVERAGE	71.5	72.5	70.0	64.0	56.5	46.8	44.6	54.4	54.0	58.7	60.9	69.4	71.0	69.4	69.3		
VETERANS HOME	MAXIMUM	104	103	99	87	85	78	76	76	82	90	97	100	103	96	97		
	MINIMUM	47	46	45	42	33	28	26	34	38	35	38	43	48	47	42		
	AVG MAX	89.2	89.6	85.8	79.7	69.5	56.3	56.8	62.7	67.8	76.3	79.8	89.2	90.0	84.8	85.2		
	AVG MIN	54.3	54.0	53.3	48.6	43.7	36.0	34.5	45.3	43.5	43.2	45.4	52.7	53.8	54.1	53.0		
	AVERAGE	71.8	71.8	69.6	64.2	56.6	46.2	45.7	54.0	55.7	59.8	62.6	70.9	71.9	69.4	69.1		
EAST BAY E4																		
ALAMO 1 N	MAXIMUM	107	105	97	85	82	70	69	72	82	84	92	103	102	98	95		
	MINIMUM	43	50	48	45	34	28	26	34	34	36	39	46	48	47	42		
	AVG MAX	93.5	93.3	87.6	77.2	67.1	55.3	53.0	62.8	66.9	73.0	75.6	88.9	92.5	80.6	84.5		
	AVG MIN	54.6	56.3	55.9	49.5	46.6	36.0	34.1	45.3	42.0	44.5	48.3	53.7	54.5	51.1	51.4		
	AVERAGE	74.0	74.8	71.8	63.4	56.9	45.7	43.6	54.1	54.5	58.8	62.0	71.3	73.5	65.9	68.0		
BERKELEY	MAXIMUM	79	77	91	85	81	75	73	74	79	80	78	85	84	98	88		
	MINIMUM	52	51	52	49	44	35	33	43	43	41	43	49	47	51	48		
	AVG MAX	69.1	69.0	71.7	74.1	65.6	57.3	56.0	61.2	63.7	65.7	64.5	71.1	68.6	70.1	72.8		
	AVG MIN	54.1	53.9	57.2	54.1	51.9	43.7	41.3	49.8	48.2	47.2	48.5	52.7	52.1	54.6	56.1		
	AVERAGE	61.6	61.5	64.5	64.1	58.8	50.5	48.7	55.5	56.0	56.5	56.5	61.9	60.4	62.4	64.5		
CROCKETT	MAXIMUM	97	93	96	87	87	75	69	73	81	85	88	94	97	100	98		
	MINIMUM	52	53	53	47	39	30	30	36	38	41	41	51	51	53	49		
	AVG MAX	84.4	86.3	83.3	79.2	69.0	57.6	53.5	61.2	67.3	72.3	72.8	82.5	83.6	81.6	83.2		
	AVG MIN	54.7	55.2	58.0	52.2	48.5	37.6	37.4	47.4	45.5	46.4	50.2	55.6	54.9	57.3	56.0		
	AVERAGE	69.6	70.8	70.7	65.7	58.8	47.6	45.5	54.3	56.4	59.4	61.5	69.1	69.3	69.5	69.6		
MARTINEZ FIRE STATION	MAXIMUM	100	98	94	85	84	73	69	73	79	87	89	96	99	99	96		
	MINIMUM	51	51	51	44	35	27	28	35	37	40	40	49	50	52	42		
	AVG MAX	88.2	88.9	84.3	77.9	67.2	55.8	53.0	60.3	66.1	72.8	73.8	84.4	87.1	82.0	82.2		
	AVG MIN	56.1	55.6	57.1	50.1	46.9	35.4	34.8	46.1	44.5	45.2	49.7	54.7	54.9	56.2	53.7		
	AVERAGE	72.2	72.3	70.7	64.0	57.1	45.6	43.9	53.2	55.3	59.0	61.8	69.6	71.0	69.1	68.0		

TABLE A-3 (Cont.)
TEMPERATURE DATA

Temperature in Degrees Fahrenheit

Station Name		1967						1968								
		July	Aug	Sept	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	June	July	Aug	Sept
SAN FRANCISCO BAY AREA																
EAST BAY E4																
MOUNT DIABLO NORTH GATE	MAXIMUM	100	104	96	89	84	70	74	71	79	84	87	97	100	99	93
	MINIMUM	58	60	48	44	32	22	29	37	36	33	38	43	48	48	44
	AVG MAX	93.0	94.8	87.0	77.4	67.7	53.0	55.4	59.9	61.9	68.2	70.0	83.7	88.0	79.8	83.1
	AVG MIN	66.4	69.0	60.5	55.3	49.5	38.9	39.9	45.6	43.7	45.7	47.2	56.9	61.5	57.7	56.4
	AVERAGE	79.7	81.9	73.8	66.4	58.6	46.0	47.7	52.8	52.8	57.0	58.6	70.3	74.8	68.8	69.8
OAKLAND 39TH AVENUE	MAXIMUM	93	92	95	89	84	73	71	75	82	84	86	88	93	101	93
	MINIMUM	49	48	50	46	35	38	30	39	38	41	42	48	47	51	45
	AVG MAX	79.0	79.6	78.8	77.2	65.7	56.2	55.5	63.4	66.0	70.1	69.8	77.3	77.0	76.6	79.1
	AVG MIN	52.2	51.5	54.1	50.3	47.5	41.3	39.4	48.9	46.5	46.2	48.4	52.4	52.3	54.2	53.4
	AVERAGE	65.6	65.6	66.5	63.8	56.6	48.8	47.5	56.2	56.3	58.2	59.1	64.9	64.7	65.4	66.3
OAKLAND CITY HALL	MAXIMUM	78	80	91	86	82	73	--	75	78	80	82	81	83	100	97
	MINIMUM	53	51	54	52	45	35	--	42	43	46	47	51	50	54	50
	AVG MAX	70.1	69.5	73.4	74.8	64.1	55.1	--	59.3	61.5	64.3	64.9	69.7	68.7	70.8	71.6
	AVG MIN	54.6	54.6	58.2	56.9	53.1	43.8	--	48.9	50.3	49.3	49.2	54.3	54.1	57.4	56.4
	AVERAGE	62.4	62.1	65.8	65.9	58.6	49.5	--	54.1	55.9	56.8	57.1	62.0	61.4	64.1	64.0
OAKLAND WB AIRPORT	MAXIMUM	83	79	90	85	78	73	74	74	79	83	75	86	87	89	94
	MINIMUM	54	53	57	50	43	36	33	43	44	45	46	50	53	55	50
	AVG MAX	70.3	71.0	73.6	72.5	65.5	56.1	53.6	60.0	62.3	64.8	65.0	70.0	69.5	72.4	74.1
	AVG MIN	57.0	56.8	59.3	54.6	51.8	41.7	40.5	50.9	49.4	49.2	52.7	56.0	56.8	59.2	57.8
	AVERAGE	63.7	63.9	66.5	63.6	58.7	48.9	47.1	55.5	55.9	57.0	58.9	63.0	63.2	65.8	66.0
PORT CHICAGO NAD	MAXIMUM	101	101	96	86	85	72	71	73	83	86	90	98	100	100	97
	MINIMUM	49	50	50	41	29	23	21	32	33	30	34	46	47	49	42
	AVG MAX	91.7	92.7	86.9	79.3	67.8	56.4	54.0	63.0	67.9	75.1	76.5	87.9	90.3	86.4	85.8
	AVG MIN	54.2	53.7	55.2	47.0	43.3	32.3	32.7	43.3	40.9	39.9	45.0	53.2	53.5	54.4	52.1
	AVERAGE	73.0	73.2	71.1	63.2	55.6	44.4	43.4	53.2	54.4	57.5	60.8	70.6	71.9	70.4	69.0
RICHMOND	MAXIMUM	83	79	94	87	85	76	73	75	79	84	82	85	84	98	95
	MINIMUM	52	53	49	48	40	33	31	39	41	42	43	52	51	55	52
	AVG MAX	69.3	69.5	73.7	76.1	68.4	58.1	56.5	62.6	65.5	68.8	67.1	71.7	69.0	72.2	75.8
	AVG MIN	55.2	55.6	57.1	53.9	50.2	39.9	39.4	49.4	48.5	47.9	51.7	55.6	55.2	58.9	57.7
	AVERAGE	62.3	62.6	65.4	65.0	59.3	49.0	48.0	56.0	57.0	58.4	59.4	63.7	62.1	65.6	66.8
SAINT MARYS COLLEGE	MAXIMUM	98	100	93	83	80	70	69	69	80	86	87	95	95	98	93
	MINIMUM	51	47	49	36	27	21	21	31	32	31	33	42	46	46	37
	AVG MAX	85.5	87.9	81.3	75.6	63.6	54.1	51.3	59.6	63.6	72.2	69.2	80.3	82.3	78.2	78.9
	AVG MIN	55.1	54.4	54.5	44.6	42.2	30.9	31.5	43.3	40.8	42.0	46.3	51.1	52.5	53.7	50.6
	AVERAGE	70.3	71.2	67.9	60.1	52.9	42.5	41.4	51.5	52.2	57.1	57.8	65.7	67.4	66.0	64.8
UPPER SAN LEANDRO FIL	MAXIMUM	91	90	--	89	86	74	72	74	80	90	87	89	92	100	95
	MINIMUM	50	51	50	47	39	29	29	32	36	39	40	46	45	50	45
	AVG MAX	76.3	78.1	--	75.9	67.8	58.0	56.7	62.0	66.4	70.7	67.8	75.4	76.9	74.8	77.7
	AVG MIN	53.1	53.2	55.0	51.5	49.4	39.0	37.2	46.6	42.4	43.5	45.6	50.0	51.0	53.5	52.9
	AVERAGE	64.7	65.7	--	63.7	58.6	48.5	47.0	54.3	54.4	57.1	56.7	62.7	64.0	64.2	65.3
WALNUT CREEK 2 ESE	MAXIMUM	100	103	96	87	83	73	72	74	83	86	90	99	103	99	95
	MINIMUM	46	47	47	39	29	23	21	32	30	30	35	42	46	47	40
	AVG MAX	90.7	93.3	86.7	79.5	68.7	56.7	54.4	63.7	67.8	73.8	74.4	85.1	89.0	83.8	84.9
	AVG MIN	52.8	52.4	52.1	42.9	41.9	31.2	30.5	41.6	39.2	38.7	45.1	51.0	53.3	54.0	50.4
	AVERAGE	71.8	72.9	69.4	61.2	55.3	44.0	42.5	52.7	53.5	56.3	59.8	68.1	71.2	68.9	67.7
ALAMEDA CREEK E5																
LIVERMORE COUNTY FD	MAXIMUM	101	104	92	--	89	73	72	74	84	90	90	100	105	105	100
	MINIMUM	50	52	52	--	28	25	22	33	31	30	33	38	46	46	40
	AVG MAX	91.4	92.0	84.8	--	70.8	57.1	57.2	64.8	68.4	74.6	75.9	87.7	91.3	87.3	87.1
	AVG MIN	55.5	56.8	57.6	--	41.7	33.6	32.5	43.7	39.2	38.3	43.5	49.4	53.1	52.3	51.1
	AVERAGE	73.5	74.4	71.2	--	56.3	45.4	44.9	54.3	53.8	56.5	59.7	68.6	72.2	69.8	69.1
LIVERMORE SEWAGE PLANT	MAXIMUM	102	104	98	88	90	72	72	72	83	88	88	98	101	100	98
	MINIMUM	44	47	48	40	26	24	19	34	32	30	34	42	50	48	42
	AVG MAX	89.7	92.6	86.5	80.7	68.6	58.2	56.0	63.2	66.8	73.7	73.6	85.1	86.6	83.9	84.2
	AVG MIN	52.9	54.2	53.6	44.7	40.8	31.8	30.7	44.6	40.3	38.8	45.4	51.4	54.4	54.0	53.5
	AVERAGE	71.3	73.4	70.0	62.7	54.7	45.0	43.4	53.9	53.6	56.3	59.5	68.2	70.5	69.4	68.6
LIVERMORE 2 SSW	MAXIMUM	104	108	99	91	--										
	MINIMUM	48	49	50	41	--										
	AVG MAX	91.8	94.2	87.6	80.9	--	RE									
	AVG MIN	53.5	55.4	55.2	46.5	--										
	AVERAGE	72.7	74.8	71.4	63.7	--										
MOUNT HAMILTON	MAXIMUM	92	93	84	79	76	64	67	67	69	74	76	88	88	91	89
	MINIMUM	58	64	44	38	30	12	20	26	29	28	32	38	50	41	39
	AVG MAX	83.3	86.0	77.0	69.3	58.5	45.8	49.5	54.6	53.2	59.1	61.9	76.1	81.5	74.8	75.3
	AVG MIN	66.3	70.9	59.7	52.0	45.8	31.7	36.6	41.3	40.0	43.0	46.0	58.7	66.0	57.9	59.1
	AVERAGE	74.8	78.5	68.4	60.7	52.2	38.8	43.1	48.0	46.6	51.1	54.0	67.4	73.8	66.4	67.2
NEWARK	MAXIMUM	90	89	93	87	83	73	70	75	78	81	80	90	92	98	94
	MINIMUM	54	54	55	50	41	29	30	40	41	33	41	49	54	55	50
	AVG MAX	77.1	78.8	78.3	75.7	68.3	57.6	54.8	62.1	64.9	63.6	67.5	74.5	76.3	76.0	76.9
	AVG MIN	56.0	56.8	59.0	54.0	50.4	39.0	38.5	50.0	47.3	43.4	50.1	55.5	56.6	58.5	57.3
	AVERAGE	66.6	67.8	68.7	64.9	59.4	48.3	46.7	56.1	56.1	53.5	58.8	65.0	66.5	67.3	67.1

TABLE A-3 (Cont.)
TEMPERATURE DATA

Temperature in Degrees Fahrenheit

Station Name		1967						1968								
		July	Aug	Sept	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	June	July	Aug	Sept
SAN FRANCISCO BAY AREA																
ALAMEDA CREEK E5																
PLEASANTON NURSERY	MAXIMUM	100	103	96	90	88	75	72	76	82	87	88	101	104	99	98
	MINIMUM	48	48	50	38	26	22	21	34	32	31	35	40	42	44	36
	AVG MAX	91.8	93.2	86.7	80.5	68.8	57.0	55.3	63.6	67.0	72.3	74.2	85.1	88.6	83.4	84.3
	AVG MIN	53.2	54.1	54.8	45.1	42.8	33.0	33.0	46.8	41.6	39.4	45.2	50.7	51.8	52.7	49.4
	AVERAGE	72.5	73.6	70.8	62.8	55.8	45.0	44.2	55.2	54.3	55.9	59.7	67.9	70.2	68.1	66.9
SANTA CLARA VALLEY E6																
ALAMITOS PERCOLATION POND	MAXIMUM	100	97	99	91	87	75	72	76	84	89	87	91	97	102	95
	MINIMUM	50	51	51	45	32	24	29	39	37	36	33	37	45	33	45
	AVG MAX	87.1	88.7	84.7	80.4	69.4	58.9	57.5	64.4	68.8	73.4	75.7	83.8	86.1	83.2	83.2
	AVG MIN	55.8	56.4	57.1	49.6	47.3	37.0	35.2	46.6	44.5	43.3	46.3	49.0	51.0	53.9	53.5
	AVERAGE	71.4	72.6	70.9	65.0	58.4	48.0	46.4	55.5	56.7	58.4	61.0	66.4	68.6	68.6	68.4
LEXINGTON RESERVOIR	MAXIMUM	100	101	100	91	88	74	72	76	82	81	88	99	99	103	98
	MINIMUM	43	33	30	33	31	25	20	32	23	32	33	37	42	45	33
	AVG MAX	89.7	91.1	87.0	80.7	69.6	57.7	56.8	63.3	66.0	69.9	73.6	84.7	88.5	83.6	84.8
	AVG MIN	52.0	48.8	48.0	46.6	43.4	33.3	33.6	42.3	40.3	40.0	42.3	48.1	49.9	50.8	50.6
	AVERAGE	70.8	70.0	67.5	63.6	56.5	45.5	45.2	52.8	53.2	55.0	58.0	66.4	69.2	67.2	67.7
LOS GATOS	MAXIMUM	100	98	97	90	85	73	72	76	84	83	89	98	97	101	97
	MINIMUM	48	50	49	43	34	27	26	35	35	35	38	41	49	48	43
	AVG MAX	87.2	88.6	84.9	79.5	68.5	58.3	57.1	64.5	68.0	72.6	73.6	84.1	85.4	82.6	82.6
	AVG MIN	54.6	55.3	55.2	48.2	46.2	36.9	35.0	46.6	42.8	42.3	45.7	51.7	54.1	54.7	53.1
	AVERAGE	70.9	72.0	70.1	63.9	57.4	47.6	46.1	55.6	55.4	57.5	59.7	67.9	69.8	68.7	67.9
BAYSIDE-SAN MATEO E7																
SAN FRANCISCO WB AIRPORT	MAXIMUM	87	80	92	86	85	72	71	72	76	79	72	85	88	98	91
	MINIMUM	50	51	55	46	46	31	32	38	40	39	40	46	49	52	48
	AVG MAX	71.9	71.7	75.1	74.4	66.3	56.3	54.7	60.5	62.8	64.4	64.5	71.3	71.1	73.5	73.6
	AVG MIN	53.5	53.9	57.6	52.5	49.2	39.8	38.2	48.5	46.2	45.4	48.0	51.3	52.6	56.0	54.7
	AVERAGE	62.7	62.8	66.4	63.5	57.8	48.1	46.5	54.5	54.5	54.9	56.3	61.3	61.9	64.8	64.2
SAN FRANCISCO FOB	MAXIMUM	78	72	87	86	83	74	74	73	77	78	72	77	79	96	89
	MINIMUM	50	51	56	55	46	37	36	46	48	45	47	50	49	54	49
	AVG MAX	63.9	63.8	69.3	72.5	65.0	57.1	55.3	61.0	62.1	62.8	60.8	64.5	63.0	67.6	69.3
	AVG MIN	53.8	54.5	57.7	58.5	54.9	46.6	44.2	52.3	51.3	49.6	50.5	53.4	52.9	56.9	56.8
	AVERAGE	58.9	59.2	63.5	65.5	60.0	51.9	49.8	56.7	56.7	56.2	55.7	59.0	58.0	62.3	63.1
SAN MATEO	MAXIMUM	94	87	98	89	89	78	78	79	83	86	82	91	95	103	95
	MINIMUM	48	49	51	41	44	33	30	37	39	39	41	46	49	51	43
	AVG MAX	77.8	79.1	81.0	78.7	68.8	60.1	58.5	64.7	67.3	71.0	68.3	76.5	77.2	78.2	79.1
	AVG MIN	52.5	54.1	57.3	51.2	51.3	41.3	40.3	49.4	46.9	45.9	49.8	54.0	55.1	58.1	55.1
	AVERAGE	65.2	66.6	69.2	65.0	60.1	50.7	49.4	57.1	57.1	58.5	59.1	65.3	66.2	68.2	67.1
COAST-SAN MATEO E8																
HALF MOON BAY	MAXIMUM	71	71	78	87	85	74	73	72	79	74	69	69	70	94	85
	MINIMUM	48	50	50	43	40	35	36	40	41	37	39	39	48	46	41
	AVG MAX	63.5	63.4	68.1	70.1	65.2	57.5	58.5	58.9	61.7	62.0	60.6	61.6	62.7	66.8	68.2
	AVG MIN	53.7	53.6	55.1	50.5	49.7	43.0	45.2	49.6	46.1	43.7	48.3	50.7	52.7	53.8	50.2
	AVERAGE	58.6	58.5	61.6	60.3	57.5	50.3	51.9	54.3	53.9	52.9	54.5	56.2	57.7	60.3	59.2
SAN FRANCISCO SUNSET	MAXIMUM	70	70	79	92	83	70	72	75	74	78	65	68	69	95	82
	MINIMUM	51	47	54	46	42	34	--	--	38	40	41	45	48	53	46
	AVG MAX	63.0	62.8	68.0	70.8	65.2	59.1	56.6	61.5	60.8	61.0	59.7	61.8	61.7	66.9	67.6
	AVG MIN	56.8	55.1	56.4	53.1	54.3	45.0	--	--	46.5	45.8	48.4	50.8	51.4	56.2	54.1
	AVERAGE	59.9	59.0	62.2	62.0	59.8	52.1	--	--	53.7	53.4	54.1	56.3	56.6	61.6	60.9
SAN GREGORIO 2 SE	MAXIMUM	77	74	89	91	88	75	78	76	76	78	72	80	82	94	87
	MINIMUM	40	43	44	39	34	28	27	39	34	32	36	37	41	42	37
	AVG MAX	68.2	69.4	73.1	73.2	67.5	58.9	59.0	62.1	63.0	62.3	62.8	67.8	67.9	71.9	72.3
	AVG MIN	49.4	49.9	50.7	44.8	44.6	38.4	37.6	47.4	42.9	40.6	45.1	47.8	50.4	52.0	48.8
	AVERAGE	58.8	59.7	61.9	59.0	56.1	48.7	48.3	54.8	53.0	51.5	54.0	57.8	59.2	62.0	60.6
NORTH COASTAL AREA																
MENDOCINO COAST F8																
BOONVILLE HMS	MAXIMUM	--	107	106	RE											
	MINIMUM	--	42	45												
	AVG MAX	--	94.3	91.4												
	AVG MIN	--	50.2	49.7												
	AVERAGE	--	72.2	70.6												
FORT BRAGG	MAXIMUM	68	70	78	84	72	67	74	70	73	68	66	68	68	79	72
	MINIMUM	40	38	48	43	38	26	32	38	35	32	35	43	46	47	38
	AVG MAX	62.6	62.0	66.8	66.4	63.8	54.9	55.2	58.5	59.7	57.4	59.8	62.4	62.5	66.4	65.1
	AVG MIN	48.1	48.1	51.8	48.4	47.3	36.5	38.7	47.1	43.6	42.0	45.6	48.3	49.2	53.4	50.4
	AVERAGE	55.4	55.1	59.3	57.4	55.6	45.7	47.0	52.8	51.7	49.7	52.7	55.4	55.9	59.9	57.8

**TABLE A-3 (Cont.)
TEMPERATURE DATA**

Temperature in Degrees Fahrenheit

Station Name		1967						1968								
		July	Aug	Sept	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	June	July	Aug	Sept
NORTH COASTAL AREA																
MENDOCINO COAST F8																
FORT BRAGG AVIATION	MAXIMUM	66	68	85	80	69	66	69	67	72	62	66	69	70	79	71
	MINIMUM	41	--	44	41	34	27	28	36	34	32	36	41	--	42	40
	AVG MAX	62.4	--	67.0	66.0	61.6	56.1	55.0	58.6	59.5	57.8	60.6	62.6	63.1	67.3	65.7
	AVG MIN	45.3	--	49.6	45.6	45.6	36.6	36.6	46.4	42.3	41.2	44.3	46.4	46.8	51.8	49.7
	AVERAGE	53.9	--	58.3	55.8	53.6	46.4	45.8	52.5	50.9	49.5	52.5	54.5	55.0	59.6	57.7
FORT ROSS	MAXIMUM	74	74	84	86	75	67	66	71	71	76	69	73	73	85	85
	MINIMUM	43	45	46	42	39	29	33	40	38	36	36	42	44	45	42
	AVG MAX	65.2	64.4	69.1	69.7	62.6	56.2	55.5	58.8	60.6	60.4	61.0	65.1	65.3	68.8	69.0
	AVG MIN	47.2	49.2	51.7	48.8	48.4	39.5	40.3	48.3	44.1	41.7	44.0	47.5	47.7	51.7	51.0
	AVERAGE	56.2	56.8	60.4	59.3	55.5	47.9	47.9	53.6	52.4	51.1	52.5	56.3	56.5	60.3	60.0
POINT ARENA	MAXIMUM	75	74	89	84	79	68	75	70	69	77	69	68	74	91	77
	MINIMUM	47	47	48	41	40	29	31	38	37	35	38	42	46	47	42
	AVG MAX	63.8	65.0	71.3	68.3	63.8	56.9	55.3	58.2	58.7	60.2	62.7	63.8	65.9	71.5	68.2
	AVG MIN	49.6	49.3	52.1	49.6	47.1	38.1	40.3	46.6	44.1	41.3	47.0	49.1	49.6	53.2	51.2
	AVERAGE	56.7	57.2	61.7	59.0	55.5	47.5	47.8	52.4	51.4	50.8	54.9	56.5	57.8	62.4	59.7
RUSSIAN RIVER F9																
CLOVERDALE 3 SSE	MAXIMUM	103	105	102	90	94	80	82	78	85	89	89	104	103	104	103
	MINIMUM	46	46	48	45	35	26	23	34	38	39	37	44	46	48	47
	AVG MAX	92.9	94.0	88.8	82.1	71.5	59.0	56.2	62.1	66.6	74.8	75.3	87.0	90.9	85.2	87.0
	AVG MIN	53.5	52.1	53.5	50.6	46.3	34.3	33.6	45.5	43.2	44.0	47.3	52.2	51.6	54.4	53.3
	AVERAGE	73.2	73.1	71.2	66.4	58.9	46.7	44.9	53.8	54.9	59.4	61.3	69.6	71.3	69.8	70.2
COYOTE DAM	MAXIMUM	103	106	102	88	90	74	75	78	80	88	84	104	103	102	103
	MINIMUM	48	46	46	36	31	21	22	27	29	29	30	39	46	42	36
	AVG MAX	93.3	98.3	92.8	78.8	70.0	54.9	57.2	62.6	63.9	73.2	72.1	86.2	93.2	85.0	90.2
	AVG MIN	53.2	53.0	49.5	42.1	40.2	28.8	27.9	40.1	37.3	36.0	37.3	45.7	50.0	48.4	48.1
	AVERAGE	73.2	75.6	71.2	60.4	55.1	41.9	42.6	51.4	50.6	54.6	54.7	65.9	71.6	66.7	69.2
GRATON	MAXIMUM	100	96	103	92	92	80	77	76	82	90	97	103	105	105	105
	MINIMUM	44	45	47	38	32	26	25	33	32	32	33	40	42	43	43
	AVG MAX	86.1	86.1	86.9	82.5	68.2	57.2	54.2	60.9	65.8	74.2	76.5	85.8	84.3	84.3	82.6
	AVG MIN	50.7	50.0	52.7	45.4	44.1	33.7	34.2	46.6	41.1	39.7	43.9	49.0	49.8	49.8	52.8
	AVERAGE	68.4	68.1	69.8	64.0	56.2	45.4	44.2	53.8	53.5	57.0	60.2	67.4	67.1	67.1	67.7
GRATON 1 W	MAXIMUM	97	96	100	89	90	78	76	76	80	86	93	100	--	103	101
	MINIMUM	41	42	44	37	30	20	24	30	32	30	33	39	43	42	37
	AVG MAX	84.0	84.0	84.6	80.5	67.9	57.6	55.4	61.2	65.0	72.6	73.8	84.3	--	82.5	84.6
	AVG MIN	48.1	47.0	49.8	43.7	42.9	33.1	33.5	44.6	40.9	37.4	42.7	46.3	--	49.7	46.7
	AVERAGE	66.1	65.5	67.2	62.1	55.4	45.4	44.5	52.9	53.0	55.0	58.3	65.3	--	66.1	65.7
HEALDSBURG	MAXIMUM	104	105	103	93	96	83	82	80	87	92	93	101	104	108	105
	MINIMUM	47	48	50	44	35	26	26	36	35	39	39	47	48	48	46
	AVG MAX	91.8	93.0	90.0	84.0	71.0	60.4	56.7	65.0	69.5	76.9	78.4	88.9	91.0	86.6	87.9
	AVG MIN	52.6	51.9	54.8	49.3	45.4	35.9	36.1	47.4	43.4	44.6	47.4	53.3	52.4	55.5	54.3
	AVERAGE	72.2	72.5	72.4	66.7	58.2	48.2	46.4	56.2	56.5	60.8	62.9	71.1	71.7	71.1	71.1
INVERNESS MERY	MAXIMUM	87	85	94	94	82	79	74	80	78	80					
	MINIMUM	46	42	48	40	36	26	28	36	34	34					
	AVG MAX	71.8	75.1	74.4	72.9	65.9	58.1	57.3	64.0	64.1	66.0	RE				
	AVG MIN	51.0	50.6	54.4	47.9	46.6	36.8	36.5	47.2	42.3	40.9					
	AVERAGE	61.4	62.9	64.4	60.4	56.3	47.5	46.9	55.6	53.2	53.5					
KNIGHTS VALLEY	MAXIMUM	98	102	99	--	90	83	82	72	--	--	--	--	--	--	99
	MINIMUM	42	39	41	--	27	20	20	30	--	--	--	--	--	--	32
	AVG MAX	91.6	92.0	87.3	--	68.6	59.1	57.2	63.1	--	--	--	--	--	--	87.3
	AVG MIN	50.5	46.7	48.9	--	39.4	31.4	29.9	41.8	--	--	--	--	--	--	44.7
	AVERAGE	71.1	69.4	68.1	--	54.0	45.3	43.6	52.5	--	--	--	--	--	--	66.0
POTTER VALLEY POWERHOUSE	MAXIMUM	101	105	103	89	90	78	82	80	84	90	87	104	104	103	100
	MINIMUM	47	46	45	35	26	19	16	27	26	28	32	39	46	41	37
	AVG MAX	--	--	--	79.2	70.5	57.5	58.3	64.6	68.4	76.3	77.0	89.2	95.6	87.0	90.4
	AVG MIN	--	--	--	41.9	37.5	25.7	27.8	39.3	36.6	36.8	41.8	48.1	52.6	51.9	48.4
	AVERAGE	--	--	--	60.6	54.0	41.6	43.1	52.0	52.5	56.6	59.4	68.7	74.1	69.5	69.4
SANTA ROSA SEWAGE PLANT	MAXIMUM	94	95	100	91	94	81	70	75	81	88	89	100	100	103	98
	MINIMUM	45	42	36	36	30	25	23	32	32	34	29	44	45	47	43
	AVG MAX	80.3	82.0	82.4	80.8	68.8	58.2	55.0	61.8	64.6	71.3	71.9	81.6	82.1	79.4	82.2
	AVG MIN	49.9	49.7	51.3	44.0	42.5	31.1	32.3	44.7	41.0	40.9	44.6	48.7	49.8	52.6	50.5
	AVERAGE	65.1	65.8	66.8	62.4	55.7	44.6	43.7	48.6	52.8	56.1	58.3	65.2	66.0	66.0	66.4
SANTA ROSA	MAXIMUM	97	100	100	91	92	83	74	78	84	88	92	100	101	104	101
	MINIMUM	45	47	48	41	33	27	23	32	33	35	37	45	46	47	42
	AVG MAX	85.7	88.1	87.0	82.9	70.3	59.7	56.6	64.7	68.8	74.5	75.6	84.7	86.8	83.1	84.9
	AVG MIN	50.9	50.6	53.3	46.2	44.3	34.7	34.5	46.7	41.7	41.7	45.3	50.3	50.7	54.0	51.8
	AVERAGE	68.3	69.4	70.2	64.6	57.3	47.2	45.6	55.7	55.3	58.1	60.5	67.5	68.8	68.6	68.4
UKIAH	MAXIMUM	104	109	105	90	92	79	76	80	86	90	93	106	107	107	103
	MINIMUM	50	50	49	37	30	24	24	35	31	32	35	44	50	45	40
	AVG MAX	94.8	99.3	92.1	79.5	69.0	58.0	56.5	64.8	67.6	75.0	75.5	87.3	94.4	87.3	89.6
	AVG MIN	56.1	55.8	53.8	45.5	42.5	32.3	33.9	44.6	40.6	39.9	45.1	52.1	55.1	54.1	51.6
	AVERAGE	75.5	77.6	73.0	62.5	55.8	45.2	45.2	54.7	54.1	57.5	60.3	69.7	74.8	70.7	70.6

TABLE A-3 (Cont.)
TEMPERATURE DATA

Temperature in Degrees Fahrenheit

Station Name		1967						1968								
		July	Aug	Sept	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	June	July	Aug	Sept
NORTH COASTAL AREA																
RUSSIAN RIVER F9																
WOODACRE	MAXIMUM	97	101	94	86	88	77	68	72	81	86	82	95	99	101	97
	MINIMUM	42	42	45	35	29	26	21	33	29	30	32	36	42	44	32
	AVG MAX	83.8	87.1	82.3	77.0	65.1	55.8	52.8	61.4	64.6	70.5	68.9	74.8	82.9	78.5	79.7
	AVG MIN	49.7	49.4	51.2	43.2	42.2	34.0	33.7	44.9	40.0	39.0	44.0	47.3	49.3	51.8	48.7
	AVERAGE	66.8	68.8	66.8	60.1	53.6	44.9	43.3	53.2	52.3	54.8	56.4	61.5	66.1	65.2	64.2

TABLE A-4
EVAPORATION DATA

The definition of terms and the abbreviations used in connection with Table A-4 are as follows:

EVAP	The total amount of water evaporated from the pan in inches for the month.
WIND	The amount of movement of air over the pan in miles for the month.
AVG MAX	The arithmetic average of daily maximum water temperatures in degrees Fahrenheit for the month.
AVG MIN	The arithmetic average of daily minimum water temperatures in degrees Fahrenheit for the month.
	Record incomplete.
RB	Record began.
RE	Record ended.

TABLE A-4 (Cont.)
EVAPORATION DATA

Evaporation in Inches
Wind in Total Miles
Water Temperature in Degrees Fahrenheit

Station Name		Total July 1 to June 30	1967						1968									Total Oct 1 to Sept 30
			July	Aug	Sept	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	June	July	Aug	Sept	
CENTRAL COASTAL AREA																		
LOWER SALINAS RIVER D2																		
SALINAS DE DAMPIERRE	EVAP	--	6.64	6.03	5.13	7.37	RE											
	WIND	--	3150	2949	2314	3315	RE											
SOLEDAD CTF	EVAP	64.66	8.87	6.11	6.11	5.86	3.02	2.32	2.54	2.34	4.47	6.21	7.97	8.84	--	7.74	7.14	--
	WIND	56960	5225	4538	3869	3783	3610	3914	4571	3763	4765	5698	6572	6652	--	4942	4522	--
	AVG MAX	--	--	--	--	--	--	--	58.0	65.4	67.9	71.0	74.2	77.6	--	78.3	71.4	--
	AVG MIN	--	--	--	--	--	--	--	38.1	48.2	44.3	45.3	48.2	51.7	--	53.9	49.8	--
UPPER SALINAS RIVER D3																		
NACIMIENTO DAM	EVAP	72.31	11.25	10.77	7.37	5.48	2.54	1.36	1.71	1.83	4.35	6.57	8.36	10.72	11.76	10.33	8.05	73.06
SAN FRANCISCO BAY AREA																		
NAPA-SOLANO E3																		
DUTTONS LANDING	EVAP	64.78	9.43	7.95	6.32	4.64	2.02	1.99	2.29	1.51	3.49	6.50	8.44	10.20	9.09	7.97	7.27	65.41
	WIND	25886	2285	881	2040	1565	1183	2567	1774	1525	1771	2402	4123	3770	--	3091	2849	--
	AVG MAX	--	84.6	84.6	84.1	80.4	69.9	--	--	--	--	81.7	79.1	84.6	85.6	83.4	83.5	--
	AVG MIN	--	56.3	55.9	56.5	51.3	48.3	--	--	--	--	50.3	50.2	54.7	56.9	57.9	57.5	--
YOUNTVILLE GAMBLE	EVAP	62.14	9.15	7.23	7.84	4.36	2.55	2.92	1.70	1.60	5.26	5.74	6.28	7.51	10.18	7.00	6.94	62.04
	WIND	28944	2448	2366	2175	1882	2229	3548	2040	1805	2481	2704	2571	2695	3109	2621	2451	30136
ALAMEDA CREEK E5																		
LIVERMORE SEWAGE PLANT	EVAP	81.74	11.46	11.67	8.91	6.38	3.40	2.94	1.92	2.05	4.27	7.79	8.62	12.33	12.53	10.90	9.23	82.36
	WIND	33920	1860	2090	2270	2350	2240	3500	2630	1980	2650	3180	4210	3940	4290	3950	3350	38270
NEWARK	EVAP	67.49	9.69	8.22	6.76	5.18	2.75	2.25	1.62	1.63	4.20	7.16	7.99	10.04	9.74	8.38	7.22	68.16
	WIND	36759	3128	2702	2509	2612	2310	2774	3166	2101	3409	3946	4265	3837	3623	3739	3247	39029
SANTA CLARA VALLEY E6																		
ALAMITOS PERCOLATION POND	EVAP	60.82	9.48	8.25	6.23	4.35	2.23	1.97	1.48	1.32	3.84	5.60	7.08	8.99	9.02	7.71	6.52	60.11
	WIND	11736	968	823	780	859	689	1114	1003	736	1235	1283	1142	1104	899	973	934	11971
LEROY ANDERSON DAM	EVAP	69.74	10.64	9.53	7.56	4.51	3.02	2.16	1.54	1.61	4.31	6.70	7.62	10.54	10.44	8.53	7.89	68.87
	WIND	20256	1696	1492	1516	1689	1333	1972	1404	1026	1857	2172	2014	2085	1742	1810	1795	20899
LEXINGTON RESERVOIR	EVAP	55.30	8.28	7.91	5.71	3.99	2.21	1.81	1.42	1.47	3.59	5.17	5.61	8.13	8.63	7.26	6.23	55.32
	WIND	8269	636	507	483	419	598	1061	982	667	910	755	511	740	591	757	653	8644
BAYSIDE-SAN MATEO E7																		
BURLINGAME	EVAP	--	7.89	5.45	5.28	2.78	1.32	--	0.95	0.85	3.02	5.49	6.91	8.58	8.80	6.73	6.22	--
	WIND	--	--	671	738	696	550	1315	879	602	1005	1125	2215	2609	2556	2090	1887	17529
	AVG MAX	--	89.3	87.7	85.7	74.4	64.5	55.0	--	57.0	66.1	77.4	78.8	82.1	83.3	81.9	80.7	--
	AVG MIN	--	60.6	59.7	61.0	55.4	52.9	42.4	--	46.4	45.0	49.0	52.3	55.8	56.8	59.7	56.3	--
NORTH COASTAL AREA																		
RUSSIAN RIVER F9																		
COYOTE DAM	EVAP	71.95	12.23	11.28	8.64	4.33	2.05	1.75	1.47	1.67	3.23	6.70	7.43	11.17	13.58	8.36	8.09	69.83
	WIND	--	--	--	--	--	--	--	--	--	--	--	--	--	--	1684	1604	--
	AVG MAX	--	97.0	97.0	91.9	78.7	64.0	50.1	50.4	61.3	65.0	75.0	78.8	--	89.5	82.4	83.5	--
	AVG MIN	--	54.9	53.1	49.0	44.6	46.4	35.6	37.2	45.7	43.0	44.9	47.9	--	55.5	52.9	52.5	--
GEYSERVILLE HOCKING	EVAP	53.59	7.99	6.04	4.66	5.09	2.79	1.64	1.08	1.37	2.81	4.94	6.95	8.59	6.80	5.64	5.50	53.20
	WIND	25987	1906	1746	1892	2066	1471	1999	1998	1450	1642	2487	3461	3869	2961	2451	--	--
KNIGHTS VALLEY	EVAP	--	6.90	7.62	5.31	4.82	3.18	3.11	1.26	3.05	--	5.44	5.61	--	--	--	4.82	--
	WIND	--	--	--	666	623	456	1417	812	--	--	1169	995	--	--	--	--	--
	AVG MAX	--	96.5	93.1	87.3	76.7	65.0	54.8	52.2	63.5	--	79.3	--	--	--	--	--	--
	AVG MIN	--	63.2	58.9	58.2	50.5	46.4	40.3	38.9	43.5	--	46.7	--	--	--	--	--	--
SANTA ROSA SEWAGE PLANT	EVAP	62.92	8.51	7.89	6.31	5.04	2.35	2.16	1.38	1.37	3.69	6.37	7.41	10.40	9.36	7.19	7.49	64.25
	WIND	24355	2736	2574	2213	1503	1155	2064	1599	1105	1654	2293	2738	2721	2840	2714	2167	24553

Appendix B

SURFACE WATER MEASUREMENTS

INTRODUCTION

In this appendix, surface water data are presented for the period October 1, 1967, through September 30, 1968. These data consist of imported water to the report area, daily mean gage heights, and daily maximum and minimum tides. Data station locations are shown on Figure D-1, pages 64, 65, 66, and 67.

The station numbering system is that which is shown in the departmental publication "Index of Stream Gaging Stations in and Adjacent to California", 1966.

TABLE B-1
SURFACE WATER IMPORTS TO THE CENTRAL COASTAL AREA

IMPORT	1968 Water Year												TOTAL DIVERSION OCT.-SEPT. ACRE-FEET
	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	
<u>CITY OF VALLEJO FROM CACHE SLOUGH</u> a													
Total acre-feet	927	645	478	575	352	718	1268	1456	1454	1488	1506	1367	12234
Average cubic feet per second	15	11	8	9	6	12	21	24	24	24	24	23	17
Monthly quantities in percent of seasonal	7.5	5.3	3.9	4.7	2.8	5.9	10.4	11.9	11.9	12.2	12.3	11.2	
<u>CONTRA COSTA CANAL</u> b *													
Total acre-feet	6228	5462	4869	5602	3466	3158	7752	9754	13318	13778	11925	11030	96342
Average cubic feet per second	101	92	79	91	60	51	130	159	224	224	194	185	133
Monthly quantities in percent of seasonal	6.5	5.7	5.1	5.8	3.6	3.3	8.0	10.1	13.8	14.3	12.4	11.4	
<u>HETCH HETCHY AQUEDUCT</u> c													
Total acre-feet	9451	4289	18822	1480	1389	14334	25341	26396	20975	21070	20412	19511	183470
Average cubic feet per second	154	72	306	24	24	233	426	429	352	343	332	328	253
Monthly quantities in percent of seasonal	5.2	2.3	10.3	0.8	0.8	7.8	13.8	14.4	11.4	11.5	11.1	10.6	
<u>MOKELUMNE RIVER AQUEDUCT</u> d													
Total acre-feet	6636	17011	17642	17460	15701	17782	18026	18789	18402	21437	22044	21156	212086
Average cubic feet per second	108	286	287	284	273	289	303	306	309	349	358	356	292
Monthly quantities in percent of seasonal	3.1	8.0	8.3	8.2	7.4	8.4	8.5	8.9	8.7	10.4	10.4	10.0	
<u>POTTER VALLEY POWERHOUSE FROM EEL RIVER</u> e													
Total acre-feet	16320	10580	17950	18710	17480	18580	11450	4530	6600	12990	13030	12650	160870
Average cubic feet per second	265	178	292	304	304	302	192	74	111	211	212	213	222
Monthly quantities in percent of seasonal	10.1	6.6	11.2	11.6	10.9	11.5	7.1	2.8	4.1	8.1	8.1	7.9	
<u>PUTAH SOUTH CANAL</u> b **													
Total acre-feet	26651	8471	200	627	627	2553	15592	30228	31182	36422	34596	33388	220537
Average cubic feet per second	433	142	3	10	11	42	262	492	524	592	563	561	304
Monthly quantities in percent of seasonal	12.1	3.8	0.1	0.3	0.3	1.2	7.1	13.7	14.1	16.5	15.7	15.1	
<u>SOUTH BAY AQUEDUCT</u>													
Total acre-feet	8169	5503	6645	7991	3539	6692	9667	18291	10814	11986	11792	9443	102532
Average cubic feet per second	133	92	108	130	62	109	162	167	182	195	192	159	141
Monthly quantities in percent of seasonal	8.0	5.4	6.5	7.8	3.5	6.5	9.4	10.0	10.5	11.7	11.5	9.2	

a Data furnished by City of Vallejo.

b Data furnished by U. S. Bureau of Reclamation.

c Data furnished by the City of San Francisco.

d Data furnished by East Bay Municipal Utility District.

e Data furnished by U. S. Geological Survey.

* A portion of this water is delivered to the Central Coastal Area by the Contra Costa County Water District.

** A portion of this water is delivered to the Central Coastal Area by the Solano Irrigation District.

TABLE B- 2

DAILY MEAN GAGE HEIGHT
(IN FEET)

WATER YEAR	STATION NO.	STATION NAME
1968	E31400	RECTOR RESERVOIR NEAR YOUNTVILLE

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	355.52	354.10	354.40	355.83	370.45	370.35	370.28	370.06	367.08	363.10	NR	NR	1
2	355.46	354.08	354.40	355.83	370.49	370.35	370.28	370.06	366.92	363.93	NR	NR	2
3	355.40	354.06	354.57	355.83	370.49	370.35	370.27	369.96	366.77	362.80	NR	354.80	3
4	355.41	354.05	354.66	355.87	370.47	370.33	370.27	369.96	366.66	362.69	NR	354.70	4
5	355.43	354.05	354.92	355.88	370.44	370.33	370.27	369.96	366.53	362.55	NR	354.60	5
6	355.43	354.05	354.98	355.91	370.44	370.33	370.22	369.96	366.42	362.43	NR	354.48	6
7	355.37	354.06	355.17	355.95	370.44	370.36	370.20	369.89	366.28	362.42	NR	354.35	7
8	355.26	354.07	355.25	355.99	370.45	370.36	370.18	369.76	366.16	362.21	NR	354.24	8
9	355.13	354.08	355.31	356.05	370.45	370.35	370.16	369.65	366.04	362.05	NR	354.12	9
10	355.11	354.06	355.32	356.70	370.43	370.32	370.14	369.55	365.92	361.91	NR	354.00	10
11	355.11	354.07	355.36	357.02	370.42	370.32	370.13	369.44	365.76	361.75	NR	353.85	11
12	355.11	354.07	355.34	358.20	370.41	370.60	370.13	369.34	365.65	361.62	NR	353.74	12
13	355.10	354.08	355.33	358.33	370.40	370.48	370.10	369.24	365.52	361.52	NR	353.63	13
14	354.97	354.10	355.31	358.73	370.37	370.50	370.08	369.17	365.38	361.39	NR	353.51	14
15	354.79	354.11	355.31	359.73	370.36	370.49	370.07	369.07	365.23	361.24	NR	353.36	15
16	354.68	354.11	355.32	360.16	370.45	370.60	370.06	368.99	365.12	361.12	NR	353.19	16
17	354.66	354.12	355.36	360.45	370.47	370.51	370.06	368.89	364.96	360.91	NR	353.05	17
18	354.51	354.13	355.50	360.67	370.42	370.41	370.04	368.80	364.85	360.78	NR	352.96	18
19	354.48	354.16	355.52	360.82	370.62	370.38	370.04	368.65	364.73	360.66	NR	352.85	19
20	354.48	354.18	355.55	360.96	370.52	370.37	370.02	368.56	364.71	360.53	NR	352.70	20
21	354.46	354.21	355.59	361.09	370.57	370.35	370.00	368.49	364.47	360.37	NR	352.57	21
22	354.46	354.22	355.62	361.20	370.57	370.33	369.99	368.30	364.30	360.26	NR	352.45	22
23	354.46	354.21	355.63	361.28	370.41	370.33	369.99	368.20	364.19	360.14	NR	352.32	23
24	354.34	354.21	355.68	361.36	370.36	370.32	369.98	368.08	364.07	359.98	NR	352.19	24
25	354.21	354.22	355.72	361.44	370.34	370.31	369.97	367.98	363.91	359.86	NR	352.06	25
26	354.20	354.24	355.74	361.52	370.33	370.30	369.99	367.88	363.77	359.03	NR	351.81	26
27	354.18	NR	355.75	361.59	370.32	370.30	370.01	367.78	363.68	359.60	NR	351.66	27
28	354.18	NR	355.77	361.68	370.32	370.29	370.01	367.68	363.51	359.47	NR	351.54	28
29	354.17	NR	355.79	371.42	370.33	370.28	370.01	367.56	363.37	359.35	NR	351.44	29
30	354.16	NR	355.79	370.62		370.28	370.02	367.43	363.21	359.21	NR	351.31	30
31	354.14		355.81	370.52		370.28		367.31		359.09	NR		31

MAXIMUM INSTANTANEOUS GAGE HEIGHTS

DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE
1-30-68	0100	371.44									

E - ESTIMATED

NR - NO RECORD

NF - NO FLOW

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M.D.B.&M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE HT.	DATE			FROM	TO		
38 26 24	122 20 36	SE 19 7N 4W						MAY 1948-DATE	5-48	0.00	USCGS

Rector Reservoir is located on Rector Creek about 3 miles northeast of Yountville. Gaging station is located on the outlet tower of the reservoir. Elevation of reservoir floor is 250 feet. Spillway elevation is 370 feet.

TABLE B-3
DAILY MAXIMUM AND MINIMUM TIDES
SACRAMENTO RIVER AT COLLINSVILLE

in feet

STATION NO	WATER YEAR
891110	1968

DATE	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEP	DATE
1	6.13 1.75	6.07 1.61	6.67 1.28	6.58 1.30	5.58 2.76	NR NR	6.17 2.27	5.87 1.34	5.62 1.19	5.31 1.52	5.94 2.28	6.49 1.92	1
2	6.04 1.83	6.50 1.62	6.67 1.34	6.27 1.30	5.39 1.59	NR NR	5.85 1.76	5.72 1.30	5.19 1.19	5.29 1.66	6.23 2.04	6.48 1.90	2
3	6.02 1.19	6.75 1.71	7.13 1.69	5.67 3.07 E	5.47 1.90	NR NR	5.34 1.33	5.78 1.54	4.93 1.18	5.55 1.76	6.46 1.84	5.10 1.80	3
4	6.00 1.83	6.84 3.46	6.94 3.87	5.02 1.11 E	5.38 2.00	NR NR	5.12 1.28	5.47 1.42	5.48 1.53	5.89 2.13	6.63 1.68	6.55 1.94	4
5	6.09 1.54	6.58 1.68	6.21 2.16	5.00 1.14 E	5.40 2.28	NR NR	5.08 1.42	5.01 1.45	5.52 1.92	6.44 1.89	6.67 1.59	6.33 1.81	5
6	6.14 2.38	6.10 1.47	5.63 1.33	4.98 1.37	5.64 2.26	NR NR	4.62 0.95	4.86 1.04	5.76 1.93	6.85 2.05	4.75 1.53	6.17 1.95	6
7	6.17 1.41	6.02 1.25	5.68 1.57	5.02 1.49	5.86 2.09	NR NR	4.64 0.94	4.68 1.32	4.30 1.60	6.97 1.96	6.64 1.62	5.91 1.99	7
8	6.14 1.38	5.35 1.56	5.14 1.43	5.14 1.67	6.06 1.99	5.93 2.25	4.97 1.02	5.24 1.97	6.06 1.46	6.97 1.82	6.58 1.76	5.61 2.10	8
9	6.00 1.33	5.10 1.32	5.12 1.37	5.59 1.82	6.17 1.82	5.52 1.56	5.08 1.06	5.62 2.13	6.48 1.39	7.05 1.69	6.38 1.72	5.56 2.24	9
10	5.63 1.44	5.15 1.36	5.24 1.67	6.77 2.10	6.34 1.75	5.37 1.25	5.22 1.40	5.83 1.82	6.61 1.28	6.90 1.59	6.08 1.81	5.63 2.38	10
11	5.39 1.24	5.11 1.42	5.57 1.83	5.97 1.42	6.43 1.70	5.65 1.27	5.30 1.76	6.09 1.68	6.74 1.28	6.64 1.48	5.64 1.85	5.67 2.17	11
12	5.30 1.23	5.40 1.83	5.35 1.30	6.02 1.42	6.55 1.78	6.40 1.99	5.79 1.98	6.32 1.35	6.53 1.08	6.34 1.46	5.47 2.04	5.78 2.07	12
13	5.03 1.35	5.50 1.89	5.00 0.52 E	6.25 1.35	6.60 1.85	6.29 1.94	5.97 1.61	6.72 1.45	6.24 0.92	6.14 1.62	5.52 2.14	5.92 2.13	13
14	5.23 1.38	5.80 1.82	5.00 0.60 E	6.38 1.60	6.34 1.76	6.03 1.84	6.08 1.32	6.50 1.03	5.94 1.02	5.72 1.64	5.62 2.36	5.74 2.03	14
15	5.21 1.58	5.84 1.67	6.53 1.50	6.76 1.71	6.10 1.87	5.66 1.92	6.26 1.45	6.33 0.97	5.65 1.09	5.40 1.65	5.75 2.19	5.53 1.76	15
16	5.13 1.68	5.97 1.61	6.45 1.31	6.60 1.62	6.12 2.21	6.03 2.42	6.44 1.23	6.20 1.11	5.21 1.29	5.47 1.89	6.16 2.08	5.46 1.44	16
17	5.34 1.77	6.18 1.64	6.52 1.83	6.15 1.42	6.08 2.35	6.34 2.08	5.90 0.82	5.90 1.08	5.34 1.57	5.53 2.19	5.94 1.98	5.90 1.44	17
18	5.55 1.73	6.21 1.65	6.86 1.75	5.74 2.99	5.93 2.46	6.06 1.53	5.70 0.83	5.39 1.10	5.58 1.98	5.80 1.98	6.03 1.77	5.15 1.97	18
19	5.67 1.64	6.40 1.61	6.60 1.57	5.38 1.36	6.02 2.34	5.97 1.28	5.56 0.88	5.10 1.25	5.78 2.43	6.05 1.90	6.26 1.76	6.06 1.95	19
20	5.75 1.68	6.00 3.97	6.02 3.76	5.20 1.43	6.46 2.24	5.84 1.14	5.18 0.96	5.24 1.33	5.74 2.05	6.18 1.84	6.20 1.73	5.97 1.82	20
21	5.89 3.37	6.22 1.44	5.10 1.17 E	5.50 1.61	6.80 2.26	5.59 0.95	4.78 0.83	5.39 1.82	5.83 1.64	6.27 1.78	4.70 1.61	5.52 1.55	21
22	5.72 1.62	5.82 1.52	5.40 0.60 E	5.77 1.96	6.48 1.96	5.43 1.11	4.61 0.90	4.38 2.02	4.30 1.46	6.38 1.75	5.98 1.43	5.37 1.66	22
23	5.58 1.49	5.44 1.50	4.65 0.60 E	5.93 1.65	6.43 1.88	5.46 1.15	4.64 1.24	5.54 1.76	6.07 1.52	6.38 1.73	5.92 1.47	5.40 1.75	23
24	5.41 1.35	5.03 1.35	4.98 0.88 E	6.20 1.63	NR NR	5.35 1.07	4.86 1.50	5.65 1.55	6.31 1.64	6.38 1.57	5.88 1.64	5.68 1.68	24
25	5.21 1.30	5.14 1.35	5.40 1.41	6.69 1.78	NR NR	5.58 1.43	5.03 1.48	5.68 1.29	6.44 1.76	6.35 1.59	5.75 1.72	6.03 2.49	25
26	5.14 1.29	5.32 1.54	5.94 1.69	6.98 1.90	NR NR	5.27 1.31	5.33 1.37	5.64 1.10	6.44 1.70	6.34 1.72	5.38 1.77	6.23 1.79	26
27	5.17 1.23	5.69 1.78	6.12 1.40	6.95 1.81	NR NR	5.10 1.44	5.57 1.36	5.85 1.22	6.35 1.56	6.28 1.80	5.52 1.96	6.30 1.84	27
28	5.20 1.40	6.00 1.77	6.58 1.49	6.79 1.78	NR NR	5.05 1.62	5.77 1.49	6.10 1.39	6.33 1.52	6.04 1.90	5.70 2.15	6.51 1.84	28
29	5.14 1.27	6.66 2.02	6.76 1.40	7.17 2.53	NR NR	5.23 1.68	5.82 1.40	6.12 1.35	5.87 1.15	5.63 1.77	5.92 1.98	6.48 2.12	29
30	5.20 1.36	7.00 1.87	6.85 1.40	6.72 1.92		5.53 1.80	5.93 1.46	6.03 1.25	5.52 1.22	5.60 2.07	6.35 1.83	5.99 1.85	30
31	5.54 1.56		6.63 1.27	6.20 1.65		5.80 1.97		5.92 1.30		5.71 2.16	6.49 2.10		31
MAXIMUM	6.17	7.00	7.13	7.17	NR	NR	6.44	6.72	6.74	7.05	6.67	6.55	MAXIMUM
MINIMUM	1.19	1.25	0.52 E	1.11 E	NR	NR	0.82	0.97	0.92	1.46	1.43	1.44	MINIMUM

E—Estimated
NR—No Record

CREST STAGES											
DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	14 SEC T & R MOB & M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE HT	DATE			FROM	TO		
38 04 25	121 51 18	SW 27 3N 1E		9.2	4-6-1958		JUNE 1929-DATE	1929	1929	0.00	USED
										-3.05	USCGS
									1964	-3.54	USCGS
									1964	-3.00	USCGS

Station located 0.4 mile southwest of Collinsville, 3.3 miles northeast of Pittsburg.

TABLE B-3 (Cont.)
DAILY MAXIMUM AND MINIMUM TIDES
 SUISUN BAY AT BENICIA

in feet

STATION NO	WATER YEAR
803300	1968

DATE	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY.	JUNE.	JULY.	AUG.	SEP.	DATE
1	3.40 -2.36	3.62 -2.64	4.17 -3.44	3.97 -3.11	2.83 -3.74	3.20 -1.42	3.45 -1.47	3.02 -2.60	2.71 -2.77	NR NR	3.20 -1.45	3.62 -2.27	
2	3.30 -2.23	4.05 -2.76	4.11 -3.28	3.60 -3.11	2.60 -2.22	3.28 -1.10	3.07 -2.21	2.79 -2.61	2.31 -2.75	NR NR	3.47 -1.84	3.63 -2.36	2
3	3.35 -2.15	4.25 -2.80	4.55 -2.90	2.92 -3.18	2.70 -1.76	3.05 -1.38	2.49 -2.50	2.69 -2.45	2.13 -2.65	NR NR	3.65 -2.22	3.72 -2.41	3
4	3.48 -2.32	4.20 -2.86	4.34 -2.10	2.23 -2.88	2.60 -1.22	2.70 -1.35	2.28 -2.47	2.49 -2.46	2.65 -2.27	NR NR	3.77 -2.36	3.58 -2.38	4
5	3.60 -2.72	3.86 -2.93	3.39 -3.02	2.33 -2.43	2.52 -1.23	2.88 -1.31	2.15 -2.38	2.16 -2.50	NR NR	NR NR	3.95 -2.64	2.39 -2.53	5
6	3.60 -2.84	3.40 -2.94	2.85 -2.52	2.33 -1.01	2.67 -1.33	NR NR	1.84 -2.68	2.19 -2.72	NR NR	NR NR	4.03 -2.85	3.45 -2.34	6
7	3.60 -2.78	3.20 0.70	2.93 0.17	2.34 -1.90	2.81 -1.67	NR NR	1.82 -2.84	2.59 -2.39	NR NR	NR NR	2.20 -2.76	2.97 -2.36	7
8	3.45 -2.81	2.56 -2.50	2.39 -2.53	2.41 -1.79	3.04 -1.98	NR NR	2.19 -2.89	2.92 -1.92	NR NR	NR NR	3.91 -2.66	2.60 -2.18	8
9	3.15 0.50	2.39 -2.57	2.44 -2.28	2.70 -1.74	3.24 -2.29	NR NR	2.37 -2.92	3.16 -1.68	NR NR	NR NR	3.63 -2.71	2.66 -1.81	9
10	2.83 -2.61	2.50 -2.46	2.54 -1.78	3.81 -1.84	3.43 -2.49	NR NR	2.73 -2.58	3.50 -2.31	NR NR	NR NR	3.32 -2.57	2.78 -1.89	10
11	2.57 -2.75	2.58 -2.25	2.83 -1.95	3.09 -2.52	3.61 -2.60	NR NR	2.65 -2.13	3.81 -2.77	NR NR	NR NR	2.83 -2.33	2.74 -1.80	11
12	2.48 -2.73	2.84 -1.71	2.54 -2.71	3.20 -2.64	3.82 -2.61	NR NR	3.20 -2.03	3.81 -3.08	NR NR	3.69 -2.96	2.70 -1.86	2.76 -1.77	12
13	2.40 -2.61	2.93 -1.82	2.39 -3.44	3.45 -2.86	3.97 -2.59	NR NR	3.41 -2.61	4.13 -3.14	NR NR	3.38 -2.61	2.83 -1.44	2.69 0.35	13
14	2.50 -2.49	3.19 -2.01	2.42 -3.35	3.61 -2.70	3.80 -2.62	NR NR	3.54 -2.98	3.99 -3.58	NR NR	2.96 -2.33	2.87 -0.83	2.51 -1.79	14
15	2.47 -2.20	3.23 -2.26	3.72 -2.68	3.99 -2.70	3.48 -2.38	NR NR	3.73 -3.09	3.73 -3.57	NR NR	2.65 -2.12	2.91 -1.39	2.39 -2.15	15
16	2.55 -2.06	3.31 -2.40	3.64 -3.00	3.82 -2.89	3.60 -1.86	NR NR	3.71 -3.23	3.51 -3.30	NR NR	2.77 -1.68	3.18 -1.51	2.67 -2.43	16
17	2.74 -2.01	3.51 -2.48	3.68 -2.61	3.40 -3.04	3.53 -1.76	NR NR	3.26 -3.67	3.01 -3.18	NR NR	2.83 -1.25	2.95 -1.68	3.03 -2.29	17
18	2.93 -2.19	3.50 -2.48	4.00 -2.55	2.94 -3.01	3.30 -1.50	NR NR	2.92 -3.45	2.51 -2.97	NR NR	3.02 -1.55	3.14 -2.02	3.20 -1.99	18
19	3.00 -2.27	3.70 -2.42	3.73 -2.70	2.55 -2.81	3.37 -1.80	NR NR	2.77 -3.15	2.42 -2.65	NR NR	3.19 -1.73	3.37 -2.04	3.14 -2.06	19
20	3.07 -2.24	3.30 -2.54	3.21 -3.02	2.48 -2.40	3.63 -1.91	NR NR	2.36 -3.05	2.55 -2.46	NR NR	3.31 -1.96	3.46 -2.17	2.86 -2.22	20
21	3.05 -2.32	3.40 -2.33	2.37 -3.43	2.80 -1.80	3.86 -2.01	NR NR	2.02 -3.10	2.74 -1.80	NR NR	3.38 -2.13	3.30 -2.37	2.43 -2.38	21
22	2.85 -2.50	3.09 -2.33	1.70 -3.27	3.11 -1.80	3.48 -2.62	NR NR	2.04 -3.06	2.87 -1.66	NR NR	3.49 -2.36	3.26 -2.62	2.80 -2.21	22
23	2.79 -2.43	2.72 1.00	1.99 -0.83	3.24 -2.31	3.44 -2.92	NR NR	2.21 -2.63	2.92 -2.05	NR NR	3.53 -2.35	2.09 -2.64	2.95 -2.10	23
24	2.63 1.01	2.30 -2.40	2.35 -2.74	3.49 -2.45	3.53 -2.99	NR NR	2.43 -2.25	3.04 -2.42	NR NR	3.56 -2.56	3.26 -2.48	3.23 -2.23	24
25	2.37 -2.44	2.52 -2.28	2.83 -2.12	3.94 -2.40	3.54 -3.00	NR NR	2.72 -2.37	2.89 -2.76	NR NR	2.00 -2.54	3.11 -2.29	3.56 -2.19	25
26	2.34 -2.42	2.79 -2.15	3.33 -2.23	4.22 -2.53	3.62 -2.81	NR NR	2.99 -2.44	3.07 -3.06	NR NR	3.47 -2.54	2.74 -2.16	3.69 -2.24	26
27	2.30 -2.53	3.20 -1.87	3.51 -2.75	4.30 -2.70	3.69 -2.57	NR NR	3.07 -2.55	3.07 -2.96	NR NR	3.43 -2.41	2.88 -1.86	3.67 -2.17	27
28	2.40 -2.54	3.52 -2.17	3.95 -2.90	4.22 -2.63	3.60 -2.37	2.41 -2.34	3.00 -2.56	3.28 -2.85	NR NR	3.14 -2.30	3.18 -1.72	3.72 0.79	28
29	2.50 -2.66	4.22 -2.24	4.14 -3.17	4.63 -1.60	3.20 -2.08	2.61 -2.29	3.01 -2.73	3.28 -2.83	NR NR	2.76 -2.16	3.36 -0.78	3.54 -1.97	29
30	2.69 -2.56	4.62 -2.65	4.22 -3.30	4.11 -2.54		2.91 -2.21	3.02 -2.75	3.19 -2.87	NR NR	2.86 -1.89	3.61 -1.93	3.18 -2.19	30
31	3.05 -2.50		4.04 -3.26	3.49 -2.84		3.06 -2.18		2.95 -2.76		2.93 -1.61	3.56 -2.09		31
MAXIMUM	3.60	4.62	4.55	4.63	3.97	NR	3.73	4.13	NR	NR	4.03	3.72	MAXIMUM
MINIMUM	-2.84	-2.94	-3.44	-3.18	-3.00	NR	-3.67	-3.58	NR	NR	-2.85	-2.53	MINIMUM

E- Estimated
 NR- No Record

CREST STAGES											
DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M.D.B. & M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE HT.	DATE			FROM	TO		
38 02 26	122 08 13	SW 6 2N 2W		5.7	4-6-1958		JUN 29-APR 40 APR 40-DATE	1929 1940 1942	1940 1942	-2.21 -5.00 0.00	USCGS USCGS USCGS
Station located on inshore side of wharf, immediately southeast of Benicia. Maximum gage height listed does not indicate maximum discharge. Period of record intermittent from 1929 to 1940.											

TABLE B-4

CORRECTIONS AND REVISIONS TO PREVIOUSLY PUBLISHED REPORTS OF SURFACE WATER DATA

Location of Error or Revision					Change or Revision	
Report	Page	Mile & Bank	Name	Item	From	To
Bulletin No. 130-62	394		Suisun Bay at Benicia Arsenal	<u>1962</u> Daily Maximum and Minimum Tides for the period 3-1-62 to 3-28-62, inclusive Maximum for March 1962	Published values 16.72	2.00 feet lower than published values 14.72
Bulletin No. 130-63	B-7		Suisun Bay at Benicia Arsenal	<u>1963</u> Maximum Gage Height of Record Date of Maximum Gage Height of Record	6.72 3-5-62	5.7 4-6-58
Bulletin No. 130-64	48		Suisun Bay at Benicia Arsenal	<u>1964</u> Maximum Gage Height of Record Date of Maximum Gage Height of Record	6.72 3-5-62	5.7 4-6-58
Bulletin No. 130-64	52		City of Vallejo from Cache Slough	Total acre-feet Average cubic feet per second Monthly quantities in percent of seasonal	Published values Published values Published values	Values published in Bulletin No. 130-66 Table B-2 Values published in Bulletin No. 130-66 Table B-2 Values published in Bulletin No. 130-66 Table B-2
Bulletin No. 130-67	44		Sacramento River at Collinsville	<u>1967</u> Daily Maximum and Minimum Tides		<u>Notation:</u> In order to machine process the data it was necessary to avoid negative gage heights. Subtract 10.00 feet to obtain gage heights.
Bulletin No. 130-67	45		Suisun Bay at Benicia Arsenal	Daily Maximum and Minimum Tides		<u>Notation:</u> In order to machine process the data it was necessary to avoid negative gage heights. Subtract 10.00 feet to obtain gage heights.

Appendix C

GROUND WATER MEASUREMENTS


INTRODUCTION

This appendix contains ground water level measurements from 373 wells for the period October 1, 1967, through September 30, 1968. It contains tables which summarize the measurements and bar graphs of average depth to water in selected basins.


There are 33 ground water basins or areas in the Central Coastal Area for which data are reported. Wells are selected to reflect the ground water conditions of the area. These wells are continuously reviewed, and when conditions dictate, replacement wells are located and measured.

Two numbering systems are used by the Department to facilitate processing of water level measurement data. The two systems are the Region and Basin Designation and the State Well Numbering System as described below.

The regions used in this report are geographic areas defined in Section 13040 of the Water Code. That portion of Northern California covered by this report comprises the southern portion of North Coastal Region No. 1, the northern portion of Central Coastal Region No. 3, and all of San Francisco Bay Region No. 2. A decimal system of the form 0-00.00 has been selected according to geographic regions, ground water basins, and subbasins or subareas as follows:



The State Well Numbering System is based on township, range, and section subdivisions of the public land survey. The number of a well, assigned in accordance with this system, is referred to as the State Well Number, as illustrated below:




This number identifies and locates the well. In the example, the well is in Township 17 North, Range 11 West, Tract J of Section 18, located in the Mount Diablo Base and Meridian. A section is divided into 40-acre tracts as follows:


D	C	B	A
E	F	G	H
M	L	K	J
N	P	Q	R

Sequence numbers in a tract are generally assigned in chronological order. The example designates the fourth well to be assigned a number in Tract J.


GROUND WATER BASINS OR AREAS
IN THE CENTRAL COASTAL AREA

<u>Number</u>	<u>Basin</u>	<u>Page</u>
NORTH COASTAL REGION 1-00.00 (Sheet 1, Figure C-1)		
1-14.00	Potter Valley	49
1-15.00	Ukiah Valley	49
1-16.00	Sanel Valley	49
1-17.00	Alexander Valley	49
1-18.00	Santa Rosa Valley	49
1-18.01	Santa Rosa Valley	49
1-18.02	Healdsburg Area	49
1-98.00	Lower Russian River Valley	49
SAN FRANCISCO BAY REGION 2-00.00 (Sheet 2, Figure C-1)		
2- 1.00	Petaluma Valley	49
2- 2.00	Napa-Sonoma Valley	50
2- 2.01	Napa Valley	50
2- 2.02	Sonoma Valley	51
2- 3.00	Suisun-Fairfield Valley	51
2- 6.00	Ygnacio Valley	51
2- 9.00	Santa Clara Valley	52
2- 9.01	East Bay Area	52
2- 9.02	South Bay Area	52
2-10.00	Livermore Valley	54
2-22.00	Half Moon Bay Terrace	54
2-24.00	San Gregorio Valley	55
2-26.00	Pescadero Valley	55
CENTRAL COASTAL REGION 3-00.00 (Sheet 3, Figure C-1)		
3- 1.00	Soquel Valley	55
3- 2.00	Pajaro Valley	55
3- 3.00	Gilroy-Hollister Valley	55
3- 3.01	South Santa Clara County	55
3- 3.02	San Benito County	56
3- 4.00	Salinas Valley	57
3- 4.01	Pressure Area	58
3- 4.02	East Side Area	57
3- 4.03	Forebay Area	57
3- 4.04	Arroyo Seco Cone	57
3- 4.05	Upper Valley Area	57
3- 4.06	Paso Robles Basin	57
3- 4.08	Seaside Area	58
3- 4.09	Langley Area	58
3- 4.10	Corral De Tierra Area	58
3- 7.00	Carmel Valley	58
3-26.00	West Santa Cruz Terrace	58





GROUND WATER BASINS IN THE CENTRAL COASTAL AREA



GROUND WATER BASINS IN THE CENTRAL COASTAL AREA

TABLE C-1

AVERAGE CHANGE OF GROUND WATER LEVELS
AND SUMMARY OF WELL MEASUREMENTS REPORTED
CENTRAL COASTAL AREA


Ground Water Basin or Area		Average Change Spring 1967 to Spring 1968 in Feet	Measuring Agency	Number of Wells Reported		
Name	Number			Monthly 1967-68	Fall 1967	Spring 1968
NORTH COASTAL REGION						
Potter Valley	1-14.00	-1.0	Department of Water Resources			2
Ukiah Valley	1-15.00	-1.9	Department of Water Resources			2
Sanel Valley	1-16.00	-2.1	Department of Water Resources			3
Alexander Valley	1-17.00	-2.6	Department of Water Resources			6
Santa Rosa Valley	1-18.00	-0.4				
Santa Rosa Area	1-18.01	0.0	Department of Water Resources			12
Healdsburg Area	1-18.02	-2.1	U. S. Geological Survey	9		
Lower Russian River Valley	1-98.00	-4.1	Department of Water Resources			3
SAN FRANCISCO BAY REGION						
Petaluma Valley	2-01.00	-0.8	Department of Water Resources		3	6
Napa-Sonoma Valley	2-02.00	-1.9				
Napa Valley	2-02.01	-2.0	Napa County Department of Water Resources		5	115 5
Sonoma Valley	2-02.02	-1.8	Department of Water Resources		5	5
Suisun-Fairfield Valley	2-03.00	-5.1	Solano County Department of Water Resources		15 7	15 7
Ygnacio Valley	2-06.00	-3.0	Department of Water Resources		4	5
Santa Clara Valley	2-09.00	+8.1				
East Bay Area	2-09.01	+3.4	Alameda County FC&WCD Alameda County Water District	3 4	6 4	6 3
South Bay Area	2-09.02	+11.1	Santa Clara Valley WCD U. S. Geological Survey	24 3		
Livermore Valley	2-10.00	-6.1	Alameda County FC&WCD	7	4	4
Half Moon Bay Terrace	2-22.00	-1.0	Department of Water Resources		5	7
San Gregorio Valley	2-24.00	+0.1	Department of Water Resources		2	5
Pescadero Valley	2-26.00	-1.7	Department of Water Resources		3	7

TABLE C-1 (Continued)


AVERAGE CHANGE OF GROUND WATER LEVELS
AND SUMMARY OF WELL MEASUREMENTS REPORTED
CENTRAL COASTAL AREA

Ground Water Basin or Area		Average Change Spring 1967 to Spring 1968 in Feet	Measuring Agency	Number of Wells Reported		
Name	Number			Monthly 1967-68	Fall 1967	Spring 1968
CENTRAL COASTAL REGION						
Soquel Valley	3-01.00	-1.1	Santa Cruz County Department of Water Resources	3	3	3
Pajaro Valley	3-02.00	+0.9*	Monterey County FC&WCD Department of Water Resources		5 6	6
Gilroy-Holister Valley	3-03.00	+1.5				
South Santa Clara County	3-03.01	-2.2	City of Gilroy Santa Clara Valley WCD Department of Water Resources	5 10	5	7
San Benito County	3-03.02	+5.2	San Benito County Department of Water Resources		5	2 5
Salinas Valley	3-04.00					
Pressure Area	3-04.01	+1.0*	Monterey County FC&WCD	2	5	
East Side Area	3-04.02	+4.1*	Monterey County FC&WCD		1	
Forebay Area	3-04.03	-0.3*				
Arroyo Seco Cone	3-04.04	+0.5*	Monterey County FC&WCD	2		
Upper Valley Area	3-04.05	-1.8*	Monterey County FC&WCD	2	3	
Paso Robles Basin	3-04.06	-3.5	San Luis Obispo FC&WCD		40	26
Seaside Area	3-04.08	-0.2*	Post Engineer, Fort Ord		2	2
Langley Area	3-04.09	+0.2*				
Corral de Tierra Area	3-04.10	+1.1*				
Carmel Valley	3-07.00	+0.1*	Monterey County FC&WCD	4		
West Santa Cruz Terrace	3-26.00	+2.4	Santa Cruz County		2	2
TOTAL				78	140	271


*Average change determined from water level measurements made during fall of 1966 and fall of 1967.




AVERAGE DEPTH TO WATER IN WELLS
SPRING 1958 TO SPRING 1968




AVERAGE DEPTH TO WATER IN WELLS
SPRING 1958 TO SPRING 1968




AVERAGE DEPTH TO WATER IN WELLS
SPRING 1958 TO SPRING 1968



AVERAGE DEPTH TO WATER IN WELLS
SPRING 1958 TO SPRING 1968



AVERAGE DEPTH TO WATER IN WELLS
SPRING 1958 TO SPRING 1968



AVERAGE DEPTH TO WATER IN WELLS
SPRING 1958 TO SPRING 1968

TABLE C-2 GROUND WATER LEVELS AT WELLS

An explanation of the column headings and the code symbols follows:

State Well Number - Refer to the explanation under Introduction.

Ground Surface Elevation - The numbers in this column are the elevations in feet above mean sea level (USGS Datum) of the ground surface at the well. Elevations are usually taken from topographic maps and the accuracy is controlled by topographic standards.

Date - The date shown is when the depth measurement given in the next column was made.

Ground Surface to Water Surface - This is the measured depth in feet from the ground surface to the water surface in the well; certain of the depth measurements in the column may be preceded by a number in parentheses to indicate a questionable measurement. The code applicable to these "questionable measurements" is as follows:

- | | |
|--------------------------------------|--|
| (1) Pumping | (6) Other |
| (2) Nearby pump operating | (7) Recharge operation at or near well |
| (3) Casing leaking or wet | (8) Oil in casing |
| (4) Pumped recently | (9) Caved or deepened |
| (5) Air or pressure gage measurement | |

When a measurement was attempted, but could not be obtained, then only a number in parentheses is shown in the column. The code applicable to these "no measurements" is as follows:

- | | |
|-------------------------------|------------------------------|
| (1) Pumping | (6) Well has been destroyed |
| (2) Pump house locked | (7) Special |
| (3) Tape hung up | (8) Casing leaking or wet |
| (4) Cannot get tape in casing | (9) Temporarily inaccessible |
| (5) Unable to locate well | (0) Measurement discontinued |

The words FLOW and DRY are shown in this column to indicate a flowing or dry well, respectively. A minus preceding the number in this column indicates that the static water level in the well is this distance in feet above the ground surface.

Water Surface Elevation - This is the elevation in feet above mean sea level (USGS Datum) of the water surface in the well. It was derived by subtraction of the depth measurement from the ground surface elevation.

Agency Supplying Data - Each number in this column is the code number for the agency supplying data for that measurement. The agencies supplying data for this report and the code numbers assigned to them are as follows:

<u>Code</u>	<u>Agency</u>
2100	Monterey County Flood Control and Water Conservation District
2400	Santa Clara Valley Water Conservation District
5000	U. S. Geological Survey
5005	Post Engineer, Fort Ord
5050	Department of Water Resources
5100	Alameda County Flood Control and Water Conservation District
5101	Napa County
5102	Santa Cruz County
5109	Solano County
5117	San Luis Obispo County Flood Control and Water Conservation District
5151	San Benito County
5200	City of Gilroy
5401	Alameda County Water District

TABLE C-2 (Cont.)

GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA		
NORTH COASTAL REGION 1-00.00						HEALDSBURG AREA 1-18.02							
POTTER VALLEY 1-14.00						9N/09W-20K04M							
17N/11W-18J01M	955.0	4-11-68	-0.5	955.5	5050		97.0	10-18-67	5.7	91.3	5000		
17N/11W-32J01M	905.0	4-11-68	1.8	903.2	5050			11-17-67	5.6	91.4	5000		
UKIAH VALLEY 1-15.00								12-13-67	5.0	92.0	5000		
15N/12W-08L01M	640.0	4-10-68	18.0	622.0	5050			1-16-68	2.2	94.8	5000		
15N/12W-35M01M	600.0	4-10-68	(1) 4.4	595.6	5050			2-15-68	2.3	94.7	5000		
SANEL VALLEY 1-16.00								3-15-68	0.2	96.8	5000		
13N/11W-18E01M	490.0	4-10-68	(1) 11.3	478.7	5050			4-15-68	3.9	93.1	5000		
13N/11W-19P01M	488.0	4-10-68	10.2	477.8	5050			5-17-68	4.1	92.9	5000		
13N/11W-20G01M	515.0	4-10-68	4.8	510.2	5050			6-14-68	5.5	91.5	5000		
ALEXANDER VALLEY 1-17.00								7-15-68	6.1	90.9	5000		
10N/09W-18B01M	230.0	4-10-68	15.4	214.6	5050			8-15-68	6.3	90.7	5000		
10N/09W-26L02M	205.0	4-10-68	1.2	203.8	5050			9-17-68	6.9	90.1	5000		
10N/09W-33C01M	180.0	4-10-68	5.6	174.4	5050			9N/09W-28N01M	90.0	10-18-67	22.1	67.9	5000
11N/10W-08P01M	305.0	4-10-68	9.6	295.4	5050			11-17-67	18.3	71.7	5000		
11N/10W-17P02M	292.0	4-10-68	8.2	283.8	5050			12-13-67	17.2	72.8	5000		
11N/10W-19F02M	346.0	4-10-68	5.6	340.4	5050			1-16-68	14.3	75.7	5000		
SANTA ROSA VALLEY 1-18.00								2-15-68	16.5	73.5	5000		
SANTA ROSA AREA 1-18.01								3-15-68	15.3	74.7	5000		
6N/08W-07P02M	95.0	4-09-68	(8) 15.0	80.0	5050			4-15-68	17.3	72.7	5000		
6N/08W-13R01M	115.0	4-09-68	14.8	100.2	5050			5-17-68	18.9	71.1	5000		
6N/08W-15J03M	95.0	4-09-68	12.6	82.4	5050			6-14-68	18.4	71.6	5000		
6N/08W-15R01M	95.0	4-09-68	17.7	77.3	5050			7-15-68	21.8	68.2	5000		
7N/06W-19N01M	465.0	4-09-68	4.5	460.5	5050			8-15-68	23.7	66.3	5000		
7N/07W-06R01M	275.0	4-09-68	(3) 6.5	268.5	5050			9-17-68	24.7	65.3	5000		
7N/08W-11M01M	160.0	4-09-68	7.0	153.0	5050			9N/10W-12C01M	120.0	10-18-67	13.9	106.1	5000
7N/08W-24H02M	190.0	4-09-68	(3) 12.1	177.9	5050			11-17-67	14.4	105.6	5000		
7N/09W-01C01M	90.0	4-09-68	21.1	68.9	5050			12-13-67	13.6	106.4	5000		
7N/09W-35D02M	135.0	4-09-68	29.3	105.7	5050			1-16-68	14.2	105.8	5000		
8N/09W-36N01M	90.0	4-09-68	5.4	84.6	5050			2-15-68	12.8	107.2	5000		
8N/09W-36P01M	90.0	4-09-68	52.9	37.1	5050			3-15-68	11.6	108.4	5000		
HEALDSBURG AREA 1-18.02								4-15-68	20.7	99.3	5000		
8N/09W-03P01M	77.0	10-18-67	(1) 0.3	76.7	5000			5-17-68	14.4	105.6	5000		
		11-17-67	7.9	69.1	5000			6-14-68	14.7	105.3	5000		
		12-13-67	6.8	70.2	5000			7-15-68	15.0	105.0	5000		
		1-16-68	(7)		5000			8-15-68	15.2	104.8	5000		
		2-15-68	14.5	62.5	5000			9-17-68	15.1	104.9	5000		
		3-15-68	17.1	59.9	5000			10N/10W-22D01M	180.0	10-18-67	10.5	169.5	5000
		4-15-68	20.0	57.0	5000			11-17-67	10.5	169.5	5000		
		5-17-68	5.0	72.0	5000			12-13-67	10.0	170.0	5000		
		6-14-68	7.2	69.8	5000			1-16-68	7.0	173.0	5000		
		7-15-68	7.8	69.2	5000			2-15-68	8.8	171.2	5000		
		8-15-68	8.4	68.6	5000			3-15-68	7.6	172.4	5000		
		9-17-68	8.3	68.7	5000			4-15-68	9.5	170.5	5000		
8N/09W-22L01M	67.0	10-18-67	37.3	29.7	5000			5-17-68	13.4	166.6	5000		
		11-17-67	29.8	37.2	5000			6-14-68	10.6	169.4	5000		
		12-13-67	28.7	38.3	5000			7-15-68	(1) 11.0	169.0	5000		
		1-16-68	27.8	39.2	5000			8-15-68	11.2	168.8	5000		
		2-15-68	31.8	35.2	5000			9-17-68	11.2	168.8	5000		
		3-15-68	26.0	41.0	5000			10N/10W-26M01M	161.0	10-18-67	11.6	149.4	5000
		4-15-68	27.0	40.0	5000			11-17-67	10.9	150.1	5000		
		5-17-68	28.7	38.3	5000			12-13-67	10.6	150.4	5000		
		6-14-68	37.1	29.9	5000			1-16-68	7.5	153.5	5000		
		7-15-68	31.5	35.5	5000			2-15-68	9.8	151.2	5000		
		8-15-68	32.9	34.1	5000			3-15-68	8.6	152.4	5000		
		9-17-68	31.8	35.2	5000			4-15-68	10.4	150.6	5000		
9N/09W-20E02M	100.0	10-18-67	16.4	83.6	5000			5-17-68	15.2	145.8	5000		
		11-17-67	11.0	89.0	5000			6-14-68	11.3	149.7	5000		
		12-13-67	15.6	84.4	5000			7-15-68	11.8	149.2	5000		
		1-16-68	12.4	87.6	5000			8-15-68	12.9	148.1	5000		
		2-15-68	15.2	84.8	5000			9-17-68	12.5	148.5	5000		
		3-15-68	14.0	86.0	5000			10N/10W-35Q01M	142.0	10-18-67	5.4	136.6	5000
		4-15-68	15.4	84.6	5000			11-17-67	5.6	136.4	5000		
		5-17-68	16.5	83.5	5000			12-13-67	5.8	136.2	5000		
		6-14-68	17.6	82.4	5000			1-16-68	1.0	141.0	5000		
		7-15-68	17.0	83.0	5000			2-15-68	1.0	141.0	5000		
		8-15-68	20.8	79.2	5000			3-15-68	0.9	141.1	5000		
		9-17-68	18.3	81.7	5000			4-15-68	1.8	140.2	5000		
HEALDSBURG AREA 1-18.02								5-17-68	2.4	139.6	5000		
LOWER RUSSIAN RIVER VALLEY 1-98.00								6-14-68	3.0	139.0	5000		
7N/10W-06N01M	25.0	4-10-68			5050			7-15-68	4.3	137.7	5000		
7N/11W-14E01M	25.0	4-10-68			5050			8-15-68	5.2	136.8	5000		
8N/10W-29D02M	50.0	4-10-68			5050			9-17-68	5.7	136.3	5000		
SAN FRANCISCO BAY REGION 2-00.00						PETALUMA VALLEY 2-01.00							
3N/06W-01Q01M						3N/06W-01Q01M							
							2.0	4-08-68	FLOW		5050		
								5-13-68	FLOW		5050		
								9-19-68	3.6	-1.6	5050		
								5N/07W-19N01M	45.0	4-08-68	3.1	41.9	5050
								5-13-68	7.5	37.5	5050		
								9-19-68	11.4	33.6	5050		
								5N/07W-20B02M	41.0	10-23-67	65.0	-24.0	5050
								11-16-67	61.7	-20.7	5050		
								3-19-68	47.8	-6.8	5050		
								4-08-68	44.7	-6.7	5050		
								5-13-68	61.3	-20.3	5050		
								9-19-68	68.8	-27.8	5050		

TABLE C-2 (Cont.)

GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
PETALUMA VALLEY 2-01.00						NAPA VALLEY 2-02.01					
5N/07W-21H01M	65.0	10-23-67	38.7	26.3	5050	6N/04W-16P01M	62.0	3-20-68	9.1	52.9	5101
		11-16-67	41.1	23.9	5050	6N/04W-17A01M	67.0	10-18-67 (8)	11.0	56.0	5050
		3-19-68	28.2	36.8	5050			11-15-67 (8)	10.5	56.5	5050
		4-08-68	27.3	37.7	5050			3-19-68	4.8	62.2	5050
		5-13-68	28.2	36.8	5050			4-15-68	5.2	61.8	5050
		9-19-68	40.2	24.8	5050			5-14-68	7.9	59.1	5050
5N/07W-26R01M	53.6	10-23-67	23.9	29.7	5050			9-19-68	15.5	51.5	5050
		11-16-67	24.1	29.5	5050	6N/04W-18A02M	85.0	3-20-68	18.8	66.2	5101
		3-19-68	18.4	35.2	5050	6N/04W-19B01M	125.0	3-20-68	16.6	108.4	5101
		4-08-68	17.5	36.1	5050	6N/04W-21G01M	61.0	3-18-68	0.7	60.3	5101
		5-13-68	17.9	35.7	5050	6N/04W-22P01M	53.0	3-18-68	1.9	51.1	5101
		9-19-68	25.5	28.1	5050	6N/04W-23J01M	87.0	3-18-68	(8)		5101
5N/07W-35K01M	18.8	4-08-68	7.8	11.0	5050	6N/04W-26N01M	32.0	3-20-68	16.4	15.6	5101
		5-13-68	11.7	7.0	5050	6N/04W-27L02M	50.0	10-18-67	44.6	5.4	5050
		9-19-68	18.1	0.7	5050			11-15-67	44.0	6.0	5050
NAPA-SONOMA VALLEY 2-02.00								3-19-68	27.6	22.4	5050
NAPA VALLEY 2-02.01								4-14-68	25.4	24.6	5050
4N/04W-02L01M	25.0	3-18-68	7.6	17.4	5101			5-14-68	32.7	17.3	5050
4N/04W-04C01M	12.0	3-18-68	8.2	3.8	5101			9-19-68	47.6	2.4	5050
4N/04W-05B01M	31.0	3-18-68	11.3	19.7	5101	6N/04W-27N01M	50.0	3-18-68	21.9	28.1	5101
4N/04W-05D02M	22.0	3-18-68	4.7	17.3	5101	6N/04W-28K01M	62.0	3-18-68	5.7	56.3	5101
4N/04W-12M01M	48.0	3-18-68	16.6	31.4	5101	6N/04W-29B01M	92.0	3-20-68	4.4	87.6	5101
4N/04W-14C02M	34.0	3-18-68	37.9	-3.9	5101	6N/04W-30C01M	149.0	3-20-68	6.4	142.6	5101
4N/04W-25K01M	37.0	3-18-68	0.2	36.8	5101	6N/04W-32J06M	94.0	3-20-68	14.4	79.6	5101
5N/03W-05M01M	255.0	3-18-68	77.3	177.7	5101	6N/04W-32L02M	107.0	3-20-68	(8)		5101
5N/04W-03G01M	18.0	3-19-68	9.4	8.6	5101	6N/04W-35G03M	38.0	3-18-68	10.5	27.5	5101
5N/04W-04G01M	63.5	3-19-68	5.1	58.4	5101	6N/04W-35L03M	23.0	3-18-68	(0)		5101
5N/04W-04Q01M	58.0	3-19-68	11.3	46.7	5101	6N/04W-36H01M	105.0	3-26-68	22.0	83.0	5101
5N/04W-05P01M	121.0	3-19-68	2.0	119.0	5101	6N/05W-12R01M	180.0	3-20-68	21.1	158.9	5101
5N/04W-05P02M	122.0	3-19-68	16.1	105.9	5101	7N/04W-30L01M	112.0	3-20-68	3.2	108.8	5101
5N/04W-10F01M	30.0	3-19-68	1.7	28.3	5101	7N/04W-30M01M	114.0	3-26-68	1.1	112.9	5101
5N/04W-11F03M	16.0	3-19-68	12.7	3.3	5101	7N/04W-31E01M	90.0	3-26-68	(4)		5101
5N/04W-11M01M	13.0	10-18-67	8.3	4.7	5050	7N/04W-32B02M	180.0	3-26-68	1.9	178.1	5101
		11-15-67	8.0	5.0	5050	7N/05W-03G01M	188.0	3-26-68	29.0	159.0	5101
		3-19-68	5.0	8.0	5050	7N/05W-03G02M	188.0	3-26-68	10.9	177.1	5101
		4-15-68	7.2	5.8	5050	7N/05W-04R02M	172.0	3-26-68	3.7	168.3	5101
		5-14-68	7.9	5.1	5050	7N/05W-05A01M	182.0	3-25-68	0.7	181.3	5101
		9-19-68	8.9	4.1	5050	7N/05W-06F01M	245.0	3-26-68	16.3	228.7	5101
5N/04W-12F01M	130.0	3-19-68	(7)		5101	7N/05W-06J01M	215.0	3-26-68	11.4	203.6	5101
5N/04W-12H01M	121.0	3-19-68	41.0	80.0	5101	7N/05W-08A01M	175.0	3-25-68	10.9	164.1	5101
5N/04W-13H01M	132.0	3-22-68	5.5	126.5	5101	7N/05W-08M01M	190.0	3-25-68	16.6	173.4	5101
5N/04W-13H02M	120.0	3-19-68	11.8	108.2	5101	7N/05W-09Q01M	155.0	3-25-68	7.2	147.8	5101
5N/04W-14C01M	17.0	3-22-68	10.5	6.5	5101	7N/05W-09Q02M	155.0	10-18-67	14.7	140.3	5050
5N/04W-15C02M	22.0	3-19-68	15.1	6.9	5101			11-15-67	15.1	139.9	5050
5N/04W-15E01M	22.0	3-19-68	15.2	6.8	5101			3-19-68	7.2	147.8	5050
5N/04W-19R02M	110.0	3-19-68	10.6	99.4	5101			4-15-68	8.2	146.8	5050
5N/04W-20R02M	50.0	3-19-68	0.9	49.1	5101			5-14-68	9.9	145.1	5050
5N/04W-21B01M	75.0	3-19-68	15.5	59.5	5101			9-19-68	16.5	138.5	5050
5N/04W-22M01M	12.0	3-19-68	-1.0	13.0	5101	7N/05W-09Q03M	155.0	3-25-68	3.1	151.9	5101
5N/04W-28R01M	37.0	3-19-68	47.4	-10.4	5101	7N/05W-10C01M	162.2	3-26-68	11.1	151.1	5101
5N/04W-29H01M	77.0	3-20-68	23.9	53.1	5101	7N/05W-14B02M	139.0	3-26-68	4.1	134.9	5101
6N/03W-31B01M	240.0	3-22-68	111.7	128.3	5101	7N/05W-14J01M	140.0	3-26-68	4.2	135.8	5101
6N/03W-31F01M	145.0	3-22-68	(4)		5101	7N/05W-15A01M	143.0	3-26-68	9.1	133.9	5101
6N/03W-31H01M	180.0	3-20-68	67.5	112.5	5101	7N/05W-15F01M	141.0	3-26-68	8.9	132.1	5101
6N/03W-31N01M	170.0	3-22-68	46.7	123.3	5101	7N/05W-16L01M	171.0	3-25-68	-0.5	171.5	5101
6N/03W-31N02M	167.0	3-22-68	45.8	121.2	5101	7N/05W-16N02M	193.0	3-26-68	12.9	180.1	5101
6N/04W-05R01M	67.0	3-18-68	0.8	66.2	5101	7N/05W-17B01M	166.0	3-26-68	(4)		5101
6N/04W-06L02M	80.0	3-20-68	6.4	73.6	5101	7N/05W-17B02M	161.0	3-26-68	-0.2	161.2	5101
6N/04W-06N01M	75.0	3-20-68	3.2	71.8	5101	7N/05W-21C01M	152.0	3-26-68	-1.6	153.6	5101
6N/04W-06P01M	75.0	3-20-68	6.4	68.6	5101	7N/05W-22E03M	140.0	3-25-68	-0.2	140.2	5101
6N/04W-07N01M	135.0	3-20-68	18.5	116.5	5101	7N/05W-22H01M	133.0	3-25-68	5.1	127.9	5101
6N/04W-08E01M	70.0	3-20-68	6.9	63.1	5101	7N/05W-23D02M	127.0	3-25-68	0.4	126.6	5101
6N/04W-15Q01M	67.0	3-18-68	35.7	31.3	5101						

TABLE C-2 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
NAPA VALLEY 2-02.01						SUISUN-FAIRFIELD VALLEY 2-03.00					
7N/05W-23Q01M	115.0	3-25-68	4.7	110.3	5101	4N/02W-04D02M	26.0	10-10-67 3-08-68	11.5 10.1	14.5 15.9	5109 5109
7N/05W-24P01M	127.0	3-22-68	1.2	125.8	5101	4N/02W-06A01M	35.0	11-22-66	16.2	18.8	5050
7N/05W-25A01M	163.0	3-22-68	9.0	154.0	5101			12-15-66	15.0	20.0	5050
7N/05W-26D02M	127.0	3-25-68	0.7	126.3	5101			1-19-67	16.2	18.8	5050
7N/05W-34C02M	190.0	3-26-68	5.7	184.3	5101			2-16-67	14.3	20.7	5050
7N/05W-35F02M	175.0	3-25-68	3.1	171.9	5101			3-15-67	13.3	21.7	5050
7N/05W-36N01M	141.0	3-25-68	3.6	137.4	5101			4-28-67	11.9	23.1	5050
7N/06W-01A01M	264.0	3-25-68	10.8	253.2	5101			5-17-67	13.5	21.5	5050
8N/05W-30P01M	220.0	3-25-68	1.0	219.0	5101			8-19-67	16.0	19.0	5050
8N/05W-31N01M	212.0	3-25-68	10.7	201.3	5101			9-12-67	15.6	19.4	5050
8N/05W-31P02M	237.0	3-25-68	12.1	224.9	5101			10-10-67	16.0	19.0	5109
8N/05W-31R01M	210.0	3-21-68	7.9	202.1	5101			10-20-67	15.7	19.3	5050
8N/05W-32K04M	192.0	3-25-68	(7)		5101			11-16-67	15.7	19.3	5050
8N/06W-03M01M	330.0	3-21-68	40.9	289.1	5101	3-08-68	14.3	20.7	5109		
8N/06W-04F01M	330.0	3-21-68	(6) 11.7	318.3	5101	3-18-68	13.1	21.9	5050		
8N/06W-06L04M	335.0	3-21-68	3.2	331.8	5101	4-16-68	14.4	20.6	5050		
8N/06W-09D02M	290.0	3-21-68	10.4	279.6	5101	5-13-68	14.2	20.8	5050		
8N/06W-09H01M	290.0	3-21-68	3.0	287.0	5101	9-17-68	15.5	19.5	5050		
8N/06W-09H02M	291.5	3-21-68	1.0	290.5	5101	4N/02W-09A01M	7.0	10-10-67	-0.3	7.3	5109
8N/06W-10Q01M	290.0	10-18-67 11-15-67 3-19-68 4-15-68 5-14-68 9-19-68	5.2 4.9 1.1 1.7 2.5 16.5	284.8 285.1 288.9 288.3 287.5 273.5	5050 5050 5050 5050 5050 5050			10-20-67	1.1	5.9	5050
8N/06W-14N01M	285.0	3-21-68	10.2	274.8	5101			11-16-67	1.3	5.7	5050
8N/06W-14Q01M	250.0	3-21-68	3.6	246.4	5101			3-01-68	-0.5	7.5	5109
8N/06W-23M01M	285.0	3-21-68	4.1	280.9	5101			3-18-68	FLOW		5050
8N/06W-24B01M	300.0	3-21-68	7.1	292.9	5101	4-16-68	-0.3	7.3	5050		
8N/06W-25G02M	230.0	3-21-68	(8)		5101	5-13-68	0.0	7.0	5050		
9N/06W-31Q01M	340.0	3-21-68	-0.1	340.1	5101	9-17-68	1.0	6.0	5050		
9N/06W-32M01M	360.0	3-21-68	5.4	354.6	5101	4N/02W-09H01M	4.0	10-20-67	-0.4	4.4	5050
9N/07W-24L01M	460.0	3-21-68	5.2	454.8	5101			11-16-67	(1)		5050
9N/07W-25N01M	380.0	3-21-68	1.5	378.5	5101			3-18-68	FLOW		5050
9N/07W-25N02M	380.0	3-21-68	3.2	376.8	5101			4-16-68	(3) 1.2	2.8	5050
9N/07W-26P01M	400.0	3-21-68	1.0	399.0	5101			5-13-68	(1) 0.6	3.4	5050
9N/07W-35K01M	399.0	3-21-68	0.6	398.4	5101	9-17-68	(1) 0.3	3.7	5050		
SONOMA VALLEY 2-02.02						4N/03W-01D01M	37.0	10-10-67 3-08-68	7.3 3.6	29.7 33.4	5109 5109
5N/05W-17C01M	85.0	10-23-67 11-16-67 3-19-68 4-15-68 5-14-68 9-19-68	28.4 25.9 19.0 19.7 18.9 26.1	56.6 59.1 66.0 65.3 66.1 58.9	5050 5050 5050 5050 5050 5050	4N/03W-13G01M	47.0	10-10-67 3-08-68	17.8 18.3	29.2 28.7	5109 5109
5N/05W-18R01M	43.0	10-23-67 11-16-67 3-19-68 4-15-68 5-14-68 9-19-68	13.1 13.3 2.1 3.2 5.0 14.6	29.9 29.7 40.9 39.8 38.0 28.4	5050 5050 5050 5050 5050 5050	5N/01W-02N01M	88.5	10-09-67 3-07-68	10.0 8.4	78.5 80.1	5109 5109
5N/05W-28N01M	11.0	3-19-68 4-15-68 5-14-68 9-19-68	6.6 6.8 (1) 8.6 (1) 11.3	4.4 4.2 2.4 -0.3	5050 5050 5050 5050	5N/01W-07E01M	115.0	10-09-67 3-07-68	14.0 14.0	101.0 101.0	5109 5109
5N/05W-29N01M	16.0	10-23-67 11-16-67 3-19-68 4-15-68 5-14-68 9-19-68	12.1 11.9 5.3 7.9 8.5 12.4	3.9 4.1 10.7 8.1 7.5 3.6	5050 5050 5050 5050 5050 5050	5N/01W-25R01M	25.0	10-09-67 3-07-68	10.2 8.8	14.8 16.2	5109 5109
5N/05W-30J03M	16.0	10-23-67 11-16-67 3-19-68 4-15-68 5-14-68 9-19-68	12.5 12.0 5.6 7.2 (1) 17.5 14.5	3.5 4.0 10.4 8.8 -1.5 1.5	5050 5050 5050 5050 5050 5050	5N/02W-08G03M	143.0	10-10-67 3-07-68	12.1 10.7	130.9 132.3	5109 5109
						5N/02W-14N03M	100.0	10-10-67 5-15-68	10.8 8.7	89.2 91.3	5109 5109
						5N/02W-21P03M	60.0	10-10-67 10-20-67 11-16-67 3-07-68 3-18-68 4-16-68 5-13-68 9-17-68	(1) 21.6 11.2 11.8 11.7 11.3 11.4 10.8 12.2	38.4 48.8 48.2 48.3 48.7 48.6 49.2 47.8	5109 5050 5050 5109 5050 5050 5050 5050
						5N/02W-24B04M	58.0	10-10-67 3-07-68	6.1 4.7	51.9 53.3	5109 5109
						5N/02W-25R01M	7.0	10-09-67 10-19-67 11-16-67 3-07-68 3-18-68 4-16-68 5-13-68 9-17-68	5.6 5.9 5.4 2.1 0.3 3.3 4.3 5.7	1.4 1.1 1.6 4.9 6.7 3.7 2.7 1.3	5109 5050 5050 5109 5050 5050 5050 5050
						5N/02W-27J02M	24.0	10-09-67 10-20-67 11-16-67 3-08-68 3-18-68 4-16-68 5-13-68 9-17-68	6.5 (2) 11.2 6.3 (2) 25.3 (2) 28.7 5.8 5.7 8.0	17.5 12.8 17.7 -1.3 -4.7 18.2 18.3 16.0	5109 5050 5050 5109 5050 5050 5050 5050
						5N/02W-29R01M	46.0	10-10-67 3-08-68	10.9 10.4	35.1 35.6	5109 5109
						5N/02W-30J01M	65.0	10-20-67 11-16-67 3-18-68 4-16-68 5-13-68 9-17-68	(8) 21.0 (8) 22.0 (8) 21.9 (8) 22.1 18.8 19.6	44.0 43.0 43.1 42.9 46.2 45.4	5050 5050 5050 5050 5050 5050
						YGNACIO VALLEY 2-06.00					
						1N/01W-07K01M	83.0	10-23-67 11-16-67 3-18-68 4-18-68 5-16-68 9-18-68	13.2 13.1 (1) 11.2 12.0 (1) 14.2 13.7	69.8 69.9 71.8 71.0 68.8 69.3	5050 5050 5050 5050 5050 5050

TABLE C-2 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA		
YGNACIO VALLEY 2-06.00						EAST BAY AREA LOWER AQUIFER 2-09.01							
1N/02W-11N01M	63.0	10-23-67	12.8	50.2	5050	3S/03W-24J01M	11.0	10-04-67	65.2	-54.2	5100		
		11-16-67	12.7	50.3	5050			11-01-67	64.0	-53.0	5100		
		3-18-68	11.2	51.8	5050			12-06-67	56.8	-45.8	5100		
		4-18-68	12.2	50.8	5050			1-04-68	66.6	-55.6	5100		
		5-16-68	(1) 15.5	47.5	5050			2-07-68	61.7	-50.7	5100		
9-19-68	15.0	48.0	5050	3-06-68	59.0	-48.0	5100						
1N/02W-13P01M	100.0	3-18-68	8.5	91.5	5050	4-03-68	58.4	-47.4	5100				
		4-18-68	(1) 10.2	89.8	5050	5-01-68	61.0	-50.0	5100				
		5-16-68	9.2	90.8	5050	6-05-68	64.2	-53.2	5100				
		9-18-68	10.5	89.5	5050	7-03-68	67.2	-56.2	5100				
						7-31-68	68.0	-57.0	5100				
2N/02W-27R01M	15.0	10-23-67	(7)		5050	9-05-68	68.7	-57.7	5100				
		11-16-67	4.9	10.1	5050	3S/03W-36R03M	5.0	11-02-67	84.2	-79.2	5100		
		3-18-68	3.0	12.0	5050			4-00-68	72.8	-67.8	5100		
		4-18-68	3.7	11.3	5050	4S/02W-02Q01M	26.0	4-03-68	59.0	-33.0	5401		
		5-16-68	4.8	10.2	5050			9-25-68	93.3	-67.3	5401		
		9-18-68	6.8	8.2	5050	4S/02W-35R02M	15.0	10-20-67	57.8	-42.8	5401		
2N/02W-36E01M	48.0	10-23-67	17.1	30.9	5050			11-17-67	50.1	-35.1	5401		
		11-16-67	16.5	31.5	5050			12-15-67	41.5	-26.5	5401		
		3-18-68	14.0	34.0	5050			1-12-68	35.9	-20.9	5401		
		4-18-68	15.3	32.7	5050			2-23-68	31.1	-16.1	5401		
		5-16-68	16.0	32.0	5050			3-22-68	29.4	-14.4	5401		
9-18-68	14.2	33.8	5050	4-19-68	32.0			-17.0	5401				
SANTA CLARA VALLEY 2-09.00								5-17-68	40.3	-25.3	5401		
EAST BAY AREA ABOVE HAYWARD FAULT 2-09.01								6-14-68	45.8	-30.8	5401		
4S/01W-35P03M	115.3	10-20-67	120.8	-5.5	5401			7-26-68	49.7	-34.7	5401		
		11-17-67	112.1	3.2	5401			8-23-68	45.3	-30.3	5401		
		12-15-67	107.4	7.9	5401			9-06-68	45.1	-30.1	5401		
		1-12-68	103.0	12.3	5401			4S/02W-36K01M	24.0	10-28-66	83.3	-59.3	5401
		2-23-68	97.4	17.9	5401					11-11-66	76.7	-52.7	5401
		3-15-68	94.2	21.1	5401					12-23-66	65.1	-41.1	5401
		4-26-68	98.5	16.8	5401	1-20-67	60.4			-36.4	5401		
		5-24-68	108.1	7.2	5401	2-17-67	55.0			-31.0	5401		
		6-07-68	113.1	2.2	5401	3-17-67	51.5			-27.5	5401		
		7-19-68	122.6	-7.3	5401	4-21-67	45.7			-21.7	5401		
		8-16-68	123.3	-8.0	5401	5-05-67	46.2			-22.2	5401		
		9-13-68	118.2	-2.9	5401	6-23-67	58.1			-34.1	5401		
EAST BAY AREA UPPER AQUIFER 2-09.01						7-21-67	67.9			-43.9	5401		
3S/02W-08N02M	48.0	10-04-67	18.4	29.6	5100	8-18-67	71.1			-47.1	5401		
		11-01-67	18.2	29.8	5100	9-01-67	69.5			-45.5	5401		
		12-06-67	17.4	30.6	5100	10-20-67	69.9			-45.9	5401		
		1-04-68	(7)		5100	11-17-67	62.2			-38.2	5401		
		2-07-68	(9)		5100	12-15-67	53.5			-29.5	5401		
3-06-68	(6)		5100	1-12-68	47.9	-23.9	5401						
3S/02W-08M03M	48.0	4-00-68	18.0	30.0	5100	2-23-68	43.0	-19.0	5401				
		6-05-68	18.0	30.0	5100	3-22-68	41.0	-17.0	5401				
		7-03-68	18.4	29.6	5100	4-19-68	44.0	-20.0	5401				
		7-31-68	18.7	29.3	5100	5-17-68	52.0	-28.0	5401				
		9-05-68	18.2	29.8	5100	6-14-68	57.2	-33.2	5401				
3S/02W-08R05M	64.0	10-30-67	34.0	30.0	5100	7-26-66	61.5	-37.5	5401				
		4-00-68	31.8	32.2	5100	8-23-68	57.3	-33.3	5401				
		3S/02W-19J01M	30.0	10-04-67	10.8	19.2	5100	9-06-68	57.3	-33.3	5401		
				11-01-67	10.4	19.6	5100	5S/01W-09M01M	15.0	4-08-66	33.2	-18.2	5401
				12-06-67	9.8	20.2	5100			9-23-68	59.9	-44.9	5401
1-04-68	11.8			18.2	5100	SOUTH BAY AREA 2-09.02							
2-07-68	11.5			18.5	5100	6S/01E-07E01M	15.8			10-00-67	(6) 115.0	-99.2	2400
3-06-68	11.5	18.5	5100	11-28-67	(6) 112.0					-96.2	2400		
4-03-68	10.4	19.6	5100	12-01-67	(6) 109.0					-93.2	2400		
5-01-68	9.7	20.3	5100	1-01-68	(6) 100.0					-84.2	2400		
6-05-68	9.8	20.2	5100	2-01-68	(6) 92.0					-76.2	2400		
7-03-68	10.0	20.0	5100	3-26-68	(6) 86.0					-70.2	2400		
7-31-68	10.3	19.7	5100	4-25-68	(6) 90.0					-74.2	2400		
9-05-68	10.2	19.8	5100	5-22-68	(6) 110.0					-94.2	2400		
3S/03W-24Q02M	7.0	10-30-67	(1)		5100					6-26-68	(6) 115.0	-99.2	2400
		4-00-68	(1)		5100					7-01-68	(6) 113.0	-97.2	2400
4S/01W-18H03M	47.0	10-27-67	70.7	-23.7	5401					8-01-68	(6) 120.0	-104.2	2400
		11-24-67	70.5	-23.5	5401					9-01-68	(6) 110.0	-94.2	2400
		12-22-67	65.0	-18.0	5401	6S/01E-21R01M	138.0	10-20-67	199.3	-61.3	2400		
		1-19-68	60.9	-13.9	5401			11-27-67	193.3	-55.3	2400		
		2-16-68	57.4	-10.4	5401			12-07-67	184.8	-46.8	2400		
		3-15-68	54.6	-7.6	5401			1-15-68	180.2	-42.2	2400		
		4-26-68	55.0	-8.0	5401			2-26-68	168.9	-30.9	2400		
		5-24-68	53.9	-6.9	5401			3-25-68	161.4	-23.4	2400		
		6-07-68	54.2	-7.2	5401			4-24-68	169.0	-31.0	2400		
		7-19-68	57.4	-10.4	5401			5-21-68	175.5	-37.5	2400		
		8-16-68	55.4	-8.4	5401			6-24-68	188.6	-50.6	2400		
		9-13-68	55.0	-8.0	5401			7-24-68	194.6	-56.8	2400		
4S/01W-22P05M	80.0	11-02-67	47.9	32.1	5100			8-27-68	187.4	-49.4	2400		
		4-00-68	42.7	37.3	5100			9-23-68	187.2	-49.2	2400		
4S/02W-13C02M	36.4	4-02-68	42.8	-6.4	5401	6S/01E-23P02M	240.5	10-20-67	117.4	123.1	2400		
		9-19-68	42.1	-5.7	5401			11-22-67	117.2	123.3	2400		
4S/02W-24Q02M	33.4	11-02-67	62.9	-29.5	5100			12-07-67	117.0	123.5	2400		
		4-00-68	51.8	-18.4	5100			1-12-68	116.7	123.8	2400		
5S/01W-04F01M	40.9	10-20-67	59.0	-18.1	5401			2-23-68	116.9	123.6	2400		
		11-17-67	59.3	-18.4	5401			3-23-68	115.7	124.8	2400		
		12-15-67	(0)		5401			4-23-68	117.5	123.0	2400		
EAST BAY AREA LOWER AQUIFER 2-09.01								5-16-68	118.2	122.3	2400		
2S/03W-36R01M	45.0	10-30-67	90.7	-45.7	5100			6-24-68	116.4	124.1	2400		
		4-00-68	84.2	-39.2	5100			7-23-68	115.6	124.9	2400		
								8-26-68	117.4	123.1	2400		
						9-20-68	118.6	121.9	2400				
						6S/01E-30M01M	43.0	10-27-67	122.0	-79.0	2400		
								11-28-67	(6) 120.0	-77.0	2400		
								12-12-67	98.1	-55.1	2400		
								1-16-68	(8) 89.0	-46.0	2400		
								2-20-68	(8) 84.2	-41.2	2400		
								3-18-68	(8) 79.6	-36.6	2400		
						4-17-68	(2) 88.6	-45.6	2400				
						5-09-68	(2) 112.2	-69.2	2400				

TABLE C-2 (Cont.)

GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SOUTH BAY AREA 2-09.02						SOUTH BAY AREA 2-09.02					
6S/01E-30M01M (Continued)	43.0	6-13-68	(8) 120.6	-77.6	2400	7S/01E-31A02M	151.6	10-19-67	(1) 156.0	-4.4	2400
		7-25-68	(6) 126.0	-83.0	2400			11-25-67	153.7	-2.1	2400
		8-01-68	(6) 126.0	-83.0	2400			12-04-67	150.0	1.6	2400
		9-01-68	(6) 124.0	-81.0	2400			1-03-68	151.6	0.0	2400
6S/01W-23E01M	21.0	10-23-67	128.3	-107.3	5000			2-09-68	145.7	5.9	2400
		11-20-67	101.9	-80.9	5000			3-05-68	141.5	10.1	2400
		12-18-67	87.0	-66.0	5000			4-03-68	136.7	14.9	2400
		1-15-68	79.5	-58.5	5000			5-07-68	141.4	10.2	2400
		2-12-68	72.5	-51.5	5000			6-11-68	145.7	5.9	2400
		3-10-68	68.2	-47.2	5000			7-19-68	152.6	-1.0	2400
		4-08-68	68.7	-47.7	5000			8-13-68	157.6	-6.0	2400
		5-06-68	131.1	-110.1	5000			9-18-68	(1) 165.0	-13.4	2400
		6-03-68	100.7	-79.7	5000	7S/02E-07P01M	130.0	10-20-67	137.3	-7.3	2400
		7-29-68	136.1	-115.1	5000			11-28-67	135.2	-5.2	2400
		8-26-68	119.5	-98.5	5000			12-07-67	131.0	-1.0	2400
		9-26-68	133.1	-112.1	5000			1-12-68	129.3	0.7	2400
6S/02W-16R01M	48.0	10-18-67	118.6	-70.6	2400			2-23-68	128.9	1.1	2400
		11-29-67	(7)		2400			3-21-68	128.3	1.7	2400
		12-14-67	100.1	-52.1	2400			4-24-68	139.9	-9.9	2400
		1-16-68	98.2	-50.2	2400			5-16-68	133.5	-3.5	2400
		2-26-68	95.8	-47.8	2400			6-24-68	135.8	-5.8	2400
		3-22-68	96.0	-48.0	2400			7-22-68	134.6	-4.6	2400
		4-18-68	99.0	-51.0	2400			8-26-68	133.7	-3.7	2400
		5-14-68	100.3	-52.3	2400			9-20-68	137.3	-7.3	2400
		6-19-68	103.0	-55.0	2400	7S/02E-17H01M	349.0	10-11-67	(8) 94.4	254.6	2400
		7-23-68	113.9	-65.9	2400			11-21-67	(8) 93.9	255.1	2400
		8-19-68	112.8	-64.8	2400			12-12-67	(8) 97.3	251.7	2400
		9-19-68	102.7	-54.7	2400			1-11-68	(8) 96.8	252.2	2400
6S/02W-25C01M	73.0	11-01-67	(8) 134.0	-61.0	2400			2-21-68	(8) 91.2	257.8	2400
		11-28-67	(8) 127.0	-54.0	2400			3-21-68	(8) 91.7	257.3	2400
		12-12-67	(8) 124.9	-51.9	2400			4-18-68	(8) 92.5	256.5	2400
		1-17-68	(8) 126.5	-53.5	2400			5-15-68	(8) 93.3	255.7	2400
		2-21-68	(8) 126.0	-53.0	2400			6-21-68	92.2	256.8	2400
		3-21-68	(8) 122.4	-49.4	2400			7-17-68	94.4	254.6	2400
		4-17-68	(8) 137.3	-64.3	2400			8-29-68	93.4	255.6	2400
		5-10-68	(8) 121.0	-48.0	2400			9-17-68	93.7	255.3	2400
		6-19-68	(8) 123.0	-50.0	2400	7S/02E-33C01M	462.0	10-11-67	21.4	440.6	2400
		7-26-68	(8) 131.6	-58.6	2400			11-21-67	20.7	441.3	2400
		8-15-68	(8) 124.0	-51.0	2400			12-12-67	20.0	442.0	2400
		9-23-68	(8) 119.9	-46.9	2400			1-11-68	20.3	441.7	2400
6S/02W-35C01M	140.1	11-01-67	260.8	-120.7	2400			2-21-68	19.6	442.4	2400
		11-28-67	(6) 254.0	-113.9	2400			3-20-68	20.5	441.5	2400
		12-01-67	(6) 254.0	-113.9	2400			4-17-68	20.8	441.2	2400
		1-01-68	(6) 250.0	-109.9	2400			5-15-68	20.2	441.8	2400
		2-23-68	(6) 254.0	-113.9	2400			6-21-68	20.8	441.2	2400
		3-22-68	(6) 252.0	-111.9	2400			7-17-68	21.7	440.3	2400
		4-15-68	225.0	-84.9	2400			8-29-68	21.4	440.6	2400
		5-14-68	243.4	-103.3	2400			9-16-68	20.3	441.7	2400
		6-19-68	258.2	-118.1	2400	7S/01W-35C01M	202.0	10-11-67	187.0	15.0	2400
		7-29-68	264.6	-124.5	2400			11-29-67	(6) 188.0	14.0	2400
		8-15-68	254.3	-114.2	2400			12-01-67	(6) 192.0	10.0	2400
		9-01-68	(6) 258.0	-117.9	2400			1-01-68	193.0	9.0	2400
7S/01E-01K01M	179.0	10-19-67	(6) 188.0	-9.0	2400			2-01-68	224.0	-22.0	2400
		11-28-67	(6) 182.0	-3.0	2400			3-01-68	220.0	-18.0	2400
		12-01-67	(6) 180.0	-1.0	2400			4-01-68	211.0	-9.0	2400
		1-01-68	(6) 178.0	1.0	2400			5-01-68	236.0	-34.0	2400
		2-01-68	(6) 177.0	2.0	2400			6-01-68	245.0	-43.0	2400
		3-21-68	(6) 174.0	5.0	2400			7-01-68	250.0	-48.0	2400
		4-24-68	(6) 172.0	7.0	2400			8-01-68	254.0	-52.0	2400
		5-06-68	160.9	18.1	2400			9-01-68	260.0	-58.0	2400
		6-24-68	160.6	18.4	2400	7S/02W-03P01M	216.7	10-01-67	(1) 364.0	-147.3	2400
		7-22-68	161.8	17.2	2400			11-03-67	(1) 343.0	-126.3	2400
		8-26-68	163.6	15.4	2400			11-30-67	(3) 352.0	-135.3	2400
		9-20-68	168.5	10.5	2400			12-01-67	355.0	-138.3	2400
7S/01E-08L01M	88.0	10-28-67	(6) 155.0	-67.0	2400			1-01-68	390.0	-173.3	2400
		11-28-67	(6) 150.0	-62.0	2400			2-01-68	323.0	-106.3	2400
		12-01-67	(6) 150.0	-62.0	2400			3-04-68	318.0	-101.3	2400
		1-25-68	123.3	-35.3	2400			4-01-68	310.0	-93.3	2400
		2-27-68	124.2	-36.2	2400			5-01-68	327.0	-110.3	2400
		3-26-68	124.7	-36.7	2400			6-01-68	335.0	-118.3	2400
		4-01-68	(6) 127.0	-39.0	2400			7-01-68	339.0	-122.3	2400
		5-01-68	(6) 160.0	-72.0	2400			8-01-68	(6) 339.0	-122.3	2400
		6-27-68	(8) 144.2	-56.2	2400			9-01-68	339.0	-122.3	2400
		7-25-68	(8) 156.7	-68.7	2400	7S/02W-04B01M	218.0	11-01-67	194.0	24.0	2400
		8-22-68	(6) 160.0	-72.0	2400			12-04-67	196.1	21.9	2400
		9-01-68	(6) 156.0	-68.0	2400			1-17-68	194.2	23.8	2400
7S/01E-09002M	95.9	10-23-67	171.6	-75.7	5000			2-26-68	219.6	-1.6	2400
		11-20-67	157.9	-62.0	5000			3-25-68	233.6	-15.6	2400
		12-18-67	147.6	-51.7	5000			4-18-68	(3) 229.8	-11.8	2400
		1-15-68	141.7	-45.8	5000			5-14-68	228.0	-10.0	2400
		2-12-68	139.6	-43.7	5000			6-20-68	225.7	-7.7	2400
		3-10-68	131.2	-35.3	5000			7-11-68	226.0	-8.0	2400
		4-08-68	131.2	-35.3	5000			8-19-68	226.3	-8.3	2400
		5-06-68	144.3	-48.4	5000			9-19-68	229.7	-11.7	2400
		6-03-68	147.4	-51.5	5000	7S/02W-22A01M	340.0	11-01-67	(6) 24.7	315.3	2400
		7-29-68	167.5	-71.6	5000			12-04-67	(6) 24.5	315.5	2400
		8-26-68	166.1	-70.2	5000			1-17-68	(6) 23.8	316.2	2400
		9-26-68	172.3	-76.4	5000			2-26-68	(6) 26.5	313.5	2400
7S/01E-16C05M	105.0	10-23-67	234.7	-129.7	5000			3-25-68	28.1	311.9	2400
		11-20-67	198.8	-93.8	5000			4-18-68	27.7	312.3	2400
		12-18-67	185.4	-80.4	5000			5-01-68	(6) 35.0	305.0	2400
		1-15-68	173.7	-68.7	5000			6-20-68	32.1	307.9	2400
		2-12-68	165.2	-60.2	5000			7-30-68	26.2	313.8	2400
		3-10-68	159.8	-54.8	5000			8-20-68	27.1	312.9	2400
		4-08-68	162.4	-57.4	5000			9-23-68	28.9	311.1	2400
		5-06-68	186.6	-81.6	5000						
		6-03-68	192.9	-87.9	5000						
		7-29-68	228.0	-123.0	5000						
		8-26-68	220.5	-115.5	5000						
		9-26-68	241.4	-136.4	5000						

TABLE C-2 (Cont.)

GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	
SOUTH BAY AREA 2-09.02						LIVERMORE VALLEY 2-10.00						
8S/01E-07H02M	207.0	10-05-67	56.6	150.4	2400	3S/01E-07Q01M (Continued)	321.7	6-05-68	(9)		5100	
		11-07-67	59.0	148.0	2400			7-03-68	(9)	5100		
		12-05-67	63.2	143.8	2400			8-09-68	(9)	5100		
		1-08-68	65.5	141.5	2400			9-05-68	(0)	5100		
		2-13-68	57.2	149.8	2400	3S/01E-09R02M	353.2	10-04-67	149.5	203.7	5100	
		3-01-68	56.8	150.2	2400			11-01-67	103.4	249.8	5100	
		4-02-68	(6) 53.0	154.0	2400			12-06-67	85.0	268.2	5100	
		5-01-68	55.4	151.6	2400			1-03-68	93.3	259.9	5100	
		6-03-68	57.2	149.8	2400			2-07-68	88.1	265.1	5100	
		7-01-68	(9)		2400			3-06-68	88.2	265.0	5100	
		8-01-68	56.7	150.3	2400			4-03-68	90.7	262.5	5100	
		9-06-68	56.4	150.6	2400			5-01-68	88.8	264.4	5100	
		8S/01E-13H01M	184.6	10-06-67	(2) 28.5			156.1	2400	6-05-68	(1) 112.0	241.2
11-06-67	(6) 29.0			155.6	2400			7-03-68	(1) 121.0	232.2	5100	
12-01-67	(6) 27.0			157.6	2400			8-09-68	156.1	197.1	5100	
1-01-68	(6) 30.0			154.6	2400			9-05-68	137.6	215.6	5100	
2-15-68	(8) 21.0			163.6	2400	3S/01E-10Q02M	368.7	10-04-67	131.2	237.5	5100	
3-06-68	20.7			163.9	2400			11-01-67	125.5	243.2	5100	
4-04-68	(8) 21.8			162.8	2400			12-06-67	107.0	261.7	5100	
5-03-68	(2) 27.3			157.3	2400			1-03-68	102.5	266.2	5100	
6-05-68	28.2			156.4	2400			2-07-68	100.0	268.7	5100	
7-03-68	27.4			157.2	2400			3-06-68	102.5	266.2	5100	
8-02-68	25.9			158.7	2400			4-03-68	100.5	268.2	5100	
9-10-68	(8) 23.7			160.9	2400			5-01-68	100.5	268.2	5100	
8S/02E-20F03M	209.0			10-07-67	28.3			180.7	2400	6-05-68	(1) 124.5	244.2
		11-08-67	(1)		2400			7-03-68	(1) 129.5	239.2	5100	
		12-05-67	26.4	182.6	2400			8-09-68	121.5	247.2	5100	
		1-11-68	30.0	179.0	2400			9-05-68	122.5	246.2	5100	
		2-15-68	26.0	183.0	2400	3S/01E-11H01M	372.9	10-00-67	124.8	248.1	5100	
		3-08-68	27.2	181.8	2400			4-00-68	110.5	262.4	5100	
		4-05-68	27.8	181.2	2400	3S/01E-17R01M	347.0	10-04-67	(3) 112.8	234.2	5100	
		5-06-68	(2) 33.3	175.7	2400			11-01-67	(3) 121.8	225.2	5100	
		6-10-68	37.2	171.8	2400			12-06-67	(3) 115.8	231.2	5100	
		7-05-68	(1) 37.0	172.0	2400			1-03-68	112.8	234.2	5100	
		8-19-68	30.3	178.7	2400			2-07-68	110.8	236.2	5100	
		9-11-68	(8) 30.3	178.7	2400			3-06-68	109.8	237.2	5100	
		8S/02E-22D01M	239.7	10-07-67	(8) 10.5			229.2	2400	4-03-68	109.8	237.2
11-08-67	10.4			229.3	2400			5-01-68	112.8	234.2	5100	
12-05-67	11.6			228.1	2400			6-05-68	113.8	233.2	5100	
1-11-68	(8) 14.2			225.5	2400			7-03-68	118.8	228.2	5100	
2-16-68	12.6			227.1	2400			8-09-68	112.0	235.0	5100	
3-08-68	13.1			226.6	2400			9-05-68	117.9	229.1	5100	
4-05-68	12.4			227.3	2400	3S/01E-19A03M	328.0	10-04-67	113.7	214.3	5100	
5-06-68	(1) 13.6			226.1	2400			11-01-67	111.7	216.3	5100	
6-10-68	13.8			225.9	2400			12-06-67	104.7	223.3	5100	
7-10-68	11.6			228.1	2400			1-03-68	101.7	226.3	5100	
8-19-68	11.1			228.6	2400			2-07-68	101.2	226.8	5100	
9-04-68	10.7			229.0	2400			3-06-68	94.7	233.3	5100	
8S/01W-15B01M	331.2			10-19-67	35.4			295.8	2400	4-03-68	92.5	235.5
		11-21-67	(6) 34.0	297.2	2400			5-01-68	92.9	235.1	5100	
		12-01-67	(6) 34.0	297.2	2400			6-05-68	95.7	232.3	5100	
		1-01-68	(6) 34.0	297.2	2400			7-03-68	108.7	219.3	5100	
		2-01-68	(6) 34.0	297.2	2400			7-31-68	110.4	217.6	5100	
		3-07-68	(6) 28.5	302.7	2400			9-05-68	112.5	215.5	5100	
		4-01-68	(6) 24.0	307.2	2400	3S/02E-10H01M	551.0	10-00-67	109.0	442.0	5100	
		5-01-68	(6) 30.0	301.2	2400			4-00-68	92.1	458.9	5100	
		6-11-68	32.3	298.9	2400	3S/02E-16E02M	508.0	10-04-67	100.1	407.9	5100	
		7-19-68	(6) 33.0	298.2	2400			11-01-67	100.0	408.0	5100	
		8-20-68	31.8	299.4	2400			12-06-67	99.7	408.3	5100	
		9-19-68	(6) 33.0	298.2	2400			1-03-68	99.4	408.6	5100	
		9S/02E-01J01M	314.6	10-10-67	32.6			282.0	2400	2-07-68	98.6	409.4
11-16-67	(8) 34.8			279.8	2400			3-06-68	101.9	406.1	5100	
12-07-67	(8) 30.9			283.7	2400			4-03-68	98.2	409.8	5100	
1-15-68	38.8			275.8	2400			5-01-68	98.4	409.6	5100	
2-19-68	37.4			277.2	2400			6-05-68	99.6	408.4	5100	
3-13-68	(8) 38.2			276.4	2400			7-03-68	99.4	408.6	5100	
4-11-68	33.7			280.9	2400			8-09-68	102.9	405.1	5100	
5-09-68	47.4			267.2	2400			9-05-68	102.9	405.1	5100	
6-12-68	55.2			259.4	2400	3S/02E-19D01M	411.6	10-04-67	159.5	252.1	5100	
7-10-68	37.3			277.3	2400			11-01-67	159.4	252.2	5100	
8-01-68	36.0			278.6	2400			12-06-67	155.0	256.6	5100	
9-04-68	31.8			282.8	2400			1-03-68	152.5	259.1	5100	
*9S/02E-02J02M	287.6			10-07-67	22.3			265.3	2400	2-07-68	153.4	258.2
		11-19-67	24.8	262.8	2400			3-06-68	153.2	258.4	5100	
		12-05-67	25.9	261.7	2400			4-03-68	151.9	259.7	5100	
		1-11-68	30.0	257.6	2400			5-01-68	154.4	257.2	5100	
		2-16-68	26.4	261.2	2400			6-05-68	164.0	247.6	5100	
		3-11-68	26.0	261.6	2400			7-03-68	171.1	240.5	5100	
		4-08-68	25.2	262.4	2400			8-09-68	184.8	226.8	5100	
		5-08-68	29.7	257.9	2400			9-05-68	191.1	220.5	5100	
		6-10-68	31.9	255.7	2400	HALF MOON BAY TERRACE 2-22.00						
		7-09-68	(2) 34.4	253.2	2400	5S/05W-19J01M	53.0	4-08-68	17.8	35.2	5050	
		8-01-68	27.4	260.2	2400			5S/05W-20I01M	73.0	10-20-67	26.9	46.1
		9-04-68	26.0	261.6	2400	11-13-67	25.5			47.5	5050	
		LIVERMORE VALLEY 2-10.00	2S/02E-25N01M	555.3	10-00-67	9.6	545.7			5100	3-19-68	17.6
4-00-68	9.9				545.4	5100	4-08-68			14.9	58.1	5050
2S/01W-26C01M	416.9		10-00-67	37.5	379.4	5100	5-17-68			15.8	57.2	5050
			4-00-68	36.9	380.0	5100	9-17-68			(1) 25.2	47.8	5050
3S/01E-07Q01M	321.7		10-04-67	114.2	207.5	5100	5S/05W-29F04M	50.0	10-20-67	(1) 20.5	29.5	5050
			11-01-67	109.0	212.7	5100			11-13-67	(4) 20.2	29.8	5050
			12-06-67	(7)		5100			3-19-68	(1) 11.7	38.3	5050
			1-03-68	(7)		5100			4-08-68	10.7	39.3	5050
			2-07-68	(7)		5100			5-13-68	14.5	35.5	5050
			3-06-68	(9)		5100			9-17-68	18.7	31.3	5050
			4-03-68	(9)		5100						
			5-01-68	(9)		5100						
*Previously published under 9S/02E-01M01M.												

TABLE C-2 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
HALF MOON BAY TERRACE 2-22.00						SOQUEL VALLEY 3-01.00					
5S/05W-29N01M	46.0	4-08-68	28.5	17.5	5050	11S/01W-15E02M	87.0	10-19-67 (2)	70.0	17.0	5050
5S/05W-32K01M	90.0	10-20-67	28.3	61.7	5050	11-14-67			55.9	31.1	5050
		11-13-67	27.3	62.7	5050	1-19-68 (2)			55.9	31.1	5102
		3-19-68	26.3	63.7	5050	3-19-68			56.3	30.7	5050
		4-08-68	26.1	63.9	5050	4-18-68 (2)			57.8	29.2	5050
		5-13-68	27.3	62.7	5050	5-15-68 (2)			58.0	29.0	5050
		9-17-68	29.8	60.2	5050	6-19-68 (2)			56.8	30.2	5102
5S/06W-10J01M	35.0	4-08-68	FLOW		5050	7-23-68 (2)			61.2	25.8	5102
6S/05W-08A01M	108.0	11-13-67 (2)	58.4	49.6	5050	8-21-68 (2)			55.4	31.6	5102
6S/05W-08B01M	108.0	10-20-67 (2)	60.2	47.8	5050	9-16-68 (2)			59.0	28.0	5050
		11-13-67 (4)			5050						
		3-19-68	56.0	52.0	5050	PAJARO VALLEY 3-02.00					
		4-08-68	56.0	52.0	5050	11S/02E-27A01M	141.0	10-19-67	95.9	45.1	5050
		5-13-68	56.2	51.8	5050	11-14-67			95.2	45.8	5050
		9-17-68	58.0	50.0	5050	3-19-68			94.5	46.5	5050
SAN GREGORIO VALLEY 2-24.00						4-18-68			103.2	37.8	5050
7S/05W-14C01M	80.0	10-20-67	12.1	67.9	5050	5-16-68			103.5	37.5	5050
		11-13-67	12.6	67.4	5050						
		3-19-68	10.6	69.4	5050	12S/01E-24G01M	9.4	10-19-67	14.4	-5.0	5050
		4-08-68	11.4	68.6	5050	11-14-67			8.8	0.6	5050
		5-17-68 (9)			5050	3-19-68			1.1	8.3	5050
		9-17-68	13.3	66.7	5050	4-18-68			11.0	-1.6	5050
7S/05W-15C01M	80.0	4-08-68	7.3	72.7	5050	5-15-68			11.3	-1.9	5050
7S/05W-15E01M	75.2	4-08-68	1.9	73.3	5050						
7S/05W-15E02M	30.0	10-20-67	14.2	15.8	5050	12S/02E-11E04M	36.0	10-19-67	28.2	7.8	5050
		11-13-67	14.2	15.8	5050	11-14-67			24.2	11.8	5050
		3-19-68	11.5	18.5	5050	3-20-68			19.9	16.1	5050
		4-08-68	13.2	16.8	5050	4-18-68			28.4	7.6	5050
		5-17-68	12.8	17.2	5050	5-15-68			27.2	8.8	5050
		9-17-68	15.3	14.7	5050						
7S/05W-15H02M	40.0	4-08-68 (9)			5050	12S/02E-16J01M	20.5	10-19-67	20.7	-0.2	5050
PESCADERO VALLEY 2-26.00						11-14-67			16.7	3.8	5050
8S/05W-09H01M	20.0	10-20-67	4.3	15.7	5050	3-19-68			9.7	10.8	5050
		11-13-67	4.3	15.7	5050	4-18-68			18.9	1.6	5050
		3-19-68	3.3	16.7	5050	5-16-68			18.9	1.6	5050
		4-08-68	3.5	16.5	5050						
		5-17-68	2.7	17.3	5050	12S/02E-31K01M	30.0	12-15-67	29.1	0.9	2100
		9-17-68	5.0	15.0	5050	13S/01E-01A01M	5.0	12-15-67	2.7	2.3	2100
8S/05W-10F01M	25.0	4-18-68 (1)	11.5	13.5	5050	13S/02E-05B01M	136.0	10-19-67	141.8	-5.8	5050
8S/05W-10H01M	40.0	4-09-68	3.7	36.3	5050	11-14-67			140.0	-4.0	5050
8S/05W-10K01M	37.0	10-20-67	18.0	19.0	5050	3-20-68			135.4	0.6	5050
		11-13-67 (4)	18.3	18.7	5050	4-18-68			147.6	-11.6	5050
		3-19-68 (4)	11.9	25.1	5050	5-15-68			135.4	0.6	5050
		4-08-68 (4)	12.9	24.1	5050						
		5-17-68	14.8	22.2	5050	13S/02E-06B01M	15.0	10-19-67	17.8	-2.8	5050
		9-17-68 (1)	18.8	18.2	5050	11-14-67			16.6	-1.6	5050
8S/05W-11F01M	70.0	10-20-67	15.5	54.5	5050	3-20-68			12.7	2.3	5050
		11-13-67	15.0	55.0	5050	4-18-68			12.5	2.5	5050
		3-19-68	6.0	64.0	5050	5-15-68			13.3	1.7	5050
		4-08-68	6.9	63.1	5050						
		5-17-68	9.5	60.5	5050	13S/02E-06C01M	26.0	12-15-67	23.5	2.5	2100
		9-17-68	16.0	54.0	5050	13S/02E-06E02M	27.8	12-15-67	24.8	3.0	2100
8S/05W-11K02M	60.0	4-08-68	1.7	58.3	5050	13S/02E-06E03M	30.0	12-15-67	26.4	3.6	2100
8S/05W-11M01M	45.0	4-09-68	13.0	32.0	5050						
CENTRAL COASTAL REGION 3-00.00						GILROY-HOLLISTER VALLEY 3-03.00					
SOQUEL VALLEY 3-01.00						SOUTH SANTA CLARA COUNTY 3-03.01					
11S/01W-09L01M	124.2	10-19-67	55.6	68.6	5050	9S/03E-16J01M	385.7	10-09-67	99.8	285.9	2400
		11-14-67	55.4	68.8	5050	11-14-67			105.6	280.1	2400
		12-11-67	55.2	69.0	5102	12-06-67			106.8	278.9	2400
		1-19-68	57.3	66.9	5102	1-12-68			101.5	284.2	2400
		3-19-68	56.1	68.1	5050	2-16-68			102.5	283.2	2400
		4-18-68	56.0	68.2	5050	3-11-68			103.1	282.6	2400
		5-15-68	58.5	65.7	5102	4-10-68			104.6	281.1	2400
		5-16-68	56.3	67.9	5050	5-08-68			113.2	272.5	2400
		6-19-68	56.8	67.4	5102	6-12-68			115.4	270.3	2400
		7-23-68	56.4	67.8	5102	7-10-68			108.8	276.9	2400
		8-21-68	55.7	68.5	5102	8-19-68			104.3	281.4	2400
		9-16-68	56.6	67.6	5050	9-11-68			103.7	282.0	2400
11S/01W-10C01M	90.0	10-19-67	60.3	29.7	5050	9S/03E-21K02M	361.6	10-09-67	72.6	289.0	2400
		11-14-67	60.4	29.6	5050	11-14-67			75.9	285.7	2400
		12-11-67	61.1	28.9	5102	12-06-67			77.7	283.9	2400
		1-19-68	62.4	27.6	5102	1-12-68			60.0	301.6	2400
		3-19-68	60.1	29.9	5050	2-19-68			64.6	297.0	2400
		4-18-68	59.6	30.4	5050	3-11-68			63.8	297.8	2400
		5-15-68	59.9	30.1	5102	4-10-68			(1)		2400
		5-16-68	60.2	29.8	5050	5-09-68			(1)		2400
		6-19-68	60.3	29.7	5102	6-12-68			82.2	279.4	2400
		7-23-68	64.9	25.1	5102	7-10-68			84.3	277.3	2400
		8-21-68	62.0	28.0	5102	8-19-68			95.7	265.9	2400
		9-16-68	61.4	28.6	5050	9-11-68			90.4	271.2	2400
						9S/03E-22B03M	379.1	10-09-67	(1)		2400
						11-15-67			88.7	290.4	2400
						12-06-67			86.6	292.5	2400
						1-15-68			84.6	294.5	2400
						2-19-68			88.4	290.7	2400
						3-12-68			82.8	296.3	2400
						4-10-68			83.6	295.5	2400
						5-09-68			87.7	291.4	2400
						6-13-68			(1)		2400
						7-10-68			100.3	278.8	2400
						8-20-68			100.4	278.7	2400
						9-11-68			(1)		2400

TABLE C-2 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	
SOUTH SANTA CLARA COUNTY 3-03.01						SOUTH SANTA CLARA COUNTY 3-03.01						
9S/03E-23E01M	362.5	10-09-67		101.8	260.7	2400	10S/04E-18G02M	259.5	10-19-67	51.5	208.0	5050
		11-15-67		113.2	249.3	2400			11-14-67	49.9	209.6	5050
		12-07-67		90.7	271.8	2400			3-21-68	51.1	208.4	5050
		1-15-68		83.3	279.2	2400			4-15-68	50.4	209.1	5050
		2-19-68		86.9	275.6	2400			5-14-68	57.8	201.7	5050
		3-12-68		88.4	274.1	2400	10S/04E-31G04M	197.5	10-16-67	26.5	171.0	5200
		4-10-68		89.2	273.3	2400			11-27-67	23.5	174.0	5200
		5-09-68		94.8	267.7	2400			12-18-67	22.5	175.0	5200
		6-13-68	(1)			2400			1-15-68	21.5	176.0	5200
		7-10-68	(1)			2400			2-19-68	20.5	177.0	5200
		8-20-68	(1)			2400			3-18-68	19.5	178.0	5200
		9-11-68	120.0	242.5	2400	4-15-68			19.5	178.0	5200	
5-20-68	29.5	168.0	5200	6-17-68	34.5	163.0			5200			
7-15-68	42.5	155.0	5200	8-19-68	44.5	153.0			5200			
9-16-68	45.5	152.0	5200	10S/04E-35E01M	248.0	4-15-68			79.8	168.2	5050	
11S/04E-06B01M	197.2	10-16-67	(7)						5200			
		11-27-67	(7)						5200			
		12-18-67	(7)				5200					
		1-15-68	(7)				5200					
		2-19-68	(7)		5200							
		3-18-68	(7)		5200							
		4-15-68	(7)		5200							
		5-20-68	(7)		5200							
		6-17-68	(7)		5200							
		7-15-68	(9)		5200							
		8-19-68	(3)		5200							
		9-16-68	53.0	144.2	5200							
11S/04E-06D01M	211.0	10-16-67	46.0	165.0	5200							
		11-27-67	44.0	167.0	5200							
		12-18-67	42.0	169.0	5200							
		1-15-68	40.0	171.0	5200							
		2-19-68	38.0	173.0	5200							
		3-18-68	39.0	172.0	5200							
		4-15-68	37.0	174.0	5200							
		5-20-68	48.0	163.0	5200							
		6-17-68	53.0	158.0	5200							
		7-15-68	63.0	148.0	5200							
		8-19-68	63.0	148.0	5200							
		9-16-68	65.0	146.0	5200							
11S/04E-06H01M	191.5	10-16-67	29.0	162.5	5200							
		11-27-67	26.0	165.5	5200							
		12-18-67	24.0	167.5	5200							
		1-15-68	23.0	168.5	5200							
		2-19-68	22.0	169.5	5200							
		3-18-68	21.0	170.5	5200							
		4-15-68	20.0	171.5	5200							
		5-20-68	31.0	160.5	5200							
		6-17-68	36.0	155.5	5200							
		7-15-68	44.0	147.5	5200							
		8-19-68	48.0	143.5	5200							
		9-16-68	46.0	145.5	5200							
11S/04E-06P02M	201.7	10-16-67	35.0	166.7	5200							
		11-27-67	32.0	169.7	5200							
		12-18-67	31.0	170.7	5200							
		1-15-68	29.0	172.7	5200							
		2-19-68	29.0	172.7	5200							
		3-18-68	28.0	173.7	5200							
		4-15-68	27.0	174.7	5200							
		5-20-68	35.0	166.7	5200							
		6-17-68	39.0	162.7	5200							
		7-15-68	45.0	156.7	5200							
		8-19-68	46.0	155.7	5200							
		9-16-68	57.0	144.7	5200							
11S/04E-08K02M	179.0	10-19-67	21.7	157.3	5050							
		11-14-67	20.2	158.8	5050							
		3-20-68	15.0	164.0	5050							
		4-16-68	15.7	163.3	5050							
		5-14-68	21.4	157.6	5050							
		SAN BENITO COUNTY 3-03.02										
		11S/05E-13001M	255.7	10-19-67	22.5	233.2	5050					
				11-14-67	22.2	233.5	5050					
				3-20-68	18.6	237.1	5050					
				4-17-68	29.9	225.8	5050					
				5-14-68	34.0	221.7	5050					
		12S/04E-20C01M	152.9	2-07-68	25.4	127.5	5151					
12S/05E-10R01M	211.6			10-19-67	85.1	126.5	5050					
				11-14-67	83.9	127.7	5050					
				3-20-68	78.6	133.0	5050					
				4-17-68	76.9	134.7	5050					
		5-14-68	78.8	132.8	5050							
12S/05E-12M04M	215.0	10-19-67	79.3	135.7	5050							
		11-14-67	78.7	136.3	5050							
		3-20-68	75.6	139.4	5050							
		4-17-68	76.5	138.5	5050							
		5-14-68	76.4	138.6	5050							
12S/05E-33A01M	280.0	10-19-67	85.5	194.5	5050							
		11-14-67	83.6	196.4	5050							
		3-20-68	79.0	201.0	5050							
		4-17-68	79.2	200.8	5050							
		5-15-68	82.8	197.2	5050							

TABLE C-2 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SAN BENITO COUNTY 3-03.02						UPPER VALLEY AREA 3-04.05					
12S/05E-35N02M	303.0	10-19-67	142.4	160.6	5050	20S/08E-05R01M (Continued)	337.0	6-19-68	77.0	260.0	2100
		11-14-67	132.2	170.8	5050			7-16-68	(1)	2100	
		3-20-68	105.7	197.3	5050			8-20-68	75.5	261.5	2100
		4-17-68	110.6	192.4	5050			9-18-68	(1)	2100	
		5-15-68	116.1	186.9	5050						
13S/05E-11Q01M	325.5	2-05-68	37.1	288.4	5151	21S/09E-06K01M	344.0	12-19-67	(4)		2100
SALINAS VALLEY 3-04.00						21S/10E-32N01M	400.0	12-26-67	23.0	377.0	2100
PRESSURE AREA 180 FOOT AQUIFER 3-04.01						22S/10E-16K01M	472.0	12-26-67	71.3	400.7	2100
14S/02E-03C01M	10.6	12-15-67	13.9	-3.3	2100	PASO ROBLES BASIN 3-04.06					
15S/02E-01Q01M	42.0	10-18-67	(1)		2100	24S/10E-11C01M	620.0	12-01-67	(0)		5117
		11-15-67	47.4	-5.4	2100	24S/11E-25N01M	603.3	3-29-68	(1)		5117
		12-13-67	33.0	9.0	2100			9-27-68	(1)		5117
		1-16-68	31.7	10.3	2100	24S/11E-33R01M	565.0	3-29-68	(1)		5117
		2-14-68	27.8	14.2	2100			9-27-68	(1)		5117
		3-20-68	30.9	11.1	2100	24S/11E-35J01M	616.8	10-18-67	61.7	555.1	5117
		4-15-68	(1)		2100			4-05-68	61.5	555.3	5117
		5-20-68	(1)		2100	24S/12E-17N01M	770.0	10-01-67	(0)		5117
		6-17-68	(1)		2100	24S/15E-33C01M	1225.0	10-19-67	38.3	1186.7	5117
		7-15-68	52.7	-10.7	2100			4-11-68	(6)		5117
		8-18-68	53.9	-11.9	2100	25S/11E-35G01M	895.0	10-18-67	63.3	831.7	5117
		9-16-68	(1)		2100			4-08-68	62.5	832.5	5117
15S/03E-16M01M	58.0	12-12-67	36.1	21.9	2100	25S/12E-17J01M	640.0	10-18-67	70.5	569.5	5117
15S/04E-33A01M	125.0	12-15-67	81.1	43.9	2100			5-08-68	68.5	571.5	5117
16S/04E-11D01M	110.0	12-15-67	47.8	62.2	2100	25S/12E-17R01M	640.0	10-18-67	63.5	576.5	5117
PRESSURE AREA 400 FOOT AQUIFER 3-04.01								4-08-68	51.4	588.6	5117
13S/02E-31Q01M	11.0	12-12-67	12.0	-1.0	2100	25S/12E-26K01M	749.0	10-31-67	111.4	637.6	5117
14S/03E-18J01M	69.0	10-18-67	(1)		2100			4-08-68	122.3	626.7	5117
		11-14-67	93.3	-24.3	2100	25S/13E-11E01M	1185.0	10-19-67	59.1	1125.9	5117
		12-21-67	69.6	-0.6	2100			4-09-68	60.4	1124.6	5117
		1-16-68	67.0	2.0	2100	25S/16E-17L01M	1165.0	10-19-67	29.4	1135.6	5117
		2-14-68	75.7	-6.7	2100			4-11-68	30.3	1134.7	5117
		3-20-68	72.0	-3.0	2100	25S/16E-30M01M	1218.0	10-19-67	69.2	1148.8	5117
		4-15-68	77.0	-8.0	2100			4-11-68	67.8	1150.2	5117
		5-20-68	89.3	-20.3	2100	26S/12E-04N01M	675.0	10-18-67	46.9	628.1	5117
		6-17-68	98.0	-29.0	2100			4-08-68	44.3	630.7	5117
		7-15-68	(1)		2100	26S/12E-26E01M	840.0	10-16-67	203.4	636.6	5117
		8-18-68	102.0	-33.0	2100			9-26-68	205.0	635.0	5117
		9-16-68	99.0	-30.0	2100	26S/12E-35M01M	818.0	10-16-67	(3)		5117
EAST SIDE AREA 3-04.02						26S/13E-10D01M	800.0	10-19-67	27.8	772.2	5117
16S/05E-17R01M	181.0	12-20-67	87.3	93.7	2100			4-09-68	14.1	785.9	5117
ARROYO SECO CONE 3-04.04								9-20-68	32.3	767.7	5117
18S/06E-15M01M	277.0	10-19-67	90.6	186.4	2100	26S/13E-34B01M	1005.0	10-27-67	159.3	845.7	5117
		11-17-67	91.0	186.0	2100			4-10-68	157.2	847.8	5117
		12-20-67	91.7	185.3	2100			9-24-68	163.0	842.0	5117
		1-19-68	(1)		2100	26S/14E-16L01M	1018.0	4-11-68	(9)		5117
		2-16-68	92.0	185.0	2100	26S/14E-35D01M	1135.0	10-19-67	120.3	1014.7	5117
		3-19-68	90.9	186.1	2100			10-20-67	30.8	1084.2	5117
		4-17-68	(1)		2100			4-11-68	30.6	1084.4	5117
		5-20-68	95.1	181.9	2100	26S/15E-28Q02M	1112.0	10-20-67	61.4	1050.6	5117
		6-18-68	(1)		2100	26S/15E-29N01M	1133.0	10-20-67	148.0	985.0	5117
		7-17-68	(1)		2100	27S/12E-21N01M	748.0	10-16-67	13.7	734.3	5117
		8-20-68	(1)		2100	27S/13E-24N01M	1030.0	10-19-67	19.0	1011.0	5117
		9-18-68	96.0	181.0	2100			4-10-68	19.1	1010.9	5117
19S/06E-11C01M	373.0	10-19-67	179.1	193.9	2100	27S/13E-32B01M	1105.0	10-19-67	56.7	1048.3	5117
		11-17-67	(1)		2100			10-28-67	62.8	1067.2	5117
		12-20-67	171.3	201.7	2100	27S/15E-10R02M	1130.0	10-28-67	15.8	1139.2	5117
		1-19-68	(1)		2100	27S/15E-13A01M	1155.0	10-28-67	15.8	1139.2	5117
		2-16-68	(9)		2100	27S/16E-21E02M	1255.0	10-28-67	61.7	1193.3	5117
		3-19-68	(3)		2100	28S/12E-10G01M	825.0	10-11-67	(8)		5117
		4-18-68	(1)		2100	28S/12E-10R02M	805.0	10-12-67	23.5	781.5	5117
		5-21-68	191.0	182.0	2100	28S/12E-13N01M	850.0	10-01-67	(0)		5117
		6-19-68	(1)		2100	28S/12E-14G01M	824.6	10-11-67	1.2	823.4	5117
		7-17-68	(1)		2100			4-03-68	(7)		5117
		8-20-68	(1)		2100	28S/13E-04K01M	1199.5	10-19-67	55.2	1144.3	5117
		9-18-68	206.0	167.0	2100			4-10-68	59.9	1139.6	5117
UPPER VALLEY AREA 3-04.05								9-30-68	65.5	1134.0	5117
19S/07E-10P01M	315.0	10-19-67	98.4	216.6	2100	28S/13E-04K02M	1195.0	10-19-67	80.3	1114.7	5117
		11-17-67	83.0	232.0	2100			4-10-68	81.7	1113.3	5117
		12-20-67	79.1	235.9	2100			9-30-68	84.3	1110.7	5117
		1-19-68	80.0	235.0	2100	28S/14E-07E01M	1150.0	10-01-67	(0)		5117
		2-16-68	87.2	227.8	2100						
		3-18-68	(1)		2100						
		5-21-68	90.5	224.5	2100						
		6-19-68	90.0	225.0	2100						
		7-17-68	(1)		2100						
		8-20-68	(1)		2100						
		9-18-68	(1)		2100						
20S/08E-05R01M	337.0	10-20-67	67.1	269.9	2100						
		11-16-67	(1)		2100						
		12-20-67	61.0	276.0	2100						
		1-19-68	60.8	276.2	2100						
		2-16-68	61.0	276.0	2100						
		3-18-68	(1)		2100						
		4-18-68	(1)		2100						
		5-20-68	72.5	264.5	2100						

TABLE C-2 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
PASO ROBLES BASIN 3-04-06						CARMEL VALLEY 3-07.00					
28S/16E-23M01M	1440.0	10-28-67	DRY		5117	16S/01E-22E01M	82.0	10-23-67	28.9	53.1	2100
		4-17-68	48.7	1391.3	5117			11-22-67	29.2	52.8	2100
29S/13E-05F03M	916.1	10-11-67	16.9	899.2	5117			1-02-68	28.4	53.6	2100
		4-03-68	15.2	900.9	5117			1-22-68	27.9	54.1	2100
29S/13E-05K02M	928.0	10-11-67	10.7	917.3	5117			2-20-68	27.1	54.9	2100
		4-03-68	8.6	919.4	5117			3-21-68	27.5	54.5	2100
29S/13E-06A01M	920.0	10-11-67	68.8	851.2	5117			4-19-68	(1)		2100
		4-03-68	41.2	878.8	5117			5-17-68	28.5	53.5	2100
29S/13E-19H01M	1002.0	10-11-67	23.1	978.9	5117			6-20-68	30.0	52.0	2100
		4-03-68	3.7	998.3	5117			7-18-68	29.3	52.7	2100
SEASIDE AREA 3-04-08						16S/01E-23F01M	109.0	10-23-67	26.3	82.7	2100
14S/02E-31M01M	119.9	10-26-67	129.5	-9.6	5005			11-22-67	27.2	81.8	2100
		11-29-67	125.4	-5.5	5005			1-02-68	25.3	83.7	2100
		1-10-68	122.5	-2.6	5005			1-22-68	25.7	83.3	2100
		2-15-68	121.5	-1.6	5005			2-20-68	25.2	83.8	2100
		3-13-68	120.9	-1.0	5005			3-21-68	26.0	83.0	2100
		4-17-68	126.7	-6.8	5005			4-19-68	24.3	84.7	2100
15S/01E-14N01M	144.6	10-26-67	(7)		5005			5-17-68	26.5	82.5	2100
		11-29-67	111.6	33.0	5005	16S/01E-25E01M	140.0	10-23-67	19.2	120.8	2100
		1-10-68	117.3	27.3	5005			11-22-67	20.3	119.7	2100
		2-15-68	114.1	30.5	5005			1-03-68	15.9	124.1	2100
		3-13-68	114.5	30.1	5005			1-22-68	15.5	124.5	2100
		4-17-68	117.4	27.2	5005			2-20-68	14.9	125.1	2100
CARMEL VALLEY 3-07.00								3-21-68	15.5	124.5	2100
16S/01E-16L01M	75.0	10-23-67	(1)		2100			4-19-68	(1)		2100
		11-22-67	21.0	54.0	2100			5-17-68	17.5	122.5	2100
		12-29-67	19.1	55.9	2100			6-20-68	18.8	121.2	2100
		1-22-68	18.9	56.1	2100			7-18-68	(1)		2100
		2-20-68	18.6	56.4	2100			8-21-68	(1)		2100
		3-21-68	(1)		2100			9-20-68	20.1	119.9	2100
		4-19-68	17.0	58.0	2100	WEST SANTA CRUZ TERRACE 3-26.00					
		5-17-68	21.1	53.9	2100	11S/02W-21E01M	65.0	12-11-67	62.2	2.8	5102
		6-20-68	21.3	53.7	2100			5-15-68	(8) 81.5	-16.5	5102
		7-18-68	21.5	53.5	2100	11S/02W-22K01M	30.0	12-11-67	67.7	-37.7	5102
		8-21-68	20.9	54.1	2100			5-15-68	(8) 42.4	-12.4	5102
		9-20-68	19.6	55.4	2100						

Appendix D
SURFACE WATER QUALITY

INTRODUCTION

This appendix presents surface water quality data collected during the period from October 1, 1967, through September 30, 1968. The data were collected from 57 stream and estuarine stations in the Central Coastal Area by the U. S. Bureau of Reclamation and the Department of Water Resources. The U. S. Bureau of Reclamation data were collected for its Delta-San Luis Drainage Surveillance Program and are basically confined to the Sacramento-San Joaquin Delta and Suisun Bay, the latter being included in this report.

The Department of Water Resources Laboratory uses procedures from "Standard Methods for the Examination of Water and Waste Water", 12th Edition, 1967, for the determination of mineral, nutrient, and biological constituents. Pesticides are determined in accordance with the "Guide to the Analysis of Pesticide Residues", U. S. Department of Health, Education and Welfare, 1965.

U. S. Bureau of Reclamation laboratory services are provided by the U. S. Air Force at McClellan Air Force Base. It uses procedures in accordance with the "FWPCA Methods for Chemical Analysis of Water and Wastes", November 1968, for all parameters.

Two numbering systems are used in this bulletin for identifying water quality stations. The first is for those stations for which the flow of water can be measured readily as in streams and rivers. This system is that which has been used in prior editions of the Bulletin No. 130 series and is also described in the departmental publication "Index of Stream Gaging Stations in and Adjacent to California, 1966".

The second system is used for those stations which do not fit the first. This system is described as follows: The first two digits identify the hydrologic basin as in the first system. The third digit identifies the type of water body being identified and for this publication is a "B" for Bay system or "D" for Delta system. The next digit is the last digit of the latitude in degrees, "3" for 33°, or "9" for 29°. The next three digits are the minutes of latitude to the tenth of a minute. The last four digits are longitude in the same manner as latitude.

Example: EO B 807.3 145.6

EO	San Francisco Bay
B	Water Body -- Bay
8	38° Latitude
07.3	07.3 Minutes Latitude
1	121° Longitude
45.6	45.6 Minutes Longitude

SURFACE WATER MEASUREMENT STATIONS

Hydrographic Area ESan Francisco Bay (E0)

E0 3300 Suisun Bay at Benicia

Napa-Solano (E3)

E3 1400 Rector Reservoir near Yountville

SURFACE WATER QUALITY STATIONS

Hydrographic Area DSanta Cruz (D0)

D0 1200.00 San Lorenzo River at Big Trees

D0 3100.00 Soquel Creek at Soquel

Pajaro-San Benito Rivers (D1)

D1 1250.00 Pajaro River at Chittenden

D1 1371.50 Uvas Creek near Morgan Hill

D1 2450.00 San Benito River near Bear Valley
Fire StationLower Salinas River (D2)

D2 1220.00 Salinas River near Spreckles

D2 1310.10 Salinas River near Chular

D2 1850.00 Salinas River near Bradley

Upper Salinas River (D3)

D3 1450.00 Salinas River at Paso Robles

D3 3250.00 Nacimiento River near San Miguel

Monterey Coast (D4)

D4 1200.00 Carmel River at Robles Del Rio

Hydrographic Area ESan Francisco Bay (E0)

E0 B 736.2 211.6 San Francisco Bay at San Mateo Bridge

E0 B 748.4 228.2 San Francisco Bay at Fort Point

E0 B 749.2 222.4 San Francisco Bay at Treasure Island

E0 B 757.7 225.6 San Pablo Bay at Point San Pablo

Napa-Solano (E3)

E3 1100.50 Napa River at Dutton Landing

E3 1500.00 Napa River near St. Helena

Alameda Creek (E5)

E5 1150.00 Alameda Creek near Niles

E5 1400.00 Arroyo Del Valle near Livermore

Santa Clara Valley (E6)

E6 4250.00 Coyote Creek near Madrone

E6 5250.00 Los Gatos Creek at Los Gatos

Hydrographic Area FMendocino Coast (F8)

F8 2100.00 Navarro River near Navarro

F8 2720.00 Big River near Mouth

F8 3080.50 Noyo River near Fort Bragg


Russian River (F9)

F9 1080.50 Russian River at Guerneville


F9 1500.00 Russian River near Healdsburg

F9 1765.00 Russian River near Hopland

F9 4900.00 Russian River, East Fork, at
Potter Valley Powerhouse



SURFACE WATER OBSERVATION STATIONS 1967-68



SURFACE WATER OBSERVATION STATIONS 1967-68




TABLE D-1
SAMPLING STATION DATA AND INDEX


Station	Station Number	Location		Beginning Of Record	Frequency Of Sampling	Analyses On Page
		Latitude ° ' "	Longitude ° ' "			
ALAMEDA CREEK NEAR NILES	E5 1150.00	37 35 14	121 57 35	Dec. 1951	Monthly	81, 84, 94
ARROYO DEL VALLE NEAR LIVERMORE	E5 1400.00	37 37 24	121 45 28	July 1958	Monthly	81, 84, 94
BIG RIVER NEAR MOUTH	F8 2720.00	39 18 53	123 42 15	Jan. 1959	Annually	82
CARMEL RIVER AT ROBLES DEL RIO	D4 1200.00	36 28 28	121 43 40	Jan. 1952	Annually	73, 84
CARQUINEZ STRAIT AT CROCKETT (CROCKETT)	EOB80352133 (E03100.90)	38 03 28	122 13 18	1946	Four-day	87
CARQUINEZ STRAIT AT MARTINEZ (MARTINEZ)	EOB80192078 (E03300.10)	38 01 55	122 07 46	1926	Four-day	87
COYOTE CREEK NEAR MADRONE	E6 4250.00	37 10 06	121 38 55	Jan. 1952	Annually	82, 84
GRIZZLY BAY AT DOLPHIN NEAR SUISUN SLOUGH	EOB80702023	38 07 02	122 02 19	Jan. 1968	Random	78, 93
HONKER BAY NEAR WHEELER POINT	EOB80441562	38 04 38	121 56 12	Jan. 1968	Random	77, 93
LOS GATOS CREEK AT LOS GATOS	E6 5250.00	37 12 30	121 59 15	Dec. 1951	Annually	82, 84
MONTEZUMA SLOUGH ABOVE HUNTER CUT	EOB81002025	38 09 58	122 02 30	Sept. 1968		80
MONTEZUMA SLOUGH AT FROST SLOUGH	EOB81031574	38 10 19	121 57 23	Sept. 1968		80
MONTEZUMA SLOUGH AT MEINS LANDING	EOB80841545	38 08 22	121 54 30	Sept. 1968		80
MONTEZUMA SLOUGH AT SACRAMENTO RIVER	EOB80431518	38 04 16	121 51 49	Sept. 1968		77
MONTEZUMA SLOUGH BELOW GRIZZLY SLOUGH	EOB80631533	38 06 18	121 53 18	Sept. 1968		78
MONTEZUMA SLOUGH NEAR BELDONS LANDING	EOB81121582	38 11 13	121 58 10	July 1968	Random	80
MONTEZUMA SLOUGH NEAR MOLENA	EOB80761538	38 07 34	121 53 47	Sept. 1968		79
MONTEZUMA SLOUGH NEAR MONTEZUMA STATION	EOB80531529	38 05 20	121 52 57	Sept. 1968		78
MONTEZUMA SLOUGH NEAR MOUTH	EOB80842036	38 08 26	122 03 36	Sept. 1968		80
MONTEZUMA SLOUGH NEAR TREE SLOUGH	EOB81062006	38 10 36	122 00 39	Sept. 1968		80
NACIMIENTO RIVER NEAR SAN MIGUEL	D3 3520.00	35 47 00	120 47 20	July 1958	Semiannually	73, 84
NAPA RIVER AT DUTTONS LANDING	E3 1100.50	38 12 28	122 18 20	Sept. 1965	Bimonthly	81, 84, 94, 96, 97
NAPA RIVER NEAR ST. HELENA	E3 1500.00	38 29 40	122 25 50	Dec. 1951	Annually	81, 84
NAVARRO RIVER NEAR NAVARRO	F8 2100.00	39 10 15	123 39 55	Jan. 1959	Annually	82
NOYO RIVER NEAR FORT BRAGG	F8 3080.50	39 26 05	123 44 59	Jan. 1951	Annually	82
PAJARO RIVER AT CHITTENDEN	D1 1250.00	36 54 01	121 35 48	Dec. 1951	Bimonthly	72, 85, 91
RUSSIAN RIVER AT GUERNEVILLE	F9 1080.50	38 30 00	122 56 05	April 1951	Bimonthly	82, 85, 94
RUSSIAN RIVER NEAR HEALDSBURG	F9 1500.00	38 44 59	123 05 28	April 1951	Annually	82, 85
RUSSIAN RIVER NEAR HOPLAND	F9 1765.00	39 01 35	123 07 45	April 1951	Annually	82, 85
RUSSIAN RIVER, EAST FORK, AT POTTER VALLEY POWERHOUSE	F9 4900.00	39 21 42	123 07 38	May 1951	Annually	82, 85
SACRAMENTO RIVER AT CHIPPS ISLAND	EOB80281550	38 02 47	121 55 02	Jan. 1968	Random	75, 92
SACRAMENTO RIVER AT COLLINSVILLE (COLLINSVILLE)	B9D80441513 (E31110.00)	38 04 25	121 51 18	July 1958	Semiannually	87
SACRAMENTO RIVER AT PITTSBURG (PITTSBURG)	B9D80231530 (B91070.10)	38 02 18	121 52 58	1945	Four-day	87

Note: Items in parentheses are names or numbers used in previous publications.

TABLE D-1
SAMPLING STATION DATA AND INDEX

Station	Station Number	Location		Beginning Of Record	Frequency Of Sampling	Analyses On Page
		Latitude ° ' "	Longitude ° ' "			
SACRAMENTO RIVER BELOW PITTSBURG	EOB80281536	38 02 47	121 53 35	Sept. 1968		75
SACRAMENTO RIVER NEAR SIMMONS POINT	EOB80301559	38 03 01	121 55 57	Sept. 1968		76
SALINAS RIVER AT PASO ROBLES	D3 1450.00	35 37 40	120 41 05	April 1951	Annually	73
SALINAS RIVER NEAR BRADLEY	D2 1850.00	35 55 40	120 52 00	July 1958	Semiannually	73, 85
SALINAS RIVER NEAR CHULAR	D2 1310.10	36 33 15	121 32 55	Sept. 1968	Annually	73, 85
SALINAS RIVER NEAR SPRECKLES	D2 1220.00	36 37 50	121 40 40	April 1951	Bimonthly	72, 85, 91
SAN BENITO RIVER NEAR BEAR VALLEY FIRE STATION	D1 2450.00	36 36 34	121 12 07	July 1958	Semiannually	72, 85
SAN FRANCISCO BAY AT COYOTE POINT	EOB73552194 (EOEH75.27)	37 35 27	122 19 26	Dec. 1966	Oct., Feb., June	96
SAN FRANCISCO BAY AT FORT POINT	EOB74842282 (EOGJ47.72)	37 48 25	122 28 10	Oct. 1964	Bimonthly	74, 85, 91, 96, 97
SAN FRANCISCO BAY AT SAN MATEO BRIDGE	EOB73622116 (EOEG85.33)	37 36 14	122 11 34	Oct. 1964	Bimonthly	73, 85, 91, 96, 97
SAN FRANCISCO BAY AT TREASURE ISLAND	EOB74922224 (EOGH59.55)	37 49 15	122 22 26	July 1965	Bimonthly	74, 85, 92, 96, 97
SAN LORENZO RIVER AT BIG TREES	D0 1200.00	37 01 40	122 03 30	Dec. 1951	Bimonthly	72, 86
SAN PABLO BAY AT POINT SAN PABLO	EOB75772256 (EOHJ74.01)	37 57 40	122 25 35	Jan. 1964	Bimonthly	74, 86, 92, 96, 97
SOQUEL CREEK AT SOQUEL	D0 3100.00	36 59 29	121 57 17	Dec. 1951	Annually	72, 86, 91
SUISUN BAY ABOVE AVON PIER	EOB80322048	38 03 13	122 04 48	Sept. 1968		76, 92
SUISUN BAY AT BENICIA	EOB80242082 (EOJG30.19)	38 02 24	122 08 14	Jan. 1966	Bimonthly	75, 86, 96, 97
SUISUN BAY AT FREEMAN ISLAND	EOB80461595	38 04 38	121 59 32	Sept. 1968		78
SUISUN BAY AT NICHOLS (MIDDLE POINT)	EOB80301590 (EO3200.00)	38 03 01	121 58 58	Jan. 1964	Four-day	87
SUISUN BAY AT PORT CHICAGO (PORT CHICAGO)	EOB80342023 (EO3200.90)	38 03 24	122 02 20	1946	Four-day	87
SUISUN BAY CUTOFF AT POINT BUCKLER	EOB80572012	38 05 41	122 01 14	Sept. 1968		78
SUISUN BAY NEAR BENICIA	EOB80262071	38 02 38	122 07 09	Jan. 1968		76, 92
SUISUN BAY NEAR MIDDLE GROUND ISLAND	EOB80351577	38 03 30	121 57 45	Sept. 1968		76
SUISUN BAY NEAR PRESTON POINT	EOB80402030	38 03 58	122 03 00	Sept. 1968		77, 93
SUISUN BAY OFF BULLS HEAD POINT AT MARTINEZ	EOB80232071	38 02 20	122 07 06	Feb. 1968	Random	74, 92
SUISUN BAY OFF MIDDLE POINT	EOB80361593	38 03 36	121 59 20	Jan. 1968		76, 93
SUISUN SLOUGH AT MOUTH	EOB80722037	38 07 09	122 03 43	Sept. 1968		79
SUISUN SLOUGH AT VOLANTI SLOUGH	EOB81082028	38 10 48	122 02 48	Sept. 1968		80
SUISUN SLOUGH BELOW GOODYEAR SLOUGH	EOB80802048	38 07 57	122 04 50	Sept. 1968		79
SUISUN SLOUGH NEAR CYGNUS	EOB80922042	38 09 10	122 04 12	Sept. 1968		80
SUISUN SLOUGH NEAR TEAL	EOB81022041	38 10 10	122 04 04	Sept. 1968		80
UVAS CREEK NEAR MORGAN HILL	D1 1371.50	37 03 37	121 40 20	July 1952	Semiannually	72, 86, 91

FIGURE D-2



MAXIMUM, MINIMUM, AND AVERAGE DAILY SPECIFIC CONDUCTANCE
OCTOBER 1967 THROUGH SEPTEMBER 1968

TABLE D-2

MINERAL ANALYSES OF SURFACE WATER

Abbreviations

- LAB - The laboratory which analyzed the sample:
5006 McClellan Air Force Base Laboratory (used by USBR).
5050 Department of Water Resources Laboratory at Bryte.
- SAMPLER - 5001 U. S. Bureau of Reclamation.
5050 Department of Water Resources
- G.H. - Instantaneous gage height in feet above an established datum.
- Q or DEPTH - Instantaneous discharge measured in cubic feet per second (cfs) or depth at which sample was collected.
- DO - Dissolved oxygen content in milligrams per liter.
- SAT - Percent saturation.
- TEMP - Water temperature in degrees Fahrenheit and Celsius.
- PH - Measure of acidity or alkalinity of water.
- EC - Specific electrical conductance in micromhos at 25° Celsius.
- TDS - Gravimetric determination of total dissolved solids at 180° Celsius.
- SUM - Summation of analyzed constituents in prescribed manner.
- TH - Total hardness represents the sum of concentrations of calcium and magnesium ions expressed as milligrams per liter of calcium carbonate.
- NCH - Noncarbonate hardness represents any excess of total hardness over the total alkalinity.
- PERCENT REACTANCE VALUE is determined by dividing the sum of the cations or anions in milliequivalents per liter into each constituent in milliequivalents per liter arriving at a percentage. For a partial analysis, an approximate value is determined by multiplying the electrical conductance by 0.01 and using that as the cation or anion sum.

Chemical Symbols

B	- Boron	K	- Potassium
CA	- Calcium	MG	- Magnesium
CL	- Chloride	NA	- Sodium
CO ₃	- Carbonate	NO ₃	- Nitrate
F	- Fluoride	SiO ₂	- Silica
HCO ₃	- Bicarbonate	SO ₄	- Sulfate

TABLE D-2
MINERAL ANALYSES OF SURFACE WATER

DATE TIME	LAB SAMPLER	G.H. Q	DO SAT	TEMP	PH LAB FLD	EC LAB FLU	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE					MILLIGRAMS PER LITER TDS IN					
							CA	MG	NA	K	CO3	HCO3	SO4	CL	NO3	F	H	SI02	TDS SUM	IN VCH	
00 1200.20 SAN LORENZO RIVER AT BIG TREES																					
11/21/67 0735	5050 5050	.97 25	10.0 90	51 11	F C	8.2 7.6	381	--	--	22 .96 25	--	0.0	135 2.23 58	--	22 .62 16	--	--	0.1	--	--	120 9
01/23/68 0745	5050 5050	1.21 36	11.2 93	45 7	F C	8.2 7.6	399	--	--	22 .96 24	--	0.0	133 2.18 54	--	22 .62 15	--	--	0.0	--	--	142 33
03/13/68 0745	5050 5050	3.16 390	10.6 98	53 12	F C	7.8 7.4	212	--	--	9.4 .41 19	--	0.0	63 1.03 48	--	11 .31 14	--	--	0.2	--	--	73 22
05/22/68 0550	5050 5050	1.36 49	10.4 103	59 15	F C	8.1 7.4	384	40 2.00 54	8.8 .72 19	22 .96 26	1.8 .05 1	0.0	132 2.16 59	44 .92 25	20 .56 15	0.9 .01	--	0.0	23 225	136 28	
07/02/68 0635	5050 5050	1.22 20	9.8 101	62 17	F C	8.3 7.6	391	--	--	23 1.00 25	--	0.0	137 2.25 57	--	21 .59 15	--	--	0.0	--	--	138 26
09/05/68 0630	5050 5050	.87 14	8.2 90	67 19	F C	8.1 7.3	282	--	--	9.8 .43 15	--	0.0	154 2.53 89	--	5.7 .16 5	--	--	0.3	--	--	129 3
00 3100.00 SOQUEL CREEK AT SOQUEL																					
05/21/68 1400	5050 5050	2.88 8.2	9.7 111	71 22	F C	8.5 8.0	760	75 3.74 48	23 1.89 24	48 2.09 27	4.1 .10 1	8.0 .27 3	216 3.54 45	121 2.52 32	55 1.55 20	0.0	--	0.1	27 445 467	281 91	
01 1250.00 PAJARO RIVER AT CHITTENDEN																					
11/15/67 0800	5050 5050	2.01 25	8.0 79	57 14	F C	8.5 8.0	1240	--	--	70 3.05 24	--	21 .70 5	367 6.02 48	--	74 2.09 16	--	--	0.3	--	--	509 173
01/17/68 0845	5050 5050	1.97 28	8.9 83	54 12	F C	8.5 8.0	1320	--	--	95 4.13 31	--	12 .40 3	380 6.23 47	--	90 2.54 19	--	--	0.5	--	--	532 201
03/20/68 0830	5050 5050	2.58 74	9.8 93	55 13	F C	8.4 7.6	967	--	--	69 3.00 31	--	5.0 .17 1	262 4.30 44	--	65 1.83 18	--	--	0.3	--	--	354 131
05/09/68 0840	5050 5050	1.49 17	8.3 88	64 18	F C	8.6 8.0	1410	89 4.44 28	78 6.41 41	110 4.79 30	3.1 .08 1	29 .97 6	400 6.56 42	232 4.83 31	103 2.90 18	24 .45 3	--	0.5	--	894 869	542 166
07/09/68 0815	5050 5050	.94 4.2	8.0 88	67 19	F C	8.7 7.7	1360	--	--	105 4.57 33	--	24 .90 5	423 6.94 51	--	43 2.34 17	--	--	0.4	--	--	505 118
09/04/68 1315	5050 5050	.98 4.0	8.3 97	73 23	F C	8.3 8.2	1810	73 3.64 18	80 6.58 32	234 10.18 49	7.2 .18 1	0.0	501 8.22 39	360 7.49 36	180 5.08 24	5.1 .08	--	0.1	--	1100 1185	510 99
01 1371.50 UVAS CREEK NEAR MORGAN HILL																					
05/08/68 1400	5050 5050	2.84 4.5	9.9 93	54 12	F C	8.1 7.6	338	31 1.55 45	17 1.40 41	10 .44 13	1.1 .03 1	0.0	158 2.59 77	25 .52 15	8.2 .23 7	1.4 .02 1	--	0.0	15 186	146 17	
09/04/68 1230	5050 5050	2.56 0.3	10.8 128	74 23	F C	8.3 8.0	389	35 1.75 45	20 1.64 42	10 .44 11	2.3 .06 2	0.0	186 3.05 79	29 .60 15	8.3 .23 6	0.2	--	2.0	--	158 198	168 16
01 2450.00 SAN BENITO RIVER NEAR BEAR VALLEY FIRE STATION																					
05/07/68 1545	5050 5050	4.84 25	8.9 103	72 22	F C	8.8 8.9	1170	20 1.00 7	122 10.03 71	69 3.00 21	3.4 .09 1	42 1.40 10	543 8.91 64	118 2.45 18	43 1.21 9	0.4 .01	--	0.8	4.7 690 689	554 39	
09/04/68 1430	5050 5050	3.76 0.1	16.3 212	83 28	F C	8.3 8.4	1730	20 1.00 5	93 7.64 40	238 10.35 54	5.5 .14 1	0.0	540 8.86 46	320 6.66 34	138 3.89 20	0.3	--	0.1	--	1030 1080	434 0
02 1220.00 SALINAS RIVER NEAR SPRECKLES																					
11/15/67 0645	5050 5050	6.27 120	8.2 81	58 14	F C	8.2 7.6	521	--	--	30 1.31 25	--	0.0	173 2.84 54	--	26 .73 14	--	--	0.0	--	--	189 47
01/17/68 0700	5050 5050		7.1 63	50 10	F C	8.3 7.8	1490	--	--	114 4.96 33	--	0.0	600 9.84 66	--	134 3.78 25	--	--	0.3	--	--	464 0
03/20/68 0645	5050 5050	5.57 41	10.1 96	55 13	F C	8.1 8.0	517	--	--	26 1.13 21	--	0.0	171 2.80 54	--	22 .62 11	--	--	0.0	--	--	191 51
05/09/68 0700	5050 5050	4.70 1.3	2.9 31	64 18	F C	8.1 7.4	1300	60 2.99 24	39 3.21 26	133 5.79 46	23 .59 5	0.0	345 5.66 45	86 1.79 14	144 4.06 32	74 1.19 9	--	0.3	35 760 763	311 28	

TABLE D-2
MINERAL ANALYSES OF SURFACE WATER

DATE TIME	LAH SAMPLER	G.H. J	DO SAT	TEMP	PH LA3 FLD	EC LA8 FLD	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE				MILLIGRAMS PER LITER					TH NCH
							CA	MG	NA	K	CO3	HCO3	SO4	CL	NO3	F	H	SI02	TDS SUM	
02 1220.00 SALINAS RIVER NEAR SPRECKLES CONTINUED																				
07/09/68	5150	5.03	4.3	73	F	7.7	1230	--	--	138	--	0.0	241	--	116	--	--	0.6	--	273
0650	5050	6.2	5.0	23	C	7.6			6.00	48			3.95		3.27					76
													32		26					
09/04/68	5050	4.69	4.6	74	F	8.1	1230	36	48	143	2.3	0.0	224	179	119	83	--	0.1	--	742
1110	5050	3.4	102	23	C	7.6		1.80	3.95	6.22	0.06		3.67	3.72	3.36	1.34			720	287
								15	33	52			30	31	28	11				104
02 1310.10 SALINAS RIVER NEAR CHULAH																				
09/04/68	5050	10.4	69	F	8.1	409	37	17	15	2.6	0.0	164	48	13	0.7	--	0.1	--	195	162
1030	5050	116	21	C	8.4		1.85	1.40	.65	.07		2.69	1.00	.37	.01				214	28
							47	35	16	2		66	25	9						
02 1450.00 SALINAS RIVER NEAR BRADLEY																				
05/07/68	5150	4.82	7.3	63	F	8.4	352	34	16	13	1.7	2.0	141	42	8.6	0.2	--	0.1	13	182
1300	5050	429	102	17	C	8.2		1.70	1.32	.57	.04	.07	2.31	.87	.24				200	31
								47	36	16	1	2	66	25	7					
09/04/68	5150	9.5	63	F	8.0	367	34	16	11	2.3	0.0	157	38	8.7	0.6	--	0.6	--	177	149
0820	5050	500	99	17	C	8.0		1.70	1.32	.48	.06		2.57	.79	.25	.01			188	21
								48	37	13	2		71	22	7					
03 1450.00 SALINAS RIVER AT PASO ROBLES																				
05/07/68	5050	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
1100	5050	0.0																		
03 3520.00 NACIMIENTO RIVER NEAR SAN MIGUEL																				
05/07/68	5050	4.82	11.4	58	F	8.3	308	30	15	9.8	1.4	0.0	135	36	7.4	0.0	--	0.0	11	168
1210	5050	348	112	14	C	8.0		1.50	1.23	.43	.04		2.21	.75	.21				177	137
								47	38	13	1		70	24	7					27
09/04/68	5050	5.20	4.7	60	F	8.0	347	32	16	8.3	2.3	0.0	150	34	7.8	0.5	--	0.8	--	154
0725	5050	476	88	16	C	7.4		1.60	1.32	.36	.06		2.46	.71	.22	.01			175	146
								48	40	11	2		72	21	6					23
04 1200.00 CARMEL RIVER AT ROBLES DEL RIO																				
05/08/68	5150	2.33	10.6	69	F	8.4	732	69	24	38	3.5	2.0	142	167	47	0.0	--	0.1	18	432
1100	5150	0.8	119	21	C	7.8		3.44	1.97	1.65	.09	.07	2.33	3.47	1.33				438	270
								48	28	23	1	1	32	48	18					150
E0 H 736.2 211.6 SAN FRANCISCO BAY AT SAN MATEO BRIDGE																				
10/05/67	5050	6.5	66	F	--	43700	--	--	--	--	--	--	--	15500	--	--	--	--	28900	--
0740	5050	70	19	C	8.1									437.10						
														100						
12/04/67	5050	8.3	54	F	--	43800	--	--	--	--	--	--	--	14500	--	--	--	--	28500	--
0745	5150	78	12	C	8.2									408.90						
														93						
02/16/68	5050	8.4	54	F	--	33400	--	--	--	--	--	--	--	13100	--	--	--	--	25800	--
0745	5050	79	12	C	8.0									369.42						
														110						
04/16/68	5050	6.2	58	F	--	34400	--	--	--	--	--	--	--	12300	--	--	--	--	24200	--
0850	5050	61	14	C	8.4									346.86						
														100						
06/12/68	5050	4.5	63	F	--	45900	--	--	--	--	--	--	--	16200	--	--	--	--	32300	--
0740	5050	68	17	C	8.2									456.84						
														99						
08/09/68	5050	7.6	65	F	--	50300	--	--	--	--	--	--	--	18400	--	--	--	--	34200	--
0710	5050	81	18	C	8.5									518.88						
														103						

TABLE D-2
MINERAL ANALYSES OF SURFACE WATER

DATE TIME	LAT SAMPLER	LONG DEPTH	DO SAT	TEMP	PH LAB FLD	EC LAB FLD	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE					MILLIGRAMS PER LITER					TH NCH
							CA	MG	NA	K	CO3	HCO3	SO4	CL	NO3	F	B	SI02	TDS SUM		
FO B 748.4 228.2 SAN FRANCISCO BAY AT FORT POINT																					
10/05/67	5050		6.1	52 F	--	47100	--	--	--	--	--	--	--	17100	--	--	--	--	32400	--	
0740	5050		62	17 C	8.4									482.22							
														102							
12/05/67	5050		8.1	50 F	--	47500	--	--	--	--	--	--	--	17000	--	--	--	--	31800	--	
0855	5050		73	13 C	8.3									479.40							
														100							
02/15/68	5050		7.1	52 F	--	42300	--	--	--	--	--	--	--	15200	--	--	--	--	29800	--	
0845	5050		64	11 C	8.2									424.64							
														101							
04/15/68	5050		8.1	55 F	--	44900	--	--	--	--	--	--	--	16300	--	--	--	--	31200	--	
0940	5050		77	13 C	8.2									459.66							
														102							
05/12/68	5050		7.2	50 F	--	48200	--	--	--	--	--	--	--	17800	--	--	--	--	34000	--	
0820	5050		73	16 C	8.2									501.96							
														104							
08/07/68	5050		6.7	52 F	--	50700	--	--	--	--	--	--	--	18300	--	--	--	--	35000	--	
0750	5050		67	17 C	8.3									516.06							
														101							
FO B 749.2 222.4 SAN FRANCISCO BAY AT TREASURE ISLAND																					
10/05/67	5050		6.1	62 F	--	46100	--	--	--	--	--	--	--	16600	--	--	--	--	32300	--	
0615	5050		71	17 C	8.4									468.12							
														101							
12/05/67	5050		7.9	54 F	--	44900	--	--	--	--	--	--	--	15900	--	--	--	--	29100	--	
0905	5050		74	12 C	8.0									448.38							
														99							
02/15/68	5050		8.0	51 F	--	39400	--	--	--	--	--	--	--	14600	--	--	--	--	27300	--	
0710	5050		72	11 C	7.4									411.72							
														104							
04/15/68	5050		6.1	58 F	--	41700	--	--	--	--	--	--	--	14600	--	--	--	--	28300	--	
0810	5050		60	14 C	8.2									411.72							
														98							
05/11/68	5050		8.2	60 F	--	47300	--	--	--	--	--	--	--	16600	--	--	--	--	30300	--	
0704	5050		83	16 C	7.5									468.12							
														98							
08/08/68	5050		6.4	63 F	--	49900	--	--	--	--	--	--	--	17800	--	--	--	--	35200	--	
0650	5050		67	17 C	8.1									501.96							
														100							
FO B 757.7 225.6 SAN PABLO BAY AT POINT SAN PABLO																					
10/04/67	5050		5.9	64 F	--	31700	--	--	--	--	--	--	--	10900	--	--	--	--	22300	--	
0805	5050		62	18 C	8.3									307.38							
														96							
12/05/67	5050		7.7	56 F	--	36700	--	--	--	--	--	--	--	12500	--	--	--	--	23300	--	
1045	5050		74	13 C	8.2									352.50							
														96							
02/15/68	5050		8.1	54 F	--	30000	--	--	--	--	--	--	--	10900	--	--	--	--	21100	--	
0945	5050		76	12 C	8.1									307.38							
														102							
04/16/68	5050		5.5	59 F	--	33000	--	--	--	--	--	--	--	12000	--	--	--	--	23400	--	
1040	5050		56	15 C	8.2									338.40							
														102							
06/12/68	5050		4.3	65 F	--	41200	--	--	--	--	--	--	--	14100	--	--	--	--	28100	--	
0920	5050		47	18 C	7.6									397.62							
														96							
08/09/68	5050		7.4	64 F	--	45500	--	--	--	--	--	--	--	16300	--	--	--	--	30300	--	
0855	5050		78	18 C	8.3									459.66							
														101							
FO B 802.3 207.1 SUIJUN BAY OFF BULLS HEAD POINT AT MARTINEZ																					
02/27/68			8.6	57 F	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
1245	5001	3	83	14 C	7.2	4000															
02/27/68				57 F	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
1246	5001	16		14 C		4600															
03/23/68	5006		1.0	61 F	7.2	1000	14	29	150	8.2	--	90	45	246	--	--	--	--	574	155	
0945	5001	3	10	16 C	7.4	1500	.70	2.41	6.53	.21		1.48	.94	6.94					537	81	
							7	24	66	2		16	10	74							
04/23/68			5.5	59.9F	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
1205	5001	3	56	15.5C	7.7	22000															
05/20/68	5006		7.8	63 F	--	27500	--	--	--	--	--	--	--	9270	--	--	--	--	18030	--	
1230	5001	3	81	17 C	7.8	17000								261.41							
														95							

TABLE D-2
MINERAL ANALYSES OF SURFACE WATER

DATE TIME	LAB SAMPLER	G.M. DEPTH	DO SAT	TEMP	PH LAB FLD	EC LAB FLD	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE				MILLIGRAMS PER LITER				
							CA	MG	NA	K	CO3	HCO3	SO4	CL	NH3	F	H	SiO2	TDS SUM
E0 B 802.3 207.1 SUISUN BAY OFF BULLS HEAD POINT AT MARTINEZ (CONTINUED)																			
08/16/68 1510	5001	3	7.4 81	67.1F 19.5C	-- 7.8	-- 27000	--	--	--	--	--	--	--	--	--	--	--	--	--
09/05/68 1325	5001	3	8.7 96	68.0F 20.0C	-- 7.8	-- 17000	--	--	--	--	--	--	--	--	--	--	--	--	--
09/27/68 0900	5006 5001	3	8.2 90	67.1F 19.5C	-- 8.2	18252 18200	5.0 .25	718 59.06	4900 213.15	180 4.61	-- 1.49	115 20.80	1000 239.70	8500 3.70	--	--	0.5	-- 15138 15350	2259 2457
E0 B 802.4 208.2 SUISUN BAY AT BENICA																			
10/05/67 0955	5050 5050	9.65	7.6 82	65 F 19 C	-- 8.0	6010	--	--	--	--	--	--	1760 49.63 42	--	--	--	--	3460	--
12/05/67 1200	5050 5050	11.72	9.0 84	54 F 12 C	-- 7.6	13800	--	--	--	--	--	--	4340 123.52 49	--	--	--	--	8000	--
02/15/68 1000	5050 5050	10.50	9.5 85	50 F 10 C	-- 7.2	4330	--	--	--	--	--	--	1180 33.28 76	--	--	--	--	2350	--
04/15/68 1100	5050 5050	8.97	8.5 86	60 F 16 C	-- 7.9	9220	--	--	--	--	--	--	2740 77.27 83	--	--	--	--	5420	--
06/11/68 0955	5050 5050		8.0 82	61 F 16 C	-- 8.0	18200	--	--	--	--	--	--	5920 166.94 91	--	--	--	--	10200	--
08/08/68 0930	5050 5050	8.41	7.4 78	64 F 18 C	-- 8.4	23800	--	--	--	--	--	--	7980 225.04 94	--	--	--	--	15800	--
E0 B 802.8 153.6 SACRAMENTO RIVER BELOW PITTSBURG																			
09/24/68	5050 5050		--	--	--	3440	--	--	--	--	--	--	1020 28.76 83	--	--	--	--	1780	--
E0 B 802.8 155.0 SACRAMENTO RIVER AT CHIPPS ISLAND																			
01/26/68 1108	5006 5001	3	10.1 87	48 F 9 C	-- 7.3	-- 2200	--	--	--	--	--	--	--	--	--	0.5	--	--	--
01/26/68 1109	5001	16	10.0 86	48 F 9 C	-- 7.3	-- 4000	--	--	--	--	--	--	--	--	--	--	--	--	--
01/26/68 1120	5001	40	9.9 85	48 F 9 C	-- 7.2	-- 4500	--	--	--	--	--	--	--	--	--	--	--	--	--
02/27/68 1340	5001	3	7.6 75	58 F 14 C	-- 7.0	-- 200	--	--	--	--	--	--	--	--	--	--	--	--	--
02/27/68 1341	5001	16		57 F 14 C	--	-- 2000	--	--	--	--	--	--	--	--	--	--	--	--	--
05/20/68 1240	5006 5001	3	9.1 97	64 F 18 C	-- 7.9	6200 8500	--	--	--	--	--	--	2160 60.91 98	--	--	--	12	3734	--
06/18/68 1305	5006 5001	3	8.6 96	68.9F 20.5C	-- 8.0	9090 8200	70 3.49	200 16.51	1590 69.17	16 .42	0.0 1.54	94 9.05	435 77.69	2755 10.88	--	--	--	5371 5114	999 923
07/18/68 1245	5006 5001	3	8.8 104	73 F 23 C	-- 8.3	10460 10000	--	--	--	--	--	--	--	--	--	--	--	--	--
08/02/68 0845	5006 5001		8.4 93	68 F 20 C	-- 7.7	9505 9000	73 3.64	204 16.77	1500 65.25	51 1.31	0.0 1.46	89 4.62	30 87.12	3089 1.98	--	--	--	5570 4991	1020 948
08/15/68 1100	5001	3	9.3 103	68.0F 20.0C	-- 8.2	-- 3500	--	--	--	--	--	--	--	--	--	--	--	--	--
09/27/68 1025	5006 5001	3	9.3 102	67.1F 19.5C	-- 8.2	8436 7300	5.0 .25	212 17.48	1300 56.55	49 1.25	-- 1.77	108 4.16	200 67.68	2400 6.92	--	--	.69	-- 4499 4220	884 796

TABLE D-2
MINERAL ANALYSES OF SURFACE WATER

DATE TIME	LAR SAMPLER	G.H. DEPTH	OO SAT	TEMP	PH LAB FLO	EC LAB FLO	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE					MILLIGRAMS PER LITER					TH NCH
							CA	MG	NA	K	CO3	HC03	SO4	CL	NO3	F	H	SI02	TDS SUM		
E0 B 802.8 207.1 SUISUN BAY NEAR BENICIA																					
01/26/68 1015	5001	6.50 3	9.2 81	50 10	F C	-- 7.4	-- 24000	--	--	--	--	--	--	--	--	--	1.8	--	--	--	
01/26/68 1016	5001	16	9.5 84	50 10	F C	-- 7.6	-- 24000	--	--	--	--	--	--	--	--	--	--	--	--	--	
01/26/68 1120	5001	32	9.9 85	48 9	F C	-- 7.2	-- 4500	--	--	--	--	--	--	--	--	--	--	--	--	--	
02/27/68 1230	5001	3	9.0 87	57 14	F C	-- 7.2	-- 2000	--	--	--	--	--	--	--	--	--	--	--	--	--	
02/27/68 1231	5001	16		57 14	F C	-- --	-- 4000	--	--	--	--	--	--	--	--	--	--	--	--	--	
E0 B 803.0 155.9 SACRAMENTO RIVER NEAR SIMMONS POINT																					
09/24/68 1342	5050 5050			--	--	4250	--	--	--	--	--	--	--	1220 34.40 80	--	--	--	--	2170	--	
E0 B 803.2 204.8 SUISUN BAY ABOVE AVON PIER																					
09/27/68 0925	5006 5001	3	8.6 95	68 20	F C	-- 8.1	16100 15800	--	--	--	--	--	--	6850 193.17 119	--	--	.90	--	13200	--	
E0 B 803.5 157.7 SUISUN BAY NEAR MIDDLE GROUND ISLAND																					
09/24/68 1349	5050 5050			--	--	6700	--	--	--	--	--	--	--	1990 56.12 83	--	--	--	--	3620	--	
E0 B 803.6 159.3 SUISUN BAY OFF MIDDLE POINT																					
01/26/68 1043	5001	6.50 3	9.6 84	49 9	F C	-- 7.4	-- 8500	--	--	--	--	--	--	--	--	--	1.0	--	--	--	
01/26/68 1044	5001	16	10.0 87	49 9	F C	-- 7.3	-- 11000	--	--	--	--	--	--	--	--	--	--	--	--	--	
02/27/68 1305	5001	3	9.5 93	58 14	F C	-- 7.1	-- 210	--	--	--	--	--	--	--	--	--	--	--	--	--	
02/27/68 1306	5001	16		57 14	F C	-- --	-- 210	--	--	--	--	--	--	--	--	--	--	--	--	--	
03/20/68 1220	5001	3	9.7 93	56 13	F C	-- 7.5	-- 220	--	--	--	--	--	--	--	--	--	--	--	--	--	
03/20/68 1555	5001	3	11.7 112	56 13	F C	-- 7.4	-- 210	--	--	--	--	--	--	--	--	--	--	--	--	--	
03/20/68 1805	5001	3	10.6 102	56 13	F C	-- 7.6	-- 205	--	--	--	--	--	--	--	--	--	--	--	--	--	
03/20/68 2035	5001	3	10.5 93	50 10	F C	-- 7.6	-- 220	--	--	--	--	--	--	--	--	--	--	--	--	--	
03/21/68 0001	5001	3	10.9 102	54 12	F C	-- 7.7	-- 230	--	--	--	--	--	--	--	--	--	--	--	--	--	
03/21/68 0240	5001	3	10.6 99	53.6 12.0	F C	-- 7.4	-- 220	--	--	--	--	--	--	--	--	--	--	--	--	--	
03/21/68 0530	5006 5001	3	12.3 115	54 12	F C	7.4 7.5	226 240	16 .83 34	8.8 .72 30	19 .83 34	2.0 .05 2	-- 1.18 54	72 .37 17	19 .62 29	--	--	0.5	--	134 122	78 19	
03/21/68 0840	5001	3	11.4 109	55 13	F C	-- 7.6	-- 260	--	--	--	--	--	--	--	--	--	--	--	--	--	
03/21/68 1210	5001	3	10.8 106	58 14	F C	-- 7.5	-- 220	--	--	--	--	--	--	--	--	--	--	--	--	--	
03/21/68 1510	5001	3	9.9 96	57 14	F C	-- 7.6	-- 205	--	--	--	--	--	--	--	--	--	--	--	--	--	

TABLE D-2
MINERAL ANALYSES OF SURFACE WATER

DATE TIME	LAH SAMPLER	G.H. DEPTH	DO SAT	TEMP	PH LA3 FLD	EC LAH FLU	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE					MILLIGRAMS PER LITER					TH NCM
							CA	MG	NA	K	CO3	HCO3	SO4	CL	NO3	F	H	SI02	TOS SUM		
EO B 803.6 159.3 SUISUN BAY OFF MIDDLE POINT CONTINUED																					
03/21/68 1835	5001	3	9.4 93	55 13	F C	-- 7.5	-- 210	--	--	--	--	--	--	--	--	--	--	--	--	--	
03/21/68 2110	5001	3	10.0 95	55 13	F C	-- 7.4	-- 210	--	--	--	--	--	--	--	--	--	--	--	--	--	
03/22/68 0025	5001	3	9.6 91	55 13	F C	-- 7.6	-- 240	--	--	--	--	--	--	--	--	--	--	--	--	--	
03/22/68 0245	5001	3	10.5 100	55 13	F C	-- 7.5	-- 230	--	--	--	--	--	--	--	--	--	--	--	--	--	
03/22/68 0600	5001	3	10.1 96	55 13	F C	-- 7.5	-- 220	--	--	--	--	--	--	--	--	--	--	--	--	--	
05/20/68 1140	5006 5001	3	9.1 95	63.5F 17.5C	-- 8.2	9000 12500	--	--	--	--	--	--	--	3190 89.96 99	--	--	--	12	5962	--	
06/18/68 1240	5006 5001	3	9.4 91	66 19	F C	-- 8.0	14500 13310	107 5.37	319 26.23	2650 115.28	12 .32	0.0 1.61	98 17.06	820 127.04	4505 12.87	--	--	--	8213 8462	1578 1499	
07/18/68 1220	5006 5001	3	9.0 106	73 23	F C	-- 8.0	14940 13500	--	--	--	--	--	--	--	--	--	--	--	--	--	
08/15/68 1040	5001	3	9.1 101	68.0F 20.0C	-- 8.1	-- 4000	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
09/27/68 1000	5006 5001	3	9.5 104	67.1F 19.5C	-- 8.3	12560 9900	5.0 .25	364 29.95	2100 91.35	78 2.00	-- 2	109 1.79	420 8.74	4100 115.62	-- 7	-- 92	.75	--	9650 7122	1507 1419	
EO B 804.0 203.0 SUISUN BAY NEAR PRESTON POINT																					
09/27/68 0945	5006 5001	3	9.6 104	66.2F 19.0C	-- 8.3	11300 11800	--	--	--	--	--	--	--	4900 138.18 122	--	--	.80	--	9297	--	
EO B 804.3 151.8 MONTEZUMA SLOUGH AT SACRAMENTO RIVER																					
09/24/68 5050 5050			-- --	-- --	-- --	3650	--	--	--	--	--	--	--	1100 31.02 84	--	--	--	--	1900	--	
EO B 804.4 156.2 MONK BAY NEAR WHEELER POINT																					
01/11/68 1103	5001	3	12.4 101	44 7	F C	-- 7.2	-- 7000	--	--	--	--	--	--	--	--	--	--	--	--	--	
02/26/68 1300	5001	3	9.1 88	57 14	F C	-- 7.2	-- 170	--	--	--	--	--	--	--	--	--	--	--	--	--	
03/20/68 1420	5001	3	10.1 98	57 14	F C	-- 7.7	-- 240	--	--	--	--	--	--	--	--	--	--	--	--	--	
03/20/68 1735	5001	3	11.9 116	57 14	F C	-- 7.8	-- 230	--	--	--	--	--	--	--	--	--	--	--	--	--	
03/20/68 2000	5001	3	10.5 99	55 13	F C	-- 7.7	-- 200	--	--	--	--	--	--	--	--	--	--	--	--	--	
03/20/68 2230	5001	3	11.0 105	55 13	F C	-- 7.6	-- 240	--	--	--	--	--	--	--	--	--	--	--	--	--	
03/21/68 0215	5001	3	10.4 97	54 12	F C	-- 7.6	-- 240	--	--	--	--	--	--	--	--	--	--	--	--	--	
03/21/68 0440	5001	3	11.5 110	55 13	F C	-- 7.7	-- 220	--	--	--	--	--	--	--	--	--	--	--	--	--	
03/21/68 0805	5006 5001	3	11.8 113	56 13	F C	7.6 7.5	234 240	14 .72	6.9 .57	20 .87	2.0 .05	-- 1.23	75 .33	16 .62	21 28	--	--	0.5	135 119	64 3	
03/21/68 1035	5001	3	10.8 103	55 13	F C	-- 7.6	-- 220	--	--	--	--	--	--	--	--	--	--	--	--	--	
03/21/68 1405	5001	3	9.8 96	58 14	F C	-- 7.3	-- 260	--	--	--	--	--	--	--	--	--	--	--	--	--	

TABLE D-2
MINERAL ANALYSES OF SURFACE WATER

DATE TIME	LAB SAMPLER	G.H. DEPTH	DO SAT	TEMP	PH LAB FLD	EC LAB FLD	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE				MILLIGRAMS PER LITER					
							CA	MG	NA	K	CO3	HCO3	SO4	CL	NO3	F	H	SiO2	TDS SUM	TN NCH
E0 B 804.4 156.2 MONKER BAY NEAR WHEELER POINT CONTINUED																				
03/21/68 1655	5001	3	10.7 104	57 14	F C	-- 7.6	-- 200	--	--	--	--	--	--	--	--	--	--	--	--	--
03/21/68 2010	5001	3	10.2 97	55 13	F C	-- 7.5	-- 180	--	--	--	--	--	--	--	--	--	--	--	--	--
03/21/68 2300	5001	3	10.0 95	55 13	F C	-- 7.4	-- 250	--	--	--	--	--	--	--	--	--	--	--	--	--
03/22/68 0220	5001	3	11.2 107	55 13	F C	-- 7.4	-- 210	--	--	--	--	--	--	--	--	--	--	--	--	--
03/22/68 0500	5001	3	11.3 108	55 13	F C	-- 7.5	-- 230	--	--	--	--	--	--	--	--	--	--	--	--	--
03/22/68 0755	5001	3	11.6 110	55 13	F C	-- 7.5	-- 230	--	--	--	--	--	--	--	--	--	--	--	--	--
05/20/68 1200	5001	3	9.1 97	64 18	F C	-- 8.0	-- 8500	--	--	--	--	--	--	--	--	--	--	--	--	--
06/18/68 1215	5006 5001	3	8.7 96	68 20	F C	-- 8.1	9950 8790	74 3.71	215 17.72	1680 73.08	96 2.46	0.0 1.54	94 9.46	455 83.47	2960 88	--	--	--	5278 5527	1070 994
07/18/68 1155	5006 5001	3	8.8 104	73 23	F C	-- 7.9	11000 10000	--	--	--	--	--	--	--	--	--	--	--	--	--
08/15/68 1020	5001	3	9.1 101	68.0F 20.0C	-- 8.2	-- 2800	--	--	--	--	--	--	--	--	--	--	--	--	--	--
09/26/68 0852	5006 5001	3	8.8 96	66.2F 19.0C	-- 8.2	7742 6800	5.0 .25	249 20.47	1500 65.25	54 1.39	0.0 1.75	107 5.82	280 76.14	2700 91	--	--	.58	--	5527 4841	1037 950
E0 B 804.6 159.5 SUISUN BAY AT FREEMAN ISLAND																				
09/24/68 5050	5050		--	--	--	--	8680	--	--	--	--	--	--	2830 79.81 91	--	--	--	--	4650	--
E0 B 805.3 152.9 MONTEZUMA SLOUGH NR MONTEZUMA STATION																				
09/24/68 5050	5050		--	--	--	--	7130	--	--	--	--	--	--	2510 70.78 99	--	--	--	--	4040	--
E0 B 805.7 201.2 SUISUN BAY CUTOFF AT POINT HUCKLER																				
09/24/68 5050	5050		--	--	--	--	12400	--	--	--	--	--	--	4440 125.21 100	--	--	--	--	7460	--
E0 B 806.3 153.3 MONTEZUMA SLOUGH BELOW GRIZZLY SLOUGH																				
09/24/68 5050	5050		--	--	--	--	10100	--	--	--	--	--	--	3380 95.32 94	--	--	--	--	5780	--
E0 B 807.0 202.3 GRIZZLY BAY AT DOLPHIN NEAR SUISUN SLOUGH																				
01/11/68 1030	5001	3	10.9 85	41 5	F C	-- 9000	--	--	--	--	--	--	--	--	--	--	--	--	--	--
01/11/68 1035	5001	5.70 3	10.9 89	44 7	F C	-- 7.4	-- 11500	--	--	--	--	--	--	--	--	--	--	--	--	--
02/26/68 1230	5001	3	8.9 86	57 14	F C	-- 7.2	-- 200	--	--	--	--	--	--	--	--	--	--	--	--	--
03/20/68 1315	5001	3	10.0 98	58 14	F C	-- 7.7	-- 280	--	--	--	--	--	--	--	--	--	--	--	--	--
03/20/68 1645	5001	3	11.4 109	55 13	F C	-- 7.7	-- 220	--	--	--	--	--	--	--	--	--	--	--	--	--
03/20/68 1900	5006 5001	3	11.9 114	56 13	F C	-- 7.7	-- 220	--	--	--	--	--	--	--	--	--	0.5	--	--	--

TABLE D-2

MINERAL ANALYSES OF SURFACE WATER

DATE TIME	LAT SAMPLER	G.M. DEPTH	DD SAT	TEMP	PH LAB FLO	EC LAB FLO	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE					MILLIGRAMS PER LITER					TH VCM
							CA	MG	NA	K	CO3	HCO3	SO4	CL	NO3	F	B	SiO2	TDS SUM		
EO B 807.0 202.3 GRIZZLY BAY AT DOLPHIN NEAR SUISUN SLOUGH CONTINUED																					
03/20/68 2135	5001	3	10.0 95	55 13	F C	-- 7.6	-- 360	--	--	--	--	--	--	--	--	--	--	--	--	--	
03/21/68 0115	5006 5001	3	11.2 105	54 12	F C	-- 7.6	-- 220	--	--	--	--	--	--	--	--	--	0.5	--	--	--	
03/21/68 0335	5001	3	10.4 99	55 13	F C	-- 7.5	-- 380	--	--	--	--	--	--	--	--	--	--	--	--	--	
03/21/68 0700	5006 5001	3	10.4 100	56 13	F C	7.5 7.5	297 320	10 .54 18	14 1.18 40	27 1.17 40	2.8 .07 2	-- 73 1.20 45	21 .44 17	35 1.01 38	--	--	0.5	--	203 148	86 26	
03/21/68 0935	5001	3	10.5 110	63 17	F C	-- 7.7	-- 380	--	--	--	--	--	--	--	--	--	--	--	--	--	
03/21/68 1300	5001	3	10.6 103	57 14	F C	-- 7.6	-- 220	--	--	--	--	--	--	--	--	--	--	--	--	--	
03/21/68 1555	5001	3	9.9 101	61 16	F C	-- 7.4	-- 325	--	--	--	--	--	--	--	--	--	--	--	--	--	
03/21/68 1925	5001	3	10.0 95	55 13	F C	-- 7.5	-- 220	--	--	--	--	--	--	--	--	--	--	--	--	--	
03/21/68 2210	5001	3	9.9 96	57 14	F C	-- 7.4	-- 315	--	--	--	--	--	--	--	--	--	--	--	--	--	
03/22/68 0120	5001	3	10.6 101	55 13	F C	-- 7.6	-- 360	--	--	--	--	--	--	--	--	--	--	--	--	--	
03/22/68 0330	5001	3	10.4 99	55 13	F C	-- 7.6	-- 260	--	--	--	--	--	--	--	--	--	--	--	--	--	
03/22/68 0645	5001	3	12.0 114	55 13	F C	-- 7.4	-- 280	--	--	--	--	--	--	--	--	--	--	--	--	--	
05/20/68 1055	5001	3	9.2 96	63 17	F C	-- 8.1	-- 12000	--	--	--	--	--	--	--	--	--	--	--	--	--	
06/18/68 1130	5006 5001	3	8.7 95	67.1F 19.5C	-- 8.3	14500 13310	108 5.41 4	321 26.40 18	2500 108.75 76	96 2.46 2	0.0 --	98 1.61 1	790 16.43 12	4350 122.67 87	--	--	--	--	9143 8214	1588 1509	
07/18/68 1120	5006 5001	3	10.5 121	72 22	F C	-- 7.1	16600 14000	--	--	--	--	--	--	--	--	--	--	--	--	--	
08/15/68 0945	5001	3	9.6 106	68.0F 20.0C	-- 8.2	-- 3000	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
09/26/68 0821	5006 5001	3	9.4 102	66.2F 19.0C	-- 8.3	11082 9500	5.0 .25	331 27.22 23	2000 87.00 75	71 1.82 2	-- --	106 1.74 1	420 8.74 7	3850 108.57 91	--	--	.66	--	7737 6730	1375 1288	
EO B 807.2 203.7 SUISUN SLOUGH AT MOUTH																					
09/24/68 5050 5050			-- --	-- --	-- --	12600	-- --	-- --	-- --	-- --	-- --	-- --	4690 132.26 104	-- --	-- --	-- --	-- --	-- --	7410	--	
EO B 807.6 153.8 MONTEZUMA SLOUGH NR MOLENA																					
09/24/68 5050 5050			-- --	-- --	-- --	13000	-- --	-- --	-- --	-- --	-- --	-- --	4340 122.39 94	-- --	-- --	-- --	-- --	-- --	7610	--	
EO B 808.0 204.8 SUISUN SLOUGH BELOW GOODYEAR SLOUGH																					
09/24/68 5050 5050			-- --	-- --	-- --	12000	-- --	-- --	-- --	-- --	-- --	-- --	3990 112.52 93	-- --	-- --	-- --	-- --	-- --	6940	--	

TABLE D-2
MINERAL ANALYSES OF SURFACE WATER

DATE TIME	LAB SAMPLER	G.M. DEPTH	OO SAT	TEMP	PH LAB FLD	EC LAB FLO	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE					MILLIGRAMS PER LITER TDS					TH VCH
							CA	MG	NA	K	CO3	HC03	SO4	CL	NO3	F	B	SI02	SUM		
E0 8 808.4 154.5 MONTEZUMA SLOUGH AT MEINS LANDING																					
09/24/68	5050 5050			--	--	13200	--	--	--	--	--	--	4670 131.69 99	--	--	--	--	7700	--		
E0 8 808.4 203.6 MONTEZUMA SLOUGH NEAR MOUTH																					
09/24/68	5050 5050			--	--	11900	--	--	--	--	--	--	3870 109.13 91	--	--	--	--	6910	--		
E0 8 809.2 204.2 SUISUN SLOUGH NEAR CYGNUS																					
09/24/68	5050 5050			--	--	11700	--	--	--	--	--	--	4120 116.18 99	--	--	--	--	6990	--		
09/24/68	5050 5050			--	--	13000	--	--	--	--	--	--	4670 131.69 101	--	--	--	--	7680	--		
E0 8 810.0 202.5 MONTEZUMA SLOUGH ABOVE HUNTER CUT																					
09/24/68	5050 5050			--	--	11900	--	--	--	--	--	--	3990 112.52 94	--	--	--	--	6890	--		
E0 8 810.2 204.1 SUISUN SLOUGH NEAR TEAL																					
09/24/68	5050 5050			--	--	10700	--	--	--	--	--	--	3560 100.39 93	--	--	--	--	6400	--		
E0 8 810.3 157.4 MONTEZUMA SLOUGH AT FROST SLOUGH																					
09/23/68	5050 5050			--	--	12700	--	--	--	--	--	--	4420 124.64 98	--	--	--	--	7300	--		
E0 8 810.6 200.6 MONTEZUMA SLOUGH NEAR TREE SLOUGH																					
09/24/68	5050 5050			--	--	11700	--	--	--	--	--	--	3730 105.19 89	--	--	--	--	6640	--		
E0 8 810.8 202.8 SUISUN SLOUGH AT VOLANTI SLOUGH																					
09/24/68	5050 5050			--	--	10300	--	--	--	--	--	--	3470 97.85 95	--	--	--	--	5980	--		
E0 8 811.2 158.2 MONTEZUMA SLOUGH NEAR BELOONS LANDING																					
07/08/68	5050 5050			--	--	11300	--	--	--	--	--	--	3620 102.08 90	--	--	--	--	6550	--		
07/25/68	5050 5050			--	--	14200	--	--	--	--	--	--	4560 128.59 90	--	--	--	--	7950	--		
08/01/68	5050 5050			--	--	14700	--	--	--	--	--	--	4850 136.77 93	--	--	--	--	8770	--		
08/08/68	5050 5050			--	--	15600	--	--	--	--	--	--	5250 148.05 94	--	--	--	--	9390	--		
09/13/68	5050 5050			--	--	14900	--	--	--	--	--	--	5390 152.00 102	--	--	--	--	8180	--		
09/24/68	5050 5050			--	--	11900	--	--	--	--	--	--	4420 124.64 104	--	--	--	--	6830	--		
09/27/68	5050 5050			--	--	13500	--	--	--	--	--	--	4850 136.77 101	--	--	--	--	8130	--		

TABLE D-2
MINERAL ANALYSES OF SURFACE WATER

DATE TIME	LAB SAMPLER	G.H. Q	DO SAT	TEMP	PH LAB FLD	EC LAB FLD	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE				MILLIGRAMS PER LITER					TH NCH
							CA	MG	NA	K	CO3	MC03	SO4	CL	NO3	F	H	SI02	TDS SUM	
E3 1100.50 NAPA RIVER AT DUTTON LANDING																				
10/04/67 0755	5050 5050		5.9 62	63 17	F C	-- 7.3	19400	--	--	--	--	--	--	6430 181.33 93	--	--	--	--	12400	--
12/05/67 1025	5050 5050		7.7 71	53 12	F C	-- 7.4	18800	--	--	--	--	--	--	6260 176.53 93	--	--	--	--	11400	--
02/15/68 0825	5050 5050		8.1 76	54 12	F C	-- 7.7	7660	--	--	--	--	--	--	2280 64.30 83	--	--	--	--	4400	--
04/15/68 0930	5050 5050		7.0 74	64 18	F C	-- 7.5	8390	--	--	--	--	--	--	2520 71.06 84	--	--	--	--	4920	--
06/11/68 0825	5050 5050		6.8 77	70 21	F C	-- 8.1	21800	--	--	--	--	--	--	7220 203.60 93	--	--	--	--	13500	--
08/08/68 0800	5050 5050		5.9 68	71 22	F C	-- 7.6	34400	--	--	--	--	--	--	11400 321.48 93	--	--	--	--	22300	--
E3 1500.00 NAPA RIVER NEAR ST. HELENA																				
05/16/68 1430	5050 5050	.82 11	8.5 97	71 22	F C	7.8 7.4	304	22 1.10 36	11 .90 30	22 .96 32	2.6 .07 2	0.0	119 1.95 66	16 .33 11	19 .54 18	9.6 .15 5	--	0.5	38 199	102 5
E5 1150.00 ALAMEDA CREEK NEAR NILES																				
10/17/67 0705	5050 5050	2.83 19	9.3 95	61 16	F C	8.2 7.2	928	-- 4.05 43	--	93	--	0.0	230 3.77 40	-- 2.99 32	106	--	--	0.8	--	282 94
11/21/67 1030	5050 5050	3.25 70	10.2 100	58 14	F C	8.0 8.0	669	-- 3.13 46	--	72	--	0.0	145 2.38 35	-- 2.54 37	90	--	--	0.4	--	187 68
12/14/67 0800	5050 5050	3.40 98	11.5 90	41 5	F C	8.0 7.8	583	-- 2.83 48	--	65	--	0.0	106 1.74 29	-- 2.31 39	82	--	--	0.4	--	114 27
01/23/68 1015	5050 5050	3.25 70	11.2 96	48 9	F C	8.2 8.0	824	-- 3.48 42	--	80	--	0.0	144 2.36 28	-- 3.10 37	110	--	--	0.7	--	186 68
02/08/68 1250	5050 5050	2.90 26	10.5 88	46 8	F C	8.2 8.0	925	-- 2.96 32	--	68	--	0.0	252 4.13 44	-- 2.54 27	90	--	--	0.7	--	294 98
03/13/68 1005	5050 5050	3.79 203	10.4 95	52 11	F C	7.8 7.6	538	-- 1.61 29	--	37	--	0.0	105 1.72 31	-- 1.64 30	58	--	--	0.4	--	141 55
04/12/68 1245	5050 5050	3.37 92	10.0 101	60 16	F C	8.1 8.0	518	-- 1.96 37	--	45	--	0.0	117 1.92 37	-- 1.66 32	59	--	--	0.0	--	153 57
05/22/68 0930	5050 5050	3.14 52	9.0 96	65 18	F C	8.0 7.7	444	22 1.10 26	16 1.32 31	41 1.78 42	2.3 .06 1	0.0	117 1.92 47	32 .67 16	49 1.38 34	6.7 .11 3	--	0.3	12 239	120 24
06/14/68 1015	5050 5050	3.18 58	9.3 103	68 20	F C	8.5 8.0	452	-- 1.74 38	--	40	--	3.0 .10 2	119 1.95 43	-- 1.33 29	47	--	--	0.2	--	120 18
07/02/68 1000	5050 5050	3.21 63	9.1 101	68 20	F C	8.3 7.7	431	-- 1.65 38	--	38	--	0.0	113 1.85 42	-- 1.30 30	46	--	--	0.1	--	112 20
09/05/68 0915	5050 5050	3.18 58	8.4 96	71 22	F C	8.1 7.6	1070	-- 3.61 33	--	83	--	0.0	431 7.07 66	-- 1.64 15	58	--	--	0.5	--	388 35
E5 1400.00 ARROYO DEL VALLE NEAR LIVERMORE																				
01/18/68 0900	5050 5050	2.35 5.7	11.3 92	44 7	F C	-- 7.8	-- 660	57 2.84	41 3.37	42 1.83	--	--	-- 119 2.48	39 1.10	--	0.2	0.4	--	450	310 310
02/01/68 1005	5050 5050	3.05 80	12.2 101	45 7	F C	-- 8.1	416 380	34 1.70 40	21 1.73 41	18 .78 18	--	--	-- 52 1.08 25	13 .37 8	--	0.3	0.4	--	264	172 172
03/06/68 0915	5050 5050	2.38 6.9	11.1 105	55 13	F C	-- 8.1	608 545	45 2.25 37	32 2.63 43	35 1.52 25	--	--	-- 79 1.64 26	24 .68 11	--	0.2	0.5	--	299	246 246
04/03/68 0850	5050 5050	2.46 11	13.2 127	56 13	F C	-- 8.3	586 505	49 2.45 41	31 2.55 43	30 1.31 22	1.4 .04	--	-- 66 1.37 23	19 .54 9	--	0.2	0.5	--	325	248 248
05/01/68 1355	5050 5050	2.22 1.6	10.1 114	70 21	F C	8.4 8.4	701	50 2.50 33	36 2.96 40	45 1.96 26	2.1 .05 1	4.0 .13 2	263 4.31 58	93 1.93 26	35 .99 13	0.4 .01	--	0.6	9.0 396 404	273 51

TABLE D-2
MINERAL ANALYSES OF SURFACE WATER

DATE TIME	LAB SAMPLED	G.P. I	DO SAT	TEMP	PH LAB FLU	EC LAB FLU	MINERAL CONSTITUENTS IN				MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER PERCENT REACTANCE VALUE					MILLIGRAMS PER LITER					TDS SUM	TH NCH
							CA	MG	NA	K	CO3	HCO3	SO4	CL	NO3	F	B	SiO2				
E5 1400.00							ARROYO DEL VALLE NEAR LIVERMORE							CONTINUED								
04/05/68	5050	2.10	9.2	64	F	--	1210	64	54	103	--	--	--	184	107	--	0.2	1.9	--	724	380	
1015	5050	0.0	97	18	C	8.2	1000	3.19	4.44	4.48	--	--	--	3.83	3.02	--	--	--	--	380	380	
								26	36	37				31	24							
E6 4250.00							COYOTE CREEK NEAR MADRONE															
05/21/68	5050	2.44	10.4	54	F	8.3	363	33	16	17	2.1	0.0	165	29	11	1.4	--	0.1	7.3	193	147	
0930	5050	63	97	12	C	8.0		1.65	1.32	.74	.05		2.71	.60	.31	.02	--	--	--	198	12	
								44	35	20	1		74	16	9	1						
E6 5250.00							LOS GATOS CREEK AT LOS GATOS															
05/21/68	5050	3.41	10.3	55	F	8.2	388	40	15	16	1.7	0.0	141	59	9.8	0.3	--	0.0	12	224	162	
1145	5050	11	97	13	C	7.8		2.00	1.23	.70	.04		2.31	1.23	.28		--	--	--	223	47	
								50	31	18	1		60	32	7							
F8 2100.00							NAVARRO RIVER NEAR NAVARRO															
09/04/68	5050		10.4	68	F	7.6	282	25	12	14	1.3	0.0	143	8.4	8.8	0.0	--	0.0	--	147	110	
1210	5050	12	115	20	C	7.4		1.25	.99	.61	.03		2.35	.17	.25		--	--	--	140	0	
								43	34	21	1		85	6	9							
F8 2720.00							BIG RIVER NEAR MOUTH															
09/09/68	5050	5.42	9.4	65	F	7.8	216	19	7.4	12	1.4	0.0	116	3.4	1.0	0.0	--	0.1	--	120	78	
1610	5050	8.0	106	18	C	7.4		.95	.61	.52	.04		1.90	.07	.03		--	--	--	101	0	
								45	29	25	2		95	4	2							
F8 3080.50							NOYO RIVER NEAR FORT BRAGG															
09/10/68	5050	10.04	8.2	61	F	7.6	181	17	5.5	12	1.4	0.0	90	3.6	8.5	0.0	--	0.0	--	112	65	
0800	5050	2.8	83	15	C	7.1		.85	.45	.52	.04		1.48	.07	.24		--	--	--	92	0	
								46	24	28	2		83	4	13							
F9 1080.50							RUSSIAN RIVER AT GUERNEVILLE															
11/15/67	5050	4.33	8.5	60	F	8.2	322	--	--	17	--	0.0	149	--	13	--	--	0.3	--	--	126	
0810	5050	4.1	85	16	C	7.7				.74			2.44		.37		--	--	--		4	
										22			75		11							
01/23/68	5050	7.04	10.0	52	F	8.2	263	--	--	7.8	--	0.0	130	--	5.9	--	--	0.3	--	--	115	
0810	5050	1390	91	11	C	7.5				.34			2.13		.17		--	--	--		9	
										12			80		6							
03/20/68	5050	12.55	10.6	54	F	8.0	194	--	--	6.4	--	0.0	98	--	3.2	--	--	0.1	--	--	82	
0825	5050	5650	99	12	C	7.8				.28			1.61		.09		--	--	--		2	
										14			82		4							
05/22/68	5050	3.86	9.6	69	F	8.2	359	30	19	15	1.8	0.0	183	17	12	2.0	--	0.4	15	196	154	
0810	5050	190	105	21	C	8.2		1.50	1.56	.65	.05		3.00	.35	.34	.03	--	--	202		4	
								40	41	17	1		81	9	9	1						
07/09/68	5050	3.79	9.8	74	F	8.3	291	--	--	10	--	0.0	113	--	6.6	--	--	0.3	--	--	112	
0820	5050	180	104	23	C	8.1				.44			1.85		.19		--	--	--		20	
										15			63		6							
09/04/68	5050	3.81	8.3	70	F	8.0	576	--	--	57	--	0.0	127	--	85	--	--	0.2	--	--	132	
0630	5050	194	94	21	C	8.2				2.48			2.08		2.40		--	--	--		28	
										43			36		41							
F9 1500.00							RUSSIAN RIVER NEAR HEALSBURG															
05/15/68	5050	1.38	11.4	72	F	8.5	318	30	18	10	1.2	5.0	162	17	7.0	2.5	--	0.5	12	166	150	
1130	5050	198	132	22	C	8.9		1.50	1.48	.44	.03	.17	2.66	.35	.20	.04	--	--	--	183	9	
								43	43	13	1	5	78	10	6	1						
F9 1765.00							RUSSIAN RIVER NEAR HOPLAND															
05/14/68	5050	4.38	10.0	65	F	7.4	244	22	11	12	1.3	0.0	122	11	7.3	3.4	--	0.4	11	140	99	
1000	5050	168	107	18	C	7.5		1.10	.90	.52	.03		2.00	.23	.21	.05	--	--	--	139	0	
								43	35	20	1		80	9	8	2						
F9 4900.00							RUSSIAN RIVER, E.F., AT POTTER VALLEY POWERHOUSE															
05/14/68	5050	1.40	9.9	57	F	8.0	169	18	6.8	6.2	0.9	0.0	90	7.9	3.1	0.0	--	0.4	9.6	95	73	
0830	5050	47	96	14	C	7.8		.90	.56	.27	.02		1.48	.16	.09		--	--	--	97	0	
								51	32	15	1		86	9	5							

TABLE D-3

MISCELLANEOUS CONSTITUENTS IN SURFACE WATER

Four of the several column headings in the following table show:

Turbidity - The values are shown in Hellige turbidity units.

MBAS - Methylene blue active substances are a measure of detergents ABS and LAS.

As - Arsenic.

PO₄ - Phosphates as PO₄.

TABLE D-3
MISCELLANEOUS CONSTITUENTS IN SURFACE WATER
CENTRAL COASTAL AREA

Station	Station Number	Date	Turbidity	MBAS in mg/l	As in mg/l	PO ₄ in mg/l	Other Constituents mg/l
			Units				
ALAMEDA CREEK NEAR NILES	E51150.00	10-17-67	10				
		11-21-67	25				
		12-14-67	20				
		1-23-68	30				
		2-08-68	2				
		3-13-68	450				
		4-12-68	55				
		5-22-68	41		0.01	4.0	
		6-14-68	40				
		7-02-68	45				
		9-05-68	4				
ARROYO DEL VALLE NEAR LIVERMORE	E51400.00	1-18-68			0.00	0.02	Chromium 0.00
							Copper 0.00
							Iron Total 1.6
							Lead 0.01
							Manganese 0.00
							Phenols 0.001
							Selenium 0.00
		2-01-68			0.00	0.27	Zinc 0.00
							Chromium 0.00
							Copper 0.00
							Iron Total 16
							Lead 0.00
							Manganese 0.02
							Phenols 0.000
		3-06-68			0.00	0.03	Selenium 0.01
							Zinc 0.00
							Chromium 0.00
							Copper 0.07
							Iron Total 0.46
							Iron Dissolved 0.07
							Lead 0.00
		4-03-68			0.00	0.02	Manganese 0.05
							Phenols 0.000
							Selenium 0.00
							Zinc 0.00
							Chromium 0.00
							Copper 0.00
							Iron Total 1.1
		5-01-68 6-05-68	3		0.00 0.00	0.02 0.06	Iron Dissolved 0.02
							Lead 0.00
							Manganese 0.02
							Phenols 0.000
							Selenium 0.00
							Zinc 0.00
							Chromium 0.00
							Copper 0.00
							Iron Total 0.21
							Iron Dissolved 0.01
							Lead 0.00
							Phenols 0.000
							Selenium 0.00
							Zinc 0.00
CARMEL RIVER AT ROBLES DEL RIO	D41200.00	5-08-68	2		0.00	0.03	
COYOTE CREEK NEAR MADRONE	E64250.00	5-21-68	4		0.01	0.03	
LOS GATOS CREEK AT LOS GATOS	E65250.00	5-21-68	14		0.00	0.02	
NACIMIENTO RIVER NEAR SAN MIGUEL	D33520.00	5-07-68	4		0.00	0.02	
		9-04-68			0.02		Aluminum 0.02
							Copper 0.00
							Iron Dissolved 0.00
							Lead 0.00
							Manganese 0.00
							Zinc 0.00
NAPA RIVER AT DUTTONS LANDING	E31100.50	10-04-67					Suspended Solids 32
		12-05-67					Suspended Solids 31
		2-15-68					Suspended Solids 48
		4-15-68					Suspended Solids 85
		6-11-68					Suspended Solids 41
		8-08-68					Suspended Solids 36
NAPA RIVER NEAR ST. HELENA	E31500.00	5-16-68	10		0.01	0.32	

TABLE D-3
MISCELLANEOUS CONSTITUENTS IN SURFACE WATER
CENTRAL COASTAL AREA

Station	Station Number	Date	Turbidity	MBAS in mg/l	As in mg/l	PO4 in mg/l	Other Constituents mg/l
			Units				
PAJARO RIVER AT CHITTENDEN	D11250.00	11-15-67	25				
		1-17-68	20				
		3-20-68	20				
		5-09-68	4		0.01	0.26	
		7-09-68	60				
		9-04-68			0.02		Aluminum 0.04
							Copper 0.00
RUSSIAN RIVER AT GUERNEVILLE	F91080.50	11-15-67	25				Iron Dissolved 0.00
		1-23-68	35				Lead 0.00
		3-20-68	100				Manganese 0.00
		5-22-68	10		0.00	0.69	Zinc 0.00
		7-09-68	15				
		9-04-68	35				
RUSSIAN RIVER NEAR HEALDSBURG	F91500.00	5-16-68	2		0.00	0.02	
RUSSIAN RIVER NEAR HOPLAND	F91765.00	5-14-68	8		0.00	1.0	
RUSSIAN RIVER, EAST FORK, AT POTTER VALLEY POWERHOUSE	F94900.00	5-14-68	3		0.00	0.03	
SALINAS RIVER NEAR BRADLEY	D21850.00	5-07-68	6		0.01	0.08	
		9-04-68			0.01		Aluminum 0.02
SALINAS RIVER NEAR CHULAR	D21310.10						Copper 0.01
							Iron Dissolved 0.00
							Lead 0.00
							Manganese 0.00
							Zinc 0.00
SALINAS RIVER NEAR SPRECKELS	D21220.00	11-15-67	25				
		1-17-68	5				
		3-20-68	75				
		5-09-68	10		0.01	36	
		7-09-68	7				
		9-04-68			0.03		Aluminum 0.03
							Copper 0.00
SAN BENITO RIVER NEAR BEAR VALLEY FIRE STATION	D12450.00						Iron Dissolved 0.00
							Lead 0.00
							Manganese 0.00
							Zinc 0.00
SAN FRANCISCO BAY AT FORT POINT	EOB74842282	10-04-67					Aluminum 0.04
		12-04-67					Copper 0.00
		2-16-68					Iron Dissolved 0.00
		4-16-68					Lead 0.00
		6-12-68					Manganese 0.00
		8-09-68					Zinc 0.00
SAN FRANCISCO BAY AT SAN MATEO BRIDGE	EOB73622116	10-05-67					Suspended Solids 19
		12-04-67					Suspended Solids 14
		2-16-68					Suspended Solids 13
		4-16-68					Suspended Solids 19
		6-12-68					Suspended Solids 35
		8-09-68					Suspended Solids 15
SAN FRANCISCO BAY AT TREASURE ISLAND	EOB74922224	10-05-67					Suspended Solids 83
		12-05-67					Suspended Solids 69
		2-15-68					Suspended Solids 31
		4-15-68					Suspended Solids 205
		6-11-68					Suspended Solids 29
		8-08-68					Suspended Solids 16

TABLE D-3
MISCELLANEOUS CONSTITUENTS IN SURFACE WATER
CENTRAL COASTAL AREA

Station	Station Number	Date	Turbidity	MBAS in mg/l	As in mg/l	PO4 in mg/l	Other Constituents mg/l
			Units				
SAN LORENZO RIVER AT BIG TREES	D01200.00	11-21-67	7				
		1-23-68	7				
		3-13-68	20				
		5-22-68	2		0.01	0.43	
		7-02-68	4				
		9-05-68	3				
SAN PABLO BAY AT POINT SAN PABLO	EOB75772256	10-04-67					Suspended Solids 40
		12-05-67					Suspended Solids 50
		2-16-68					Suspended Solids 98
		4-16-68					Suspended Solids 55
		6-12-68					Suspended Solids 26
		8-09-68					Suspended Solids 22
SOQUEL CREEK AT SOQUEL	D03100.00	5-21-68	1		0.00	0.30	
SUISUN BAY AT BENICIA	EOB80242082	10-05-67					Suspended Solids 186
		12-05-67					Suspended Solids 69
		2-15-68					Suspended Solids 160
		4-15-68					Suspended Solids 620
		6-11-68					Suspended Solids 678
		8-08-68					Suspended Solids 440
UVAS CREEK NEAR MORGAN HILL	D11371.50	5-08-68	25		0.00	0.02	
		9-04-68			0.00		Aluminum 0.02 Copper 0.00 Iron Dissolved 0.00 Lead 0.01 Manganese 0.00 Zinc 0.00

TABLE D-4
SALINITY OBSERVATIONS AT BAY AND DELTA STATIONS *

(Chlorides in Milligrams Per Liter)

Station	Station Number	October 1967							
		2	6	10	14	18	22	26	30
CARQUINEZ STRAIT AT CROCKETT	E0B80352133	8,830	9,640	8,170	9,800		9,170		9,480
CARQUINEZ STRAIT AT MARTINEZ	E0B80192078		4,400 a	4,720	4,640	5,130 a	5,590	6,080	
SUISUN BAY AT PORT CHICAGO	E0B80342023	1,050		2,150	1,700		3,790	2,210	2,860
SUISUN BAY AT NICHOLS	E0B80301590	1,290 a		1,310 a	1,680	3,040	2,810	1,820	2,360
SACRAMENTO RIVER AT PITTSBURG	B9D80231530	75 ade	83		49	60	86		37
SACRAMENTO RIVER AT COLLINSVILLE	B9D80441513	26 a		23 a	27	24	29 ad		20
Station	Station Number	November 1967							
		2	6	10	14	18	22	26	30
CARQUINEZ STRAIT AT CROCKETT	E0B80352133		8,800	6,810			9,100	10,000	11,700
CARQUINEZ STRAIT AT MARTINEZ	E0B80192078	5,200 a	7,250	6,060	4,180 a		5,270	5,990	8,360
SUISUN BAY AT PORT CHICAGO	E0B80342023	3,880	3,700	1,460		3,580	3,160	4,690 ed	6,750
SUISUN BAY AT NICHOLS	E0B80301590	3,600					1,550	4,010	
SACRAMENTO RIVER AT PITTSBURG	B9D80231530	84	100 a	96 abd	87 d	157	129	96	193
SACRAMENTO RIVER AT COLLINSVILLE	B9D80441513	93	31 a	30		220	40 a	16	
Station	Station Number	December 1967							
		2	6	10	14	18	22	26	30
CARQUINEZ STRAIT AT CROCKETT	E0B80352133	10,100	7,710	6,920	7,330	11,400		9,460	10,300
CARQUINEZ STRAIT AT MARTINEZ	E0B80192078	5,270 a	6,220 a	3,180 ae	2,260	7,960 a	5,220 a	5,630 ae	8,310
SUISUN BAY AT PORT CHICAGO	E0B80342023	4,240	2,610			6,190	2,180	5,030	
SUISUN BAY AT NICHOLS	E0B80301590	4,310 d	2,230		1,390	5,320			5,070
SACRAMENTO RIVER AT PITTSBURG	B9D80231530	170		49	36	336		59	172
SACRAMENTO RIVER AT COLLINSVILLE	B9D80441513	340	42 a	25	49	74 a	18 bd	100	191
Station	Station Number	January 1968							
		2	6	10	14	18	22	26	30
CARQUINEZ STRAIT AT CROCKETT	E0B80352133	Broken	7,660		8,860	6,460	7,180	8,860	8,520
CARQUINEZ STRAIT AT MARTINEZ	E0B80192078	4,860 ad	2,510 d	7,690 a	7,920		5,240	7,060	4,880 a
SUISUN BAY AT PORT CHICAGO	E0B80342023		2,770	9,340	4,590	1,640	3,830		
SUISUN BAY AT NICHOLS	E0B80301590	862	2,540	7,850	4,090	1,100	1,590	4,310	2,590
SACRAMENTO RIVER AT PITTSBURG	B9D80231530		80	718 d	179 bd		36	68	132
SACRAMENTO RIVER AT COLLINSVILLE	B9D80441513	68 a	40	142	295		20	86	21 a

* Samples taken at four-day intervals approximately one and one-half hours after high high tide.

a Taken after low high tide.

d Taken over one hour off scheduled time.

b Taken on following day.

e Taken on preceding day.

c Taken two days later.

TABLE D-4
SALINITY OBSERVATIONS AT BAY AND DELTA STATIONS*

(Chlorides in Milligrams Per Liter)

Station	Station Number	February 1968							
		2	6	10	14	18	22	26	30
CARQUINEZ STRAIT AT CROCKETT	E0B80352133	4,790	6,100	7,660	7,400	7,110	4,410	3,430	
CARQUINEZ STRAIT AT MARTINEZ	E0B80192078	2,010	2,870	2,390	5,650	2,850 a	670 ae	190 a	
SUISUN BAY AT PORT CHICAGO	E0B80342023	431	302	1,630	1,770	1,050			
SUISUN BAY AT NICHOLS	E0B80301590	148	1,960	2,350		785	48	20	
SACRAMENTO RIVER AT PITTSBURG	B9D80231530	38 a		28	32	35			
SACRAMENTO RIVER AT COLLINSVILLE	B9D80441513	16	17	17	18		14	9	
Station	Station Number	March 1968							
		2	6	10	14	18	22	26	30
CARQUINEZ STRAIT AT CROCKETT	E0B80352133	2,880	1,820	4,500	6,350	4,310 ad	5,760		7,420 a
CARQUINEZ STRAIT AT MARTINEZ	E0B80192078	610	274	1,860	3,580	147 a	2,450	980 a	4,580
SUISUN BAY AT PORT CHICAGO	E0B80342023	202		174		98			1,760
SUISUN BAY AT NICHOLS	E0B80301590	16	12	87	444	50	35	116	1,090
SACRAMENTO RIVER AT PITTSBURG	B9D80231530	22		20		20	22 d	17	21 a
SACRAMENTO RIVER AT COLLINSVILLE	B9D80441513	8	8		16	13	16	12	35 a
Station	Station Number	April 1968							
		2	6	10	14	18	22	26	30
CARQUINEZ STRAIT AT CROCKETT	E0B80352133		5,900	9,920	11,500	9,250	9,920		11,500
CARQUINEZ STRAIT AT MARTINEZ	E0B80192078	2,750 a	4,900 ae	8,000	5,000 a	9,050	6,550 a	8,180	9,920
SUISUN BAY AT PORT CHICAGO	E0B80342023	1,950 ad	1,120	3,750	5,100		4,200		
SUISUN BAY AT NICHOLS	E0B80301590		610	3,820	4,650	4,220	3,300		6,520
SACRAMENTO RIVER AT PITTSBURG	B9D80231530	23 a	23	50 bd	187 a	204 d			
SACRAMENTO RIVER AT COLLINSVILLE	B9D80441513	18	20	20		525	331 a		1,360
Station	Station Number	May 1968							
		2	6	10	14	18	22	26	30
CARQUINEZ STRAIT AT CROCKETT	E0B80352133	11,200						12,000	11,500
CARQUINEZ STRAIT AT MARTINEZ	E0B80192078	6,790 a	7,830 a	10,400	6,920 a	9,100 ed	9,220	9,000	10,500
SUISUN BAY AT PORT CHICAGO	E0B80342023	7,050			9,190 ed	5,440		7,120	7,250
SUISUN BAY AT NICHOLS	E0B80301590	6,420	4,910 ad	7,100		4,540	2,140	5,980	4,030
SACRAMENTO RIVER AT PITTSBURG	B9D80231530			894 a		971		750 a	
SACRAMENTO RIVER AT COLLINSVILLE	B9D80441513	1,540	940 a		1,630	1,700 f	1,425 f	1,750 f	1,800 f

* Samples taken at four-day intervals approximately one and one-half hours after high high tide.

a Taken after low high tide.

d Taken over one hour off scheduled time.

b Taken on following day.

e Taken on preceding day.

c Taken two days later.

f Values from chloride recorder.

TABLE D-4
SALINITY OBSERVATIONS AT BAY AND DELTA STATIONS *

(Chlorides in Milligrams Per Liter)

Station	Station Number	June 1968							
		2	6	10	14	18	22	26	30
CARQUINEZ STRAIT AT CROCKETT	EOB80352133	10,200	12,900 e	13,500	12,600	13,100 e	12,600	14,000	11,500
CARQUINEZ STRAIT AT MARTINEZ	EOB80192078	8,250	8,470	9,170 a	10,200	9,120 e	8,740 a	10,400 a	9,930
SUISUN BAY AT PORT CHICAGO	EOB80342023	4,950			8,010	7,180 e	7,480	10,400	7,810
SUISUN BAY AT NICHOLS	EOB80301590	4,650	6,530	8,830	7,090	6,500 e	7,520	6,260 a	7,060
SACRAMENTO RIVER AT PITTSBURG	B9D80231530	1,080		1,800 d			1,110 a	1,750 a	1,790
SACRAMENTO RIVER AT COLLINSVILLE	B9D80441513			1,440 a	1,700 d	1,630 a	1,710 a	2,220 ad	
Station	Station Number	July 1968							
		2	6	10	14	18	22	26	30
CARQUINEZ STRAIT AT CROCKETT	EOB80352133	13,600		14,600	12,800	14,800 e	13,300		
CARQUINEZ STRAIT AT MARTINEZ	EOB80192078	10,400 a	11,800 e	12,600	10,700	8,180 a	12,500	13,600	8,320
SUISUN BAY AT PORT CHICAGO	EOB80342023	8,180	9,590	10,600	8,230	8,540 e	10,300	6,820 a	7,980
SUISUN BAY AT NICHOLS	EOB80301590	7,280	9,370	9,590	7,350	7,640 e	9,420	9,730	8,200
SACRAMENTO RIVER AT PITTSBURG	B9D80231530		2,340 a		2,820 a		2,730 a		
SACRAMENTO RIVER AT COLLINSVILLE	B9D80441513	2,420 a	2,600 a	2,510 a	2,630 a		2,740 a	3,820 bd	2,720
Station	Station Number	August 1968							
		2	6	10	14	18	22	26	30
CARQUINEZ STRAIT AT CROCKETT	EOB80352133				13,600	13,100 e		12,400	13,600
CARQUINEZ STRAIT AT MARTINEZ	EOB80192078	11,100 e	11,200	10,500 a	8,620 a	9,930 e	8,570 a	9,610	10,200
SUISUN BAY AT PORT CHICAGO	EOB80342023	9,250 e	10,700 bd	9,420	8,490		5,390 a	6,160	8,960
SUISUN BAY AT NICHOLS	EOB80301590			8,470	7,860	7,620 e	7,480	5,990	8,280
SACRAMENTO RIVER AT PITTSBURG	B9D80231530		1,890 a	2,230 a		1,610 a	1,350 abd		1,130 a
SACRAMENTO RIVER AT COLLINSVILLE	B9D80441513	2,130 a	2,110			1,670 ad	1,560 a	1,650	1,100 a
Station	Station Number	September 1968							
		2	6	10	14	18	22	26	30
CARQUINEZ STRAIT AT CROCKETT	EOB80352133		13,600	12,900	11,300	11,300	13,000		11,100 d
CARQUINEZ STRAIT AT MARTINEZ	EOB80192078	8,930 a	11,200	9,940	7,810 a	8,790	8,650	8,060ade	12,500 e
SUISUN BAY AT PORT CHICAGO	EOB80342023	9,220 e	8,400	6,540	7,370	8,280 b	4,750 a	8,080	8,650 e
SUISUN BAY AT NICHOLS	EOB80301590	7,090 e	3,110 a	5,980	5,520		4,640	7,780	7,620
SACRAMENTO RIVER AT PITTSBURG	B9D80231530	1,360 a	1,270 a	1,080 b	874 a	969 a	762 a		1,190 a
SACRAMENTO RIVER AT COLLINSVILLE	B9D80441513	1,250 bda	1,710 a	1,650	928 a	1,250 ad	1,040 a	1,650	1,630 d

* Samples taken at four-day intervals approximately one and one-half hours after high high tide.

a Taken after low high tide.

d Taken over one hour off scheduled time.

b Taken on following day.

e Taken on preceding day.

c Taken two days later.

TABLE D-5

NUTRIENTS IN SURFACE WATER

Abbreviations and Chemical Codes

NITRATE SERIES

NO ₃	-	Nitrate
NO ₂	-	Nitrite
ORG	-	Organic Nitrogen
NH ₄	-	Ammonium
TOTAL	-	Total Nitrogen
N	-	Nitrogen

PHOSPHATE SERIES

ORTHO	-	Ortho-Phosphate (not filtered)
HYDRO	-	Hydrolizable Phosphates (not filtered)
TOTAL	-	Total and Organic Phosphates (not filtered)

SAMP - Codes for agency collecting sample

5001 - U. S. Bureau of Reclamation

5050 - Department of Water Resources

LAB Codes for laboratory performing analysis

5006 - Laboratory at McClellan Air
Force Base used by U. S.
Bureau of Reclamation

5050 - Department of Water Resources
Laboratory at Bryte

TABLE D-5
NUTRIENTS IN SURFACE WATER

DATE TIME	NUTRIENTS (Mg/L)								MISCELLANEOUS NUTRIENTS												SAMP	LAB			
	NITROGEN SERIES AS N					PHOSPHATE SERIES AS P			CODE	VALUE	UR	CODE	VALUE	UR	CODE	VALUE	UR	CODE	VALUE	UR					
	NO ₃	NO ₂	ORG	NH ₄	TOTAL	ORTHO	HYDRO	TOTAL																	
D0 1200.00 SAN LORENZO RIVER AT BIG TREES																									
11-21-67 0735	0.4	0.00	0.3	0.13		0.18	0.02	0.26																5050	5050
01-23-68 0745	0.3	0.00	0.1	0.10		0.13	0.05	0.22																5050	5050
03-13-68 0745	0.2	0.00	0.6	0.14		0.15	0.13	0.4																5050	5050
05-22-68 0550	0.22	0.00	0.2	0.07		0.13	0.05	0.20																5050	5050
07-02-68 0635	0.16	0.00	0.2	0.01		0.18	0.09	0.28																5050	5050
09-05-68 0630	0.02	0.00	0.2	0.06		0.05	0.04	0.10																5050	5050
D0 3100.00 SOQUEL CREEK NEAR SOQUEL																									
05-21-68 1400						0.10																		5050	5050
D1 1250.00 PAJARO RIVER AT CHITTENDEN																									
11-11-67 0800	5.3	0.06	0.9	0.19		0.09	0.01	0.13																5050	5050
01-17-68 0845	6.5	0.04	0.9	0.42		0.09	0.04	0.17																5050	5050
03-20-68 0830	2.5	0.06	0.8	0.18		0.08	0.05	0.15																5050	5050
05-09-68 0840	7.0	0.10	1.2	0.16		0.09	0.05	0.14																5050	5050
07-09-68 0815	1.8	0.04	1.4	0.07		0.11	0.04	0.27																5050	5050
D1 1371.50 UVAS CREEK NEAR MORGAN HILL																									
05-21-68 1400						0.01																		5050	5050
D2 1220.00 SALINAS RIVER NEAR SPRECKELS																									
11-15-67 0645	0.8	0.04	0.7	0.69		0.29	0.11	0.4																5050	5050
01-17-68 0700	4.4	0.22	1.6	8.1		3	2	5																5050	5050
03-20-68 0645	0.4	0.03	1.1	0.31		0.24	0.26	0.5																5050	5050
05-09-68 0700	2.5	0.83	2.8	9.4		8	5	13																5050	5050
07-09-68 0650	3.3	0.14	2.0	13		14	4	19																5050	5050
EO B 736.2 211.6 SAN FRANCISCO BAY AT SAN MATEO BRIDGE																									
10-05-67 0740	0.6	0.02	0.4	0.03		0.31	0.09	0.4																5050	5050
12-04-67 0745	0.6	0.02	1.1	0.50		0.28	0.12	0.5																5050	5050
02-16-68 0745	0.8	0.03	0.5	0.04		0.17	0.09	0.4																5050	5050
04-16-68 0850	0.21	0.00	0.3	0.00		0.18	0.12	0.4																5050	5050
06-12-68 0740	0.09	0.00	0.5	0.15		0.17	0.13	0.5																5050	5050
08-09-68 0710	0.2	0.00	0.0	0.08		0.20	0.07	0.3																5050	5050
EO B 748.4 228.2 SAN FRANCISCO BAY AT FORT POINT																									
10-05-67 0740	0.3	0.01	0.2	0.03		0.08	0.01	0.10																5050	5050
12-04-67 0855	0.2	0.01	0.9	0.21		0.07	0.03	0.14																5050	5050
02-16-68 0845	0.5	0.01	0.3	0.03		0.06	0.02	0.10																5050	5050
04-16-68 0940	0.27	0.01	0.2	0.29		0.06	0.03	0.11																5050	5050
06-12-68 0820	0.32	0.01	0.4	0.36		0.09	0.11	0.32																5050	5050
08-09-68 0750	0.3	0.01	0.2	0.03		0.12	0.01	0.17																5050	5050

TABLE D-5
NUTRIENTS IN SURFACE WATER

DATE TIME	NUTRIENTS (Mg/L)								MISCELLANEOUS NUTRIENTS																SAMP	LAB
	NITROGEN SERIES AS N					PHOSPHATE SERIES AS P			CODE	VALUE	UR	CODE	VALUE	UR	CODE	VALUE	UR	CODE	VALUE	UR						
	NO ₃	NO ₂	ORG	NH ₄	TOTAL	ORTHO	HYDRO	TOTAL																		
EO B 749.2 222.4 SAN FRANCISCO BAY AT TREASURE ISLAND																										
10-05-67 0615	0.3	0.01	0.2	0.03		0.09	0.02	0.11															5050	5050		
12-05-67 0905	0.4	0.01	0.6	0.12		0.10	0.09	0.21															5050	5050		
02-15-68 0710	0.4	0.02	0.3	0.11		0.08	0.07	0.20															5050	5050		
04-15-68 0810	0.29	0.01	0.0	0.00		0.11	0.04	0.17															5050	5050		
06-11-68 0704	0.27	0.01	1.4	0.04		0.10	0.04	0.20															5050	5050		
08-08-68 0650	0.3	0.01	0.7	0.04		0.13	0.02	0.25															5050	5050		
EO B 757.7 225.6 SAN PABLO BAY AT POINT SAN PABLO																										
10-04-67 0805	0.4	0.03	0.7	0.07		0.09	0.03	0.15															5050	5050		
12-05-67 1045	0.5	0.02	0.6	0.00		0.09	0.05	0.19															5050	5050		
02-16-68 0945	0.6	0.02	0.8	0.15		0.07	0.09	0.20															5050	5050		
04-16-68 1040	0.50	0.04	1.8	0.34		0.09	0.08	0.22															5050	5050		
06-12-68 0920	0.84	0.09	2.7	1.2		0.19	0.11	0.4															5050	5050		
08-09-68 0855	0.4	0.03	0.0	0.04		0.09	0.03	0.17															5050	5050		
EO B 802.3 207.1 SUISUN BAY OFF BULLS HEAD POINT AT MARTINEZ																										
02-27-68 1245	0.5	<0.1	0.36	0.25	1.11	0.13		0.16															5001	5006		
03-29-68 0945	<0.10	<0.10	0.63	0.12	0.75	0.05		0.14															5001	5006		
04-23-68 1205	0.6	<0.1	0.82	<0.05	1.42	0.05		0.07															5001	5006		
05-20-68 1230	<0.5	<0.5	0.70	<0.05	0.70	0.12		0.15															5001	5006		
08-16-68 1325	0.2	<0.1	0.8	<0.1	1.0	0.08		0.16															5001	5006		
09-05-68 1325	<0.1	<0.1	1.7	<0.1	1.7	<0.1		<0.1															5001	5006		
09-27-68 0900	0.4	<0.1	0.5	0.4	1.3	0.10		0.11															5001	5006		
EO B 802.8 155.0 SACRAMENTO RIVER AT CHIPPS ISLAND																										
01-26-68 1108	0.45	<0.05	0.37	0.04	0.86	0.00		0.32															5001	5006		
02-27-68 1340	0.5	<0.1	0.41	0.18	1.09	0.20		0.22															5001	5006		
05-20-68 1240	<0.5	<0.5	1.50	0.0	1.50	0.13		0.17															5001	5006		
06-18-68 1305	0.2	0.0	1.20	0.0	1.40	0.0		0.17															5001	5006		
07-18-68 1245	0.4	<0.1	0.75	<0.1	0.75	<0.1		0.1															5001	5006		
08-02-68 0845	0.2	<0.1	<0.1	0.1	0.2	<0.16		<0.16															5001	5006		
08-15-68 1100	0.3	<0.1	<0.1	<0.1	0.3	0.08		0.26															5001	5006		
09-27-68 1025	0.3	<0.1	0.6	<0.1	0.9	0.10		0.12															5001	5006		
EO B 802.8 207.1 SUISUN BAY NEAR BENICIA																										
01-26-68 1015	0.70	<0.05	0.38	0.14	1.22	0.08		0.60															5001	5006		
02-27-68 1230	0.3	<0.1	0.30	0.13	0.73	0.09		0.13															5001	5006		
EO B 803.2 204.8 SUISUN BAY ABOVE AVON PIER																										
09-27-68 0925	0.4	<0.1	0.5	<0.1	0.9	0.10		0.11															5001	5006		

TABLE D-5
NUTRIENTS IN SURFACE WATER

DATE TIME	NUTRIENTS (Mg/L)								MISCELLANEOUS NUTRIENTS																SAMP	LAB
	NITROGEN SERIES AS N					PHOSPHATE SERIES AS P			CODE	VALUE	UR	CODE	VALUE	UR	CODE	VALUE	UR	CODE	VALUE	UR						
	NO ₃	NO ₂	ORG	NH ₄	TOTAL	ORTHO	HYDRO	TOTAL																		
EO B 803.6 159.3 SUISUN BAY OFF MIDDLE POINT																										
01-26-68 1043	0.60	<0.05	0.21	0.28	1.09	0.12																		5001	5006	
02-27-68 1305	0.5	<0.1	0.56	0.10	1.16	0.09																		5001	5006	
03-20-68 1220	1.7	<0.1	0.69	0.17	2.66	0.06																		5001	5006	
03-21-68 0001	1.7	<0.1	0.70	0.24	2.74	0.07																		5001	5006	
03-21-68 0530	1.7	<0.1	0.56	0.40	2.66	1.00																		5001	5006	
03-21-68 1210	2.2	<0.1	0.63	0.45	3.38	0.04																		5001	5006	
05-20-68 1140	<0.5	<0.5	1.50	0.0	1.50	0.12																		5001	5006	
06-18-68 1240	0.2	0.0	0.90	0.07	1.17	<0.01																		5001	5006	
07-18-68 1220	0.4	<0.1	0.9	<0.1	1.3	0.12																		5001	5006	
08-15-68 1040	0.3	<0.1	<0.1	<0.1	0.3	0.06																		5001	5006	
09-27-68 1000	0.3	<0.1	0.8	<0.1	1.1	0.10																		5001	5006	
EO B 804.0 203.0 SUISUN BAY NEAR PRESTON POINT																										
09-27-68 0945	0.3	<0.1	0.6	0.1	0.9	0.10																		5001	5006	
EO B 804.4 156.2 HONKER BAY NEAR WHEELER POINT																										
01-11-68 1103	0.09	0.0	0.33	0.12	0.54	1.15																		5001	5006	
02-26-68 1300	0.5	<0.1	0.37	0.10	0.97	0.23																		5001	5006	
03-20-68 2000	1.7	<0.1	0.48	0.09	2.37	0.08																		5001	5006	
03-21-68 0215	1.7	<0.1	0.75	0.15	2.60	0.07																		5001	5006	
03-21-68 0805	1.7	<0.1	0.55	0.25	2.50	0.15																		5001	5006	
03-21-68 1405	1.7	<0.1	0.55	0.10	2.35	0.18																		5001	5006	
05-20-68 1200	<0.5	<0.5	1.05	0.0	1.05	0.13																		5001	5006	
06-18-68 1215	0.4	0.0	1.31	0.08	1.79	0.0																		5001	5006	
07-18-68 1155	0.4	<0.1	0.8	<0.1	1.2	0.1																		5001	5006	
08-15-68 1020	0.3	<0.1	<0.1	<0.1	0.3	0.10																		5001	5006	
09-26-68 0852	0.2	<0.1	0.8	<0.1	1.0	0.10																		5001	5006	
EO B 807.0 202.3 GRIZZLY BAY AT DOLPHIN NEAR SUISUN SLOUGH																										
01-11-68 1035	0.41	0.0	0.45	0.07	0.93	1.05																		5001	5006	
02-26-68 1230	0.5	<0.1	0.10	0.09	0.69	0.12																		5001	5006	
03-20-68 1315	0.50	<0.10	1.11	0.08	1.69	0.08																		5001	5006	
03-20-68 1900	1.7	<0.1	0.60	0.08	2.48	0.03																		5001	5006	
03-21-68 0115	2.2	<0.1	1.20	0.20	3.60	0.12																		5001	5006	
03-21-68 0700	1.7	<0.1	1.88	0.23	3.81	0.06																		5001	5006	
03-21-68 1300	<0.1	<0.1	0.60	0.05	0.65	0.03																		5001	5006	
05-20-68 1055	<0.5	<0.5	0.95	<0.05	0.95	0.14																		5001	5006	
06-18-68 1130	0.1	0.0	1.62	0.12	1.84	<0.01																		5001	5006	

TABLE D-5
NUTRIENTS IN SURFACE WATER

DATE TIME	NUTRIENTS (Mg/L)								MISCELLANEOUS NUTRIENTS												SAMP	LAB
	NITROGEN SERIES AS N					PHOSPHATE SERIES AS P			CODE	VALUE	UR	CODE	VALUE	UR	CODE	VALUE	UR					
	NO ₃	NO ₂	ORG	NH ₄	TOTAL	ORTHO	HYDRO	TOTAL														
E0 B 807.0 202.3 GRIZZLY BAY AT DOLPHIN NEAR SUISUN SLOUGH (CONTINUED)																						
07-18-68 1120	0.0	<0.1	0.75	<0.1	0.75	0.1		0.22													5001	5006
08-15-68 0945	0.3	<0.1	<0.1	<0.1	0.3	0.10		0.14													5001	5006
09-26-68 0821	0.2	<0.1	0.6	<0.1	0.8	0.10		0.12													5001	5006
E3 1100.50 NAPA RIVER AT DUTTONS LANDING																						
10-04-67 0755	0.3	0.12	1.1	0.14		0.15	0.03	0.29													5050	5050
12-05-67 1025	0.7	0.03	1.0	0.00		0.06	0.01	0.12													5050	5050
02-15-68 0825	1.3	0.03	0.3	0.21		0.08	0.05	0.15													5050	5050
04-15-68 0930	1.00	0.03	0.8	0.24		0.13	0.07	0.23													5050	5050
06-11-68 0825	0.08	0.00	0.8	0.02		0.07	0.03	0.13													5050	5050
08-08-68 0800	0.2	0.01	0.7	0.00		0.09	0.06	0.21													5050	5050
E5 1150.00 ALAMEDA CREEK NEAR NILES																						
11-21-67 1030	1.9	0.05	0.6	0.19		0.8	0.5	1.4													5050	5050
01-23-68 1015	2.0	0.07	0.4	0.35		0.9	0.1	1.0													5050	5050
03-13-68 1005	1.6	0.04	1.8	0.41		1.0	0.3	1.4													5050	5050
05-22-68 0930	1.4	0.01	0.5	0.09		0.8	0.4	1.2													5050	5050
07-02-68 1000	0.65	0.00	0.4	0.00		0.32	0.18	0.5													5050	5050
09-05-68 0915	1.0	0.05	0.6	0.08		0.13	0.11	0.03													5050	5050
E5 1400.00 ARROYO DEL VALLE NEAR LIVERMORE																						
01-18-68 0900	0.3	0.00	0.2	0.18		0.01	0.00	0.02													5050	5050
02-01-68 1005	1.4	0.00	0.9	0.09		0.09	0.03	0.23													5050	5050
03-06-68 0915	0.0	0.00	0.2	0.17		0.01	0.00	0.02													5050	5050
04-03-68 0850	0.0	0.00	0.2	0.12		0.01	0.01	0.03													5050	5050
05-01-66 1355						0.01															5050	5050
06-05-68 1015	0.00	0.00	0.5	0.02		0.02	0.01	0.04													5050	5050
F9 1080.50 RUSSIAN RIVER AT GUERNEVILLE																						
11-15-67 0810	0.7	0.05	0.4	0.82		0.08	1.62	1.7													5050	5050
01-23-68 0810	0.7	0.01	0.2	0.25		0.10	0.05	0.17													5050	5050
03-20-68 0825	0.4	0.00	0.3	0.11		0.10	0.11	0.21													5050	5050
05-22-68 0810	0.31	0.02	0.4	0.05		0.20	0.05	0.29													5050	5050
07-09-68 0820	0.04	0.00	0.3	0.06		0.08	0.03	0.14													5050	5050
09-04-68 0630	0.83	0.00	0.4	0.06		0.5	0.1	0.6													5050	5050

TABLE D-6

PESTICIDES IN SURFACE WATER AND SEDIMENT

Abbreviations used in the following table include:

- BHC - Benzene hexachloride
- ppDDD - Para para isomer of dichloro
diphenyl dichloroethane
- ppDDE - Para para isomer of dichloro
diphenyl ethane
- DDT - Dichloro diphenyl trichlorethane
- ppDDT - Para para isomer of dichloro
diphenyl trichlorethane

Where two pesticides are reported together with a slash mark separating them (ppDDE/Dieldrin, Simazine/Atrazine, etc.), the reported concentration is an undifferentiated total of the two. Either of the two pesticides could make up the entire total.

TABLE D-6
PESTICIDES IN SURFACE WATER AND SEDIMENT
CENTRAL COASTAL AREA

Station	Station Number	Date and time sampled P.S.T.	Discharge in cfs	Specific conductance (micromhos at 25°C)	pH Field	Pesticides in Water (parts per trillion)	Pesticides in Sediment (parts per billion of dry weight)
NAPA RIVER AT DUTTONS LANDING	E31100.50	10- 4-67 0755		19400	7.3	BHC = 24 Dieldrin = 3 ppDDD = 5	
		2-15-68 0825		7660	7.7	BHC like = 7	
		6-11-68 0825		21800	8.1	BHC like = 8	
SAN FRANCISCO BAY AT COYOTE POINT	EOB73552194 (EOEH75.27)	10- 5-67 0800				No chlorinated pesticides detected	No chlorinated pesticides detected
		2-21-68 1030				BHC like = 6	
		6-10-68				Complex chlorinated compounds as DDT = 2100	
SAN FRANCISCO BAY AT FORT POINT	EOB74842282 (EOGJ47.72)	10- 5-67 0740		47100	8.4	No chlorinated pesticides detected	
		2-16-68 0845		42300	8.2	BHC like = 4	
		6-12-68 0820		48200	8.2	No chlorinated pesticides detected	
SAN FRANCISCO BAY AT SAN MATEO BRIDGE	EOB73622116 (EOEG85.33)	10- 5-67 0740		43700	8.1	No chlorinated pesticides detected	ppDDT = 1.2 Toxaphene like = 13
		2-16-68 0745		33400	8.0	BHC like = 12 Aldrin = 4 Dieldrin = 2	
		6-12-68 0740		45900	8.2	No chlorinated pesticides detected	
SAN FRANCISCO BAY AT TREASURE ISLAND	EOB74922224 (EOGH59.55)	10- 5-67 0615		46100	8.4	Unknown as DDT = 10 ppDDT = 4	
		2-15-68 0710		39400	7.4	BHC like = 2	
SAN PABLO BAY AT POINT SAN PABLO	EOB75772256 (EOHJ74.01)	10- 4-67 0805		31700	8.3	No chlorinated compounds detected	Toxaphene like = 110
		2-16-68 0945		30000	8.1	BHC like = 7	
		6-12-68 0920		41200	7.6	BHC like = 27	
SUISUN BAY AT BENICIA	EOB80242082 (EOJG30.19)	10- 5-67 0955		6010	8.0	Dieldrin = 4 ppDDD = 6 ppDDT = 3	BHC = 4.5 Toxaphene = 26
		12- 5-67 1200		13800	7.6	No chlorinated pesticides detected	
		2-15-68 1000		4330	7.2	Unknown as DDT = 4 BHC like = 4	
		4-15-68 1100		9220	7.9	BHC = 10	
		6-11-68 0955		18200	8.0	BHC like = 9 ppDDD = 4 Dieldrin = 2	
		8- 8-68 0930		23800	8.4	No chlorinated pesticides detected	

TABLE D-7
PLANKTON ANALYSIS OF SURFACE WATER

DATE TIME	PHYTOPLANKTON (NO/ML)					MOST ABUNDANT PHYTOPLANKTON (GENUS / %)								ZOOPLANKTON (NO / L)				MOST ABUNDANT ZOO- PLANKTON (GENUS/%)			SAMP	LAB	
	TOTAL	BL-GR C/F	GREEN C/F	FLAG GR/O	DIAOMS C/P	1	2	3	4	5	6	7	8	TOTAL	ROTIFER	CRUST	MISC	1	2	3			
EO B 736.2 211.6 SAN FRANCISCO BAY AT SAN MATEO BRIDGE																							
10-05-67 0740	772			450	290 32	F 99 58.3	D 03 37.6	D 66 4.1						32	8	24		C 02 50.0	R 99 25.0	C 50 25.0	5050	5050	
08-09-68 0710	446			220	96 130	F 99 49.3	D 60 29.1	D 03 21.5						24	3	12	9	C 02 37.5	M 02 37.5		5050	5050	
EO B 748.4 228.2 SAN FRANGISCO BAY AT FORT POINT																							
10-05-67 0740	254			190	64	F 99 74.8	D 03 18.9	D 02 6.3						56	3	50	3	C 02 83.3	R 99 8.4	M 03 8.4	5050	5050	
08-09-68 0750	1440		54	290	220 866	D 60 53.5	F 99 20.1	D 03 15.3	G 02 4.4	D 66 4.4	D 70 2.2			45	20	22	3	R 99 44.4	C 02 35.6		5050	5050	
EO B 749.2 222.4 SAN FRANCISCO BAY AT TREASURE ISLAND																							
10-05-67 0615	452			260	160 32	F 99 57.5	D 03 14.1	D 04 14.1	D 01 7.2	D 66 7.2				48	19	29		C 02 60.4	R 99 39.6		5050	5050	
08-08-68 0650	480			160	192 128	F 99 33.3	D 03 33.3	D 72 20.0	D 07 6.7	D 70 6.7				7	7			R 99 100			5050	5050	
EO B 757.7 225.6 SAN PABLO BAY AT POINT SAN PABLO																							
10-04-67 0805	350			190	96 64	F 99 54.3	D 03 27.4	D 65 9.1	D 66 9.1					152	20	132		C 02 78.9	R 99 13.2		5050	5050	
08-09-68 0855	480			190	194 96	F 99 39.6	D 03 27.1	D 72 13.3	D 04 6.7	D 07 6.7	D 66 6.7			148	19	129		C 02 81.0	R 99 12.8	C 50 6.0	5050	5050	
EO B 802.4 208.2 SUISUN BAY AT BENICIA																							
10-05-67 0955	4910			770	3750 390	D 03 34.6	D 02 15.7	F 99 15.7	D 04 13.0	D 72 10.4	D 66 5.3	D 05 2.6	D 61 2.6	437	390	47		R 99 89.2	C 02 10.8		5050	5050	
08-08-68 0930	5728		190	1200	2456 1882	D 72 26.2	D 03 24.4	F 99 20.9	D 04 10.1	D 50 6.7	D 02 6.6	G 02 3.3	D 05 1.7	60	60			R 99 100			5050	5050	
E3 1100.50 NAPA RIVER AT DUTTONS LANDING																							
10-04-67 0755	1250			830	290 130	F 99 43.2	F 01 23.2	D 03 23.2	D 70 10.4					31	6	25		C 06 80.6	R 99 19.4		5050	5050	
08-08-68 0800	1724			350	380 994	D 99 53.9	D 03 22.0	F 99 20.3	D 72 3.7					45	32	13		R 99 71.1	C 06 28.9		5050	5050	

The following are the codes and abbreviations used in this table.

PHYTOPLANKTON

Total - Total phytoplankton count per milliliter
Bl-Gr - Blue Green Algae
C/F - Coccoid over Filamentous (undifferentiated if dividing line not shown)
Green - Green Algae
Flag - Flagellates
Gr/O - Green over Other Pigmented (undifferentiated if dividing line not shown)
C/P - Centric over Pennate (undifferentiated if dividing line not shown)
Most Abundant Phytoplankton - Indicates specific genus code over its percentage of total

Blue-Green Algae

B 99 Unidentified
Coccoid
 B 00 Unidentified Coccoid
 B 03 Anacystis
 B 06 Dactylococcopsis
Filamentous
 B 50 Unidentified Filamentous
 B 51 Anabaena
 B 52 Aphanizomenon
 B 55 Oscillatoria

Green Algae

G 99 Unidentified
Coccoid
 G 00 Unidentified Coccoid
 G 02 Ankistrodesmus
 G 05 Closterium
 G 07 Crucigenia
 G 08 Dictyosphaerium
 G 10 Lagerheimia
 G 12 Oocystis
 G 15 Scenedesmus
 G 16 Staurastrum
 G 18 Tetrastrum

Green Algae (Continued)

Coccoid (Continued)

G 19 Schroederia
 G 20 Elakatothrix
 G 21 Sphaerocystis
 G 22 Selenastrum
 G 23 Tetradron
 G 24 Hornidium

Filamentous

G 50 Unidentified Filamentous

Flagellates

F 99 Unidentified

Green

F 00 Unidentified Green
 F 01 Dinoflagellates
 F 03 Euglena
 F 07 Phacus
 F 08 Trachelomonas

Other Pigmented

F 50 Unidentified Other
 F 52 Dinobryon
 F 55 Ceratium
 F 56 Cryptomonas

Diatoms

Centric

D 00 Unidentified Centric
 D 01 Biddulphia
 D 02 Coscinodiscus
 D 03 Cyclotella
 D 04 Melosira (salt water)
 D 05 Melosira (fresh water)
 D 06 Stephanodiscus
 D 07 Rhizosolenia

Pennate

D 50 Unidentified Pennate
 D 51 Achnanthes
 D 52 Amphiprora
 D 55 Asterionella
 D 57 Cocconeis
 D 60 Diatoma
 D 61 Diploneis
 D 62 Fragilaria
 D 64 Gyrodinium
 D 65 Navicula
 D 66 Nitzschia
 D 68 Rhoicosphenia
 D 70 Synedra
 D 71 Tabellaria
 D 72 Skeletonema

ZOOPLANKTON

Total - Total zooplankton count per milliliter
Crust - Crustacea
Misc - Miscellaneous zooplankton

Most Abundant Zooplankton

Rotifers

R 99 Unidentified Rotifers

Crustacea

C 99 Unidentified Crustacea

Cladocerans

C 01 Cladocera
 C 02 Nauplii
 C 06 Crab Zoa
 C 07 Crab Larvae

Copepods

C 50 Unidentified

Miscellaneous

M 02 Annelid Worms
 M 03 Fish Larvae
 M 04 Pulvinulina

Appendix E
GROUND WATER QUALITY

INTRODUCTION

This appendix presents ground water quality data collected during the period from October 1, 1967, through September 30, 1968. The data were collected from a number of major ground water sources in the Central Coastal Area in cooperation with other state, local, and federal agencies. During the 1968 water year, 336 wells were sampled in 20 ground water basins and subbasins or subareas.

At the time of field sampling, pH and temperature measurements are normally made. Comments on current conditions are noted in field books which are available in the files of the Department of Water Resources.

Laboratory analyses of ground waters were performed in accordance with "Standard Methods for the Examination of Water and Waste Water", 12th Edition, American Public Health Association, New York, N. Y.

The Region and Basin and State Well Numbering Systems are described in Appendix C, "Ground Water Measurements", on page 35. The locations of the ground water basins and subbasins are shown on Figure C-1, pages 39, 40, and 41.

INDEX TO MONITORED AREAS
GROUND WATER BASINS
IN THE CENTRAL COASTAL AREA

<u>Number</u>	<u>Name</u>	<u>Page</u>
NORTH COASTAL REGION 1-00.00		
1-15.00	Ukiah Valley	104
1-16.00	Sanel Valley	104
1-17.00	Alexander Valley	104
1-18.00	Santa Rosa Valley	104
1-19.00	Anderson Valley	105
1-20.00	Point Arena	105, 121
1-21.00	Fort Bragg Terrace	106, 121
SAN FRANCISCO BAY REGION 2-00.00		
2-01.00	Petaluma Valley	106
2-02.00	Napa-Sonoma Valley	107
2-02.01	Napa Valley	107
2-02.02	Sonoma Valley	108
2-03.00	Suisun-Fairfield Valley	108
2-04.00	Pittsburg Plain	109
2-05.00	Clayton Valley	109
2-06.00	Ygnacio Valley	109
2-09.00	Santa Clara Valley	110
2-09.01	East Bay Area	110
2-09.02	South Bay Area	113
2-10.00	Livermore Valley	116
CENTRAL COASTAL REGION 3-00.00		
3-02.00	Pajaro Valley	117
3-03.00	Gilroy-Hollister Valley	117
3-04.00	Salinas Valley	118
3-07.00	Carmel Valley	120

TABLE E-1

MINERAL ANALYSES OF GROUND WATER

An explanation of column headings follows:

The Lab and Sampler agency codes are as follows:

- 2400 - Santa Clara Valley Water Conservation District
- 5000 - U. S. Geological Survey
- 5050 - Department of Water Resources
- 5100 - Alameda County Flood Control and Water Conservation District
- 5112 - Sonoma County
- 5401 - Alameda County Water District

- Time - Pacific Standard Time on a 24-hour clock.
- Temp. - Water temperature in degrees Fahrenheit at the time of field sampling.
- pH - Measurement of acidity or alkalinity of water.
- EC - The electrical conductance in micromhos at 25° Celsius.
- TDS - Gravimetric determination of total dissolved solids at 180° Celsius.
- SUM - Total dissolved solids determined by addition of analyzed constituents.
- TH - Total hardness.
- NCH - Noncarbonate hardness.

The Mineral Constituents are as follows:

B	Boron	K	Potassium
Ca	Calcium	Mg	Magnesium
Cl	Chloride	Na	Sodium
CO ₃	Carbonate	NO ₃	Nitrate
F	Fluoride	SiO ₂	Silica
HCO ₃	Bicarbonate	SO ₄	Sulfate

MINERAL ANALYSES OF GROUND WATER

State Well Number Date Lab Time Sampler	Temp.	pH Lab Field	EC Lab Field	Mineral Constituents in				Milligrams per Liter Milliequivalents per Liter Percent Reactance Value					Milligrams per Liter					
				Ca	Mg	Na	K	CO ₃	HCO ₃	SO ₄	Cl	NO ₃	F	B	SiO ₂	TDS SUM	TH NCH	
NORTH COASTAL REGION 1.00.00																		
UKIAH VALLEY 1-15.00																		
14N/12W-05K01 M 7-11-68 5050 1130 5050			512											0.7				
14N/12W-11N01 M 7-11-68 5050 1030 5050		8.3	409	28 1.40 34	26 2.14 53	12 0.52 13		0 174 2.85			9.4 0.26			0.2			177 34	
14N/12W-26K01 M 7-11-68 5050 1300 5050	62		428											1.2				
15N/12W-35D01 M 7-10-68 5050 1730 5050	75		385											0.1				
16N/12W-05D01 M 7-10-68 5050 1445 5050		8.5	386	26 1.30 34	19 1.54 40	23 1.00 26		5 0.17 2.80	171		26 0.73			0.0			142 0	
16N/12W-05D02 M 7-10-68 5050 1500 5050	62		295								15 0.42			0.0				
16N/12W-09Q01 M 7-10-68 5050 1200 5050			396											0.0				
17N/12W-28M01 M 7-10-68 5050 1300 5050	61	7.9	192	14 0.70 36	9 0.74 39	11 0.48 25		0 1.18	72		5.5 0.16			0.0			72 13	
SANEL VALLEY 1-16.00																		
12N/11W-02F01 M 7-11-68 5050 1630 5050	63		383											0.2				
13N/11W-07D01 M 7-11-68 5050 1330 5050	59	8.4	287	20 1.00 33	19 1.60 53	10 0.44 14		2 0.07 2.59	158		5.2 0.15			0.2			130 0	
13N/11W-18D01 M 7-11-68 5050 1415 5050	60		418											1.1				
13N/11W-18E01 M 7-11-68 5050 1400 5050	61		404								6.8 0.11			1.5				
13N/11W-19N01 M 7-11-68 5050 1530 5050	62		305											0.1				
13N/11W-30H01 M 7-11-68 5050 1600 5050		8.3	393	30 1.50 38	24 1.94 50	11 0.48 12		0 2.98	182		8.2 0.23			0.1			172 23	
ALEXANDER VALLEY 1-17.00																		
09N/08W-07Q01 M 7-12-68 5050 1215 5050	75		603			133 5.78							0.9 0.05	0.4				
09N/09W-01P01 M 7-12-68 5050 1145 5050	59	8.5	403	33 1.65 38	28 2.33 53	9.4 0.41 9		6 0.20 3.34	204		5 0.14			0.0			199 23	
10N/09W-26L01 M 7-12-68 5050 1100 5050	63	8.3	625	33 1.65 25	55 4.56 67	13 0.56 8		0 5.24	320		8.6 0.24			0.0			311 49	
11N/10W-28N01 M 7-12-68 5050 0845 5050			404											0.4				
11N/10W-33G01 M 7-12-68 5050 0945 5050		7.8	199	12 0.60 32	6.3 0.52 28	17 0.74 40		0 1.00	61		18 0.51			0.1			56 6	
SANTA ROSA VALLEY 1-18.00																		
05N/09W-03F01 M 7-30-68 5050 1415 5050	75		527			96 4.18								0.5				

TABLE E-1 (Cont.)

MINERAL ANALYSES OF GROUND WATER

State Well Number Date Lab Time Sampler	Temp.	pH Lab Field	EC Lab Field	Mineral Constituents in				Milligrams per Liter Milliequivalents per Liter Percent Reactance Value					Milligrams per Liter					
				Ca	Mg	Na	K	CO ₃	HCO ₃	SO ₄	Cl	NO ₃	F	B	SiO ₂	TDS SUM	TH NCH	
SANTA ROSA VALLEY 1-18.00																		
06N/07W-17E02 M 7-31-68 5050 1430 5050			658										0.4 0.02	0.2				
06N/07W-18R01 M 7-30-68 5050 1500 5050			777							32 0.52								
06N/08W-03B01 M 7-31-68 5050 1100 5050	64		516							37 0.60								
07N/06W-29P01 M 7-30-68 5050 1615 5050			215			13 0.56												
07N/07W-15C01 M 7-29-68 5050 1730 5050		8.1	261	13 0.65 24	12 0.99 37	24 1.04 39		0	143 2.34		5.8 0.16			0.0			82 0	
07N/07W-29D01 M 7-31-68 5050 1345 5050		8.3	535	33 1.65 31	20 1.63 31	47 2.04 38		0	293 4.80		21 0.59			0.4			164 0	
07N/08W-03L01 M 7-30-68 5050 0900 5050			519			61 2.65												
07N/08W-05G01 M 7-30-68 5050 0945 5050		8.3	504	26 1.30 29	24 1.96 43	30 1.30 28		0	153 2.51		49 1.38			0.0			163 38	
07N/08W-18Q01 M 7-31-68 5050 0900 5050	64		714			65 2.83								0.1				
07N/08W-30P01 M 7-31-68 5050 0945 5050	65	7.5	1080	60 2.99 30	55 4.50 45	58 2.52 25		0	214 3.51		141 3.98			0.0			375 200	
07N/09W-09F01 M 7-30-68 5050 1300 5050	64	8.0	153	8.4 0.42 30	4.4 0.36 25	15 0.65 45		0	61 1.00		12 0.34			0.0			39 0	
07N/09W-36M01 M 7-31-68 5050 1030 5050			359			35 1.52								0.0				
08N/08W-20Q01 M 7-31-68 5050 1200 5050		8.1	483	20 1.00 22	20 1.68 36	45 1.96 42		0	211 3.46		35 0.99			0.1			134 0	
09N/10W-01C01 M 7-30-68 5050 1145 5050	67	8.1	212	13 0.65 29	10 0.83 37	18 0.78 34		0	117 1.92		6.7 0.19			0.1			74 0	
ANDERSON VALLEY 1-19.00																		
13N/14W-02L02 M 9-17-68 5050 0950 5050		7.5 6.3	222	18 0.90 40	8.0 0.66 30	15 0.65 29	0.6 0.02 1	0.0	108 1.77 78	6.1 0.13 6	9.8 0.28 12	4.9 0.08 4	0.2	0.0		97 116	78 0	
13N/14W-11A01 M 9-17-68 5050 1120 5050		7.8	256	25 1.25 47	8.1 0.67 25	16 0.70 27	0.7 0.02 1	0.0	134 2.20 81	3.0 0.06 2	8.8 0.25 9	12 0.19 7	0.2	0.0		124 139	96 0	
14N/14W-18R02 M 9-17-68 5050 1400 5050	73	7.5 6.0	144 147	7.7 0.38 28	3.2 0.26 19	16 0.70 52	0.5 0.01 1	0.0	48 0.79 58	2.1 0.04 3	16 0.45 33	5.2 0.08 6	0.1	0.0		94 74	32 0	
14N/14W-19B01 M 9-17-68 5050 1310 5050		7.7	209	13 0.65 31	9.1 0.75 35	16 0.70 33	1.0 0.03 1	0.0	84 1.38 68	4.6 0.10 5	20 0.56 27	0.1	0.2	0.2		140 105	70 1	
14N/14W-34G06 M 9-17-68 5050 1150 5050		8.1	580	25 1.25 21	16 1.32 22	80 3.48 57	0.8 0.02	0.0	270 4.43 76	0.0	49 1.38 24	0.0	1.4	4.0		235 309	127 0	
POINT ARENA 1-20.00																		
12N/16W-18K01 M 9-10-68 5050 1545 5050		7.2	413	6.7 0.33 10	15 1.23 36	40 1.74 51	3.9 0.10 3	0.0	22 0.36 10	18 0.37 11	55 1.55 44	76 1.22 35		0.0		269 225	79 61	
12N/17W-12L01 M 9-11-68 5050 1700 5050		7.1	117	1.6 0.08 7	3.2 0.26 23	18 0.78 68	1.0 0.03 3	0.0	20 0.33 31	4.0 0.08 7	20 0.56 52	6.1 0.10 9		0.1		60 64	17 1	

TABLE E-1 (Cont.)

MINERAL ANALYSES OF GROUND WATER

State Well Number Date Lab Time Sampler	Temp.	pH Lab Field	EC Lab Field	Mineral Constituents in				Milligrams per Liter Milliequivalents per Liter Percent Reactance Value					Milligrams per Liter					
				Ca	Mg	Na	K	CO ₃	HCO ₃	SO ₄	Cl	NO ₃	F	B	SiO ₂	TDS SUM	TH NCH	
POINT ARENA 1-20.00																		
12N/17W-13L01 M 9-11-68 5050 1615 5050		8.0	350	27 1.35 41	11 0.90 27	23 1.00 30	1.4 0.04 1	0.0	114 1.87 56	28 0.58 17	28 0.79 24	4.7 0.08 2		0.0		184 179	112 19	
13N/16W-31M01 M 9-12-68 5050 1030 5050		8.1	488	33 1.65 37	7.9 0.65 15	48 2.09 47	2.5 0.06 1	0.0	102 1.67 38	16 0.33 7	81 2.28 52	8.8 0.14 3		0.1		268 247	115 32	
13N/17W-24D01 M 9-12-68 5050 0830 5050		7.3	230	7.9 0.39 20	3.0 0.25 13	30 1.31 66	1.4 0.04 2	0.0	24 0.39 20	5.6 0.12 6	43 1.21 61	17 0.27 14		0.0		132 120	32 13	
13N/17W-25H01 M 9-12-68 5050 0700 5050		7.8	450	46 2.30 54	5.6 0.46 11	33 1.44 34	1.4 0.04 1	0.0	164 2.69 62	23 0.48 11	38 1.07 25	5.0 0.08 2		0.0		255 232	138 4	
FORT BRAGG TERRACE 1-21.00																		
16N/17W-30M01 M 9-11-68 5050 0830 5050		7.7	373	12 0.60 19	11 0.90 29	34 1.48 48	5.2 0.13 4	0.0	53 0.87 28	31 0.64 21	46 1.30 42	16 0.26 8		0.1		214 181	77 34	
17N/17W-19P01 M 9-11-68 5050 1110 5050		7.9	502	26 1.30 29	12 0.99 22	50 2.18 48	1.4 0.04 1	0.0	76 1.25 27	80 1.66 36	61 1.72 37	0.0		0.1		275 268	116 54	
17N/17W-30F01 M 9-11-68 5050 1030 5050		7.5	623	26 1.30 25	16 1.32 25	58 2.52 49	2.0 0.05 1	0.0	33 0.54 10	10 0.21 4	140 3.95 74	41 0.66 12		0.0		416 309	131 104	
18N/17W-07K01 M 9-10-68 5050 1030 5050		7.3	175	3.8 0.19 13	3.0 0.25 17	24 1.04 69	0.8 0.02 1	0.0	19 0.31 20	15 0.31 20	29 0.82 54	5.8 0.09 6		0.1		102 91	22 7	
18N/17W-19D01 M 9-10-68 5050 1800 5050		7.1	274	7.2 0.36 15	4.9 0.40 17	36 1.57 66	1.4 0.04 2	0.0	13 0.21 9	4.9 0.10 4	54 1.52 66	30 0.48 21		0.0		168 145	38 28	
19N/17W-20N01 M 9-10-68 5050 1545 5050		7.8	200	8.4 0.42 23	4.1 0.34 18	24 1.04 57	1.4 0.04 2	0.0	46 0.75 41	3.8 0.08 4	35 0.99 54	0.0		0.1		101 99	38 1	
19N/17W-30G01 M 9-10-68 5050 1340 5050		7.2	340	8.3 0.41 15	6.2 0.51 18	42 1.83 66	0.8 0.02 1	0.0	26 0.43 15	12 0.25 9	72 2.03 72	7.5 0.12 4		0.1		174 162	46 25	
19N/17W-30Q01 M 9-10-68 5050 1200 5050		8.2	411	8.6 0.43 11	6.9 0.57 15	64 2.78 71	5.8 0.15 4	0.0	140 2.30 59	7.4 0.15 4	51 1.44 37	0.0		0.3		219 213	50 0	
SAN FRANCISCO BAY REGION 2-00.00																		
PETALUMA VALLEY 2-01.00																		
03N/06W-01Q01 M 7-19-68 5050 0830 5112	66		1360			223 9.70					146 4.12							
03N/06W-03C01 M 7-19-68 5050 0915 5112	74		4220			358 15.57					1080 30.47			0.3				
03N/06W-11B01 M 7-19-68 5050 0842 5112	76		1900			316 13.75					324 9.14							
03N/06W-15M01 M 7-29-68 5050 1100 5050	64		363								24 0.68							
03N/06W-16H80 M 7-29-68 5050 1115 5050	70		174								21 0.59							
03N/06W-18M01 M 7-29-69 5050 1300 5050		7.9	635	49 2.44 39	31 2.57 41	29 1.26 20		0	184 3.02		45 1.27			0.0			251 100	
03N/07W-14F01 M 7-29-68 5050 1245 5050			620								68 1.92							

TABLE E-1 (Cont.)

MINERAL ANALYSES OF GROUND WATER

State Well Number Date Lab Time Sampler	Temp.	pH Lab Field	EC Lab Field	Mineral Constituents in				Milligrams per Liter Milliequivalents per Liter Percent Reactance Value					Milligrams per Liter					
				Ca	Mg	Na	K	CO ₃	HCO ₃	SO ₄	Cl	NO ₃	F	B	SiO ₂	TDS SUM	TH NCH	
PETALUMA VALLEY 2-01.00																		
04N/06W-07H01 M 7-19-68 5050 0950 5112	70	8.6	1090	62 3.09 26	68 5.62 46	80 3.48 28		22 0.73	525 8.60		53 1.50			2.0			436 0	
04N/06W-21Q01 M 7-19-68 5050 0935 5112	78		1010			196 8.53					116 3.27			0.9				
04N/06W-33R01 M 7-19-68 5050 0905 5112	65	8.1	6120	274 13.67 23	312 25.69 43	468 20.36 34		0	527 8.64		1810 51.06			0.2			1970 1538	
05N/06W-30D01 M 7-19-68 5050 1015 5112			891								78 2.20			0.5				
05N/07W-20L03 M 7-19-68 5050 1440 5112	70	7.7	1350	136 6.79 51	25 2.06 16	100 4.35 33		0	234 3.84		225 6.35			0.0			443 251	
05N/07W-26E01 M 7-19-68 5050 1315 5112	67		761			60 2.61												
05N/07W-34E02 M 7-19-68 5050 1337 5112	69	8.9	908	4 0.20 2	4.6 0.38 5	188 8.18 93		22 0.73	368 6.03		68 1.92			0.2			29 0	
NAPA-SONOMA VALLEY 2-02.00 NAPA VALLEY 2-02.01																		
03N/03W-18G01 M 7-25-68 5050 1515 5050			1120			91 3.96					158 4.46	18 0.29		0.1				
03N/03W-18G02 M 7-25-68 5050 1530 5050		8.6	1310	76 3.79 29	59 4.82 36	108 4.70 35		8 0.27	361 5.92		147 4.15	60 0.97		0.0			431 122	
04N/04W-02L01 M 7-25-68 5050 1200 5050	63		814								111 3.13			0.1				
04N/04W-05C01 M 7-24-68 5050 1030 5050		7.8	295	8.2 0.41 15	5.5 0.45 17	42 1.83 68		0	87 1.42		27 0.76	23 0.37		0.0			43 0	
04N/04W-05D02 M 7-24-68 5050 0930 5050			774								105 2.96							
04N/04W-12M01 M 7-25-68 5050 1245 5050			848								133 3.75							
04N/04W-13E01 M 7-25-68 5050 1345 5050		8.1	3670	312 15.57 42	88 7.21 20	326 14.18 38		0	263 4.31		656 18.50	255 4.11		0.1			1140 924	
04N/04W-14C02 M 7-25-68 5050 1420 5050			1520								340 9.59							
05N/04W-09Q02 M 7-24-68 5050 1300 5050	64		507								46 1.30							
05N/04W-11F03M 7-25-68 5050 1000 5050			688								116 3.27							
05N/04W-14C01 M 7-25-68 5050 1030 5050		7.9	255	14 0.70 29	11 0.92 37	19 0.83 34		0	107 1.75		19 0.54			0.0			81 0	
05N/04W-15E01 M 7-24-68 5050 1330 5050	64		404								32 0.90			0.1				
05N/04W-20R02 M 7-24-68 5050 1100 5050			1690								391 11.03							
05N/04W-21P02 M 7-24-68 5050 1130 5050		8.4	2340	34 1.70 7	12 1.00 5	435 18.92 88		4 0.13	418 6.85		450 12.69			0.4			135 0	
05N/04W-22M01 M 7-24-68 5050 1345 5050			635								45 1.27							

MINERAL ANALYSES OF GROUND WATER

State Well Number Date Lab Time Sampler	Temp.	pH Lab Field	EC Lab Field	Mineral Constituents in					Milligrams per Liter Milliequivalents per Liter Percent Reactance Value					Milligrams per Liter				
				Ca	Mg	Na	K	CO ₃	HCO ₃	SO ₄	Cl	NO ₃	F	B	SiO ₂	TDS SUM	TH NCH	
NAPA VALLEY 2-02.01																		
05N/04W-29H01 M 7-24-68 5050 1200 5050	65		391								31 0.87			0.0				
06N/04W-06P01 M 7-24-68 5050 1445 5050			383								18 0.51			0.0				
06N/04W-15Q01 M 7-25-68 5050 0900 5050	67	8.0	267	11 0.55 21	5.7 0.47 18	36 1.57 61		0	132 2.16		8.2 0.23	7.0 0.11		0.1			51 0	
09N/07W-25N01 M 7-24-68 5050 1600 5050	85	8.1	991	11 0.55 7	5.0 0.41 5	171 7.44 88		0	184 3.02		188 5.30			8.3			48 0	
SONOMA VALLEY 2-02.02																		
04N/05W-14D02 M 7-23-68 5050 1405 5112	76	8.3	1010	11 0.55 6	9.4 0.77 8	187 8.13 86		0	306 5.02		128 3.61			0.1			66 0	
04N/05W-28P01 M 7-23-68 5050 1453 5112	68		2960								634 17.88	15 0.24		2.5				
05N/05W-18D02 M 7-23-68 5050 1010 5112	65	8.1	568	32 1.60 30	22 1.82 33	46 2.00 37		0	186 3.05		39 1.10			0.2			171 19	
05N/05W-20R01 M 7-23-68 5050 1025 5112	74		858			189 8.22					49 1.38			4.3				
05N/06W-12F01 M 7-23-68 5050 1000 5112	64		438								30 0.85			0.7				
05N/06W-25P02 M 7-23-68 5050 1100 5112	72		587								14 0.39			1.3				
06N/06W-23M02 M 7-23-68 5050 0920 5112	71	8.2	527	17 0.85 19	7.7 0.63 14	70 3.04 67		0	145 2.38		81 2.28			1.2			74 0	
06N/06W-26E01 M 7-23-68 5050 0935 5112	72		443								56 1.58	1.2 0.06		1.9				
SUISUN-FAIRFIELD 2-03.00																		
03N/01E-04B01 M 7-23-68 5050 1415 5050			1510								273 7.70			0.6				
03N/01E-21D01 M 7-23-68 5050 1500 5050			1820								203 5.72			7.2				
03N/01E-22F02 M 7-23-68 5050 1530 5050		8.4	1770	30 1.50 9	24 1.98 12	308 13.40 79		11 0.37	497 8.14		234 6.60			4.2			174 0	
04N/01W-33A01 M 7-23-68 5050 1230 5050			3580								919 25.92			14.0				
04N/01E-08F01 M 7-23-68 5050 1400 5050	70	8.2	1030	45 2.24 22	28 2.30 23	126 5.48 55		0	244 4.00		152 4.29			0.9			227 27	
04N/02W-04D01 M 7-18-68 5050 1800 5050	64		1290								71 2.00			1.2				
04N/02W-05Q02 M 7-18-68 5050 1830 5050			950								111 3.13			0.5				
04N/02W-09H01 M 7-18-68 5050 1845 5050			3460								1020 28.76			4.9				
04N/02W-18M01 M 7-23-68 5050 1100 5050			1140								121 3.41			0.6				

TABLE E-1 (Cont.)

MINERAL ANALYSES OF GROUND WATER

State Well Number Date Lab Time Sampler	Temp.	pH Lab Field	EC Lab Field	Mineral Constituents in				Milligrams per Liter Milliequivalents per Liter Percent Reactance Value					Milligrams per Liter					
				Ca	Mg	Na	K	CO ₃	HCO ₃	SO ₄	Cl	NO ₃	F	B	SiO ₂	TDS SUM	TH NCH	
SUISUN-FAIRFIELD 2-03.00																		
04N/03W-13G02 M 7-23-68 5050 1030 5050		7.9	470	40 2.00 43	17 1.38 30	29 1.26 27		0 2.90	177		15 0.42			0.3			169 24	
05N/01W-25R01 M 7-23-68 5050 1345 5050		8.0	1620	103 5.14 34	31 2.59 18	167 7.26 48		0 4.20	256		362 10.21			0.8				
05N/01W-28P01 M 7-23-68 5050 1315 5050		8.4	947	75 3.74 40	27 2.21 24	77 3.35 36		5 0.17 4.92	300		121 3.41			0.3			298 44	
05N/02W-21P03 M 7-23-68 5050 0915 5050	64		973								69 1.95			1.1				
05N/02W-34N01 M 7-18-68 5050 1730 5050			1530								122 3.44			1.8				
05N/02W-34P04 M 7-18-68 5050 1745 5050			1190								40 1.13			1.0				
PITTSBURG PLAIN 2-04.00																		
02N/01E-07R02 M 7-31-68 5050 1130 5050			8000								2790 78.68							
CLAYTON VALLEY 2-05.00																		
01N/01W-04A01 M 7-31-68 5050 1300 5050		8.4	767	68 3.39 42	40 3.26 40	34 1.48 18		4 0.13 5.36	327		27 0.76			0.4			333 57	
02N/01W-30J01 M 8-01-68 5050 1440 5050		8.2	1180	91 4.54 35	66 5.39 42	67 2.91 23		0 7.57	462		68 1.92			0.4			497 118	
02N/01W-30K01 M 8-01-68 5050 1400 5050			1290								101 2.85			1.2				
02N/01W-31D01 M 8-01-68 5050 1300 5050			1060								131 3.69	44 0.71						
02N/02W-13P01 M 8-01-68 5050 1515 5050		8.2	1010	40 2.00 21	34 2.82 29	113 4.92 50		0 4.13	252		143 4.03			0.2			241 34	
02N/02W-26B01 M 8-02-68 5050 0900 5050			945								152 4.29			1.0				
02N/02W-36J01 M 8-01-68 5050 1100 5050			1200								140 3.95	38 0.61						
YGNACIO VALLEY 2-06.00																		
01N/01W-07K01 M 7-31-68 5050 1359 5050		8.4	2250	111 5.54 23	69 5.69 24	296 12.88 53		6 0.20 6.98	426		178 5.02			0.8			562 204	
01N/01W-29G01 M 7-31-68 5050 1630 5050		8.3	2210	128 6.39 28	72 5.96 26	247 10.74 46		0 8.82	538		31 0.87			0.9			618 177	
01N/02W-11N01 M 7-31-68 5050 1540 5050		8.6	1220	80 3.99 32	31 2.58 21	133 5.78 47		22 0.70 7.31	450		131 3.70			1.2			329 0	
01N/02W-13P01 M 7-31-68 5050 1400 5050			1230								111 3.13	34 0.55		1.1				
02N/02W-36E01 M 8-01-68 5050 1030 5050			2860							380 7.91	415 11.70	175 2.82		14				

TABLE E-1 (Cont.)

MINERAL ANALYSES OF GROUND WATER

State Well Number Date Lab Time Sampler	Temp.	pH Lab Field	EC Lab Field	Mineral Constituents in				Milligrams per Liter Milliequivalents per Liter Percent Reactance Value					Milligrams per Liter					
				Ca	Mg	Na	K	CO ₃	HCO ₃	SO ₄	Cl	NO ₃	F	B	SiO ₂	TDS SUM	TH NCH	
SANTA CLARA VALLEY 2-09.00 EAST BAY AREA 2-09.01																		
01S-04W-04A01 M 7-22-68 5050 5100		7.4	1600	110 5.49 34	67 5.54 34	120 5.22 32		0	387 6.34		266 7.50			0.1			552 235	
02S/03W-28G01 M 7-22-68 5050 5100		7.7	940	67 3.34 36	25 2.09 23	88 3.83 41		0	266 4.36 3.72		132 3.72			0.3			272 54	
02S/03W-30D02 M 7-22-68 5050 5100		7.7	3380	255 12.72 38	115 9.46 28	257 11.18 34		0	230 3.77		869 24.51			0.3			1110 921	
02S/03W-33H03 M 7-25-68 5050 0915 5100		7.8	661	37 1.85 27	19 1.53 23	77 3.35 50		0	323 5.29		29 0.82			0.4			169 0	
02S/03W-34A02 M 7-25-68 5050 5100		8.0	793	67 3.34 41	36 2.93 37	42 1.83 22		0	297 4.87		38 1.07			0.3			314 70	
02S/04W-12R01 M 7-29-68 5050 1500 5100		7.7	446	27 1.35 31	14 1.19 28	40 1.74 41		0	89 1.46		48 1.35			0.1			127 54	
02S/04W-25A01 M 7-24-68 5050 5100		8.2	860	47 2.34 27	14 1.14 13	119 5.18 60		0	303 4.97		99 2.79			0.4			174 0	
03S/02W-07J01 M 7-29-68 5050 1000 5100		7.5	1110	98 4.89 43	41 3.34 29	73 3.18 28		0	390 6.39		81 2.28			0.4			412 92	
03S/02W-19R04 M 7-24-68 5050 5100		8.2	1200	127 6.34 50	38 3.13 25	74 3.22 25		0	413 6.77		145 4.09			0.2			474 135	
03S/02W-30R14 M 7-29-68 5050 1030 5100		7.7	1290	124 6.19 46	43 3.52 26	88 3.83 28		0	457 7.49		135 3.81			0.4			486 111	
03S/02W-32D02 M 7-24-68 5050 5100		7.9	831	37 1.85 23	9.4 0.77 9	126 5.48 68		0	279 4.57		91 2.57			0.5			131 0	
03S/03W-01G03 M 7-24-68 5050 5100		8.2	1020	47 2.34 23	21 1.72 16	145 6.31 61		0	370 6.06		116 3.27			0.6			203 0	
03S/03W-13B02 M 7-24-68 5050 5100		8.5	1840	113 5.64 28	68 5.59 28	204 8.87 44		7 0.23	695 11.39		142 4.00			1.2			562 0	
03W-03W-24Q02 M 7-29-68 5050 1045 5100		8.0	2920	194 9.68 32	117 9.66 32	252 10.96 36		0	516 8.46		562 15.85			0.6			968 545	
04S/01W-07P02 M 7-11-68 5050 5401			778								76 2.14							
04S/01W-07R01 M 7-11-68 5050 5401			1110								111 3.13	100 1.61						
04S/01W-07R05 M 7-11-68 5050 5401			814								91 2.57	40 0.64						
04S/01W-17E02 M 7-17-68 5050 5401		8.1	2210	187 9.33 44	97 7.99 38	90 3.92 18		0	275 4.51		495 13.96			0.3			867 641	
04S/01W-18C02 M 7-17-68 5050 5401		8.3	1130	104 5.19 44	45 3.70 32	63 2.74 24		0	364 5.96		100 2.82			0.2			445 147	
04S/01W-18G01 M 7-11-68 5050 5401			1700								289 8.15							
04S/01W-18H03 M 7-16-68 5050 5401			1440								324 9.14							
04S/01W-18M07 M 7-16-68 5050 5401		8.0	2540	53 2.64 11	198 16.26 70	104 4.52 19		0	260 4.26		606 17.10			0.3			946 733	

TABLE E-1 (Cont.)

MINERAL ANALYSES OF GROUND WATER

State Well Number Date Lab Time Sampler	Temp.	pH Lab Field	EC Lab Field	Mineral Constituents in				Milligrams per Liter Milliequivalents per Liter Percent Reactance Value					Milligrams per Liter					
				Ca	Mg	Na	K	CO ₃	HCO ₃	SO ₄	Cl	NO ₃	F	B	SiO ₂	TDS SUM	TH NCH	
EAST BAY AREA 2-09.01																		
04S/01W-20D02 M 7-17-68 5050 5401			812								121 3.41							
04S/01W-20E01 M 7-16-68 5050 5401			696								91 2.57							
04S/01W-20R02 M 7-22-68 5050 0900 5401	8.5		649	46 2.30 37	22 1.82 29	49 2.13 34		6 0.20	151 2.47		72 2.03		0.0				206 72	
04S/01W-21F02 M 7-16-68 5050 5401	8.6		698	50 2.50 38	19 1.56 24	58 2.52 38		9 0.30	184 3.02		61 1.72		0.0				203 37	
04S/01W-21K03 M 7-11-68 5050 5401			533								38 1.07							
04S/01W-21P06 M 7-16-68 5050 5401	8.4		627	44 2.20 36	26 2.12 34	43 1.87 30		4 0.13	214 3.51		39 1.10		0.6				216 33	
04S/01W-21R02 M 7-16-68 5050 5401	8.5		670	58 2.89 44	22 1.77 27	44 1.91 29		6 0.20	216 3.54		46 1.30		0.6				233 45	
04S/01W-21R04 M 7-17-68 5050 5401			516								34 0.96							
04S/01W-22M02 M 7-00-68 5050 5401	8.4		877	34 1.70 20	16 1.32 15	127 5.52 65		3 0.10	330 5.51		71 2.00		1.6				151 0	
04S/01W-28B02 M 7-11-68 5050 5401	8.5		877	72 3.59 39	34 2.80 31	63 2.74 30		7 0.23	323 5.29		57 1.61		0.8				320 43	
04S/01W-28C01 M 7-16-68 5050 5401			738								86 2.42							
04S/01W-28C14 M 7-16-68 5050 5401	8.3		670	58 2.89 46	19 1.53 24	44 1.91 30		0	254 4.16		43 1.21		0.4				221 13	
04S/01W-28D04 M 7-11-68 5050 5401	8.5		788	73 3.64 46	28 2.35 29	45 1.96 25		13 0.43	243 3.98		77 2.17		0.5				300 80	
04S/01W-28D09 M 7-16-68 5050 5401			698								79 2.23							
04S/01W-28F05 M 7-00-68 5050 5401	8.4		566	35 1.75 32	20 1.65 30	47 2.04 38		1 0.03	206 3.38		32 0.90		0.4				170 0	
04S/01W-28L01 M 7-00-68 5050 5401			1740								346 9.76	54 0.87						
04S/01W-28R01 M 7-23-68 5050 5401	8.2		1720	119 5.94 31	92 7.57 39	131 5.70 30		0	494 8.10		152 4.29		0.6				676 271	
04S/01W-29F03 M 7-22-68 5050 1500 5401	8.5		828	61 3.04 45	16 1.30 19	57 2.48 36		7 0.23	217 3.56		96 2.71		0.0				217 28	
04S/01W-29J08 M 7-11-68 5050 5401	7.9		4260	331 16.52 40	190 15.65 38	205 8.92 22		0	245 4.02		1230 34.70		0.6				1610 1410	
04S/01W-29L12 M 7-00-68 5050 5401	7.9		2570	237 11.83 52	92 7.61 34	75 3.26 14		0	159 2.61		720 20.31		0.3				973 843	
04S/01W-30E03 M 7-18-68 5050 5401	8.1		1690	150 7.48 47	51 4.19 26	99 4.31 27		0	170 2.79		399 11.26		0.4				584 445	
04S/01W-30N03 M 7-11-68 5050 5401			1860								465 13.11							
04S/01W-31A02 M 7-11-68 5050 0700 5401			2980								858 24.20							

MINERAL ANALYSES OF GROUND WATER

State Well Number Date Lab Time Sampler	Temp.	pH	EC	Mineral Constituents in					Milligrams per Liter Milliequivalents per Liter Percent Reactance Value					Milligrams per Liter				
		Lab Field	Lab Field	Ca	Mg	Na	K	CO ₃	HCO ₃	SO ₄	Cl	NO ₃	F	B	SiO ₂	TDS SUM	TH NCH	
EAST BAY AREA 2-09.01																		
04S/01W-31B03 M 7-18-68 5050 5401		8.1	2180	195 9.73 48	76 6.21 31	96 4.18 21		0	173 2.84		549 15.49			0.4			798 656	
04S/01W-33A01 M 7-11-68 5050 5401		8.4	1000	62 3.09 31	44 3.64 36	76 3.31 33		5 0.17	286 4.69		91 2.57			0.6			337 94	
04S/01W-33C01 M 7-22-68 5050 5401			1560								222 6.26							
04S/01W-33E01 M 7-22-68 5050 5401			4300								1420 40.04							
04S/01W-34Q04 M 7-22-68 5050 5401		8.3	1190	114 5.69 44	41 3.40 27	87 3.78 29		0	462 7.57		117 3.30			0.2			455 76	
04S/01W-34R02 M 7-16-68 5050 5401		8.3	732	56 2.79 36	20 1.67 21	77 3.35 43		0	374 6.13		39 1.10			0.0			223 0	
04S/01W-35P03 M 7-16-68 5050 5401		8.5	775	42 2.10 25	20 1.64 20	104 4.52 55		6 0.20	367 6.02		44 1.24			0.0			187 0	
04S/02W-03R01 M 7-22-68 5050 1100 5401		8.5	623	37 1.85 28	14 1.15 17	83 3.61 55		13 0.43	276 4.52		20 0.56			0.0			150 0	
04S/02W-10C01 M 7-22-68 5050 1105 5401		8.5	662	65 3.24 47	20 1.62 23	48 2.09 30		7 0.23	264 4.33		38 1.07			0.0			243 15	
04S/02W-10M02 M 7-16-68 5050 5401			646								56 1.58							
04S/02W-10N06 M 7-17-68 5050 5401		8.1	1810	46 2.30 14	85 6.99 42	167 7.26 44		0	152 2.49		430 12.13			0.0			465 340	
04S/02W-10Q02 M 7-22-68 5050 5401		8.2	2840	228 11.38 40	119 9.80 34	167 7.26 26		0	430 7.05		493 13.91			0.0			1060 707	
04S/02W-11A02 M 7-16-68 5050 5401			956								66 1.86	46 0.74						
04S/02W-11G01 M 7-22-68 5050 1040 5401			1810								188 5.30	505 8.13						
04S/02W-11Q10 M 7-22-68 5050 1030 5401		8.5	759	72 3.59 46	28 2.28 30	42 1.83 24		7 0.23	256 4.20		48 1.35			0.0			294 73	
04S/02W-11R12 M 7-22-68 5050 1430 5401			1640								152 4.29	344 5.54						
04S/02W-12C01 M 7-16-68 5050 5401			630								57 1.61							
04S/02W-12N04 M 7-22-68 5050 1440 5401			924								73 2.06	61 0.98						
04S/02W-12P02 M 7-22-68 5050 1450 5401			874								69 1.95	52 0.84						
04S/02W-13C02 M 7-16-68 5050 5401			1510								224 6.32							
04S/02W-13E01 M 7-22-68 5050 1140 5401			1180								213 6.01							
04S/02W-14E01 M 7-22-68 5050 1400 5401		8.0	3070	56 2.79 9	270 22.19 72	134 5.83 19		0	398 6.52		620 17.49			0.0			1250 924	

TABLE E-1 (Cont.)

MINERAL ANALYSES OF GROUND WATER

State Well Number Date Lab Time Sampler	Temp.	pH Lab Field	EC Lab Field	Mineral Constituents in					Milligrams per Liter Milliequivalents per Liter Percent Reactance Value					Milligrams per Liter				
				Ca	Mg	Na	K	CO ₃	HCO ₃	SO ₄	Cl	NO ₃	F	B	SiO ₂	TDS SUM	TH NCH	
EAST BAY AREA 2-09.01																		
04S/02W-14J01 M 7-22-68 5050 5401		8.2	1440	147 7.34 53	50 4.11 30	54 2.35 17		0	247 4.05		269 7.59			0.0			573 371	
04S/02W-15C01 M 7-22-68 5050 5401		8.5	683	69 3.44 50	20 1.65 24	42 1.83 26		13 0.43	252 4.13		38 1.07			0.0			255 27	
04S/02W-15L04 M 7-22-68 5050 1120 5401		8.5	1180	126 6.29 55	38 3.10 27	47 2.04 18		12 0.40	255 4.18		185 5.22			0.0			470 241	
04S/02W-22P02 M 7-22-68 5050 5401		8.7	597	30 1.50 25	7 0.58 9	91 3.96 66		14 0.47	229 3.75		29 0.82			0.0			104 0	
04S/02W-23F02 M 7-22-68 5050 5401		8.2	1310	128 6.39 50	50 4.16 33	49 2.13 17		0	238 3.90		226 6.38			0.0			528 333	
04S/02W-24D04 M 7-22-68 5050 5401		8.5	683	72 3.59 52	22 1.78 25	36 1.57 23		11 0.37	253 4.15		39 1.10			0.0			269 43	
04S/02W-24F06 M 7-23-68 5050 5401		7.8	5990	516 25.75 46	282 23.20 41	163 7.09 13		0	267 4.38		1730 48.80			0.0			2450 2230	
04S/02W-24L06 M 7-22-68 5050 5401		8.5	1030	107 5.34 55	30 2.49 26	42 1.83 19		5 0.17	230 3.77		160 4.51			0.0			392 195	
04S/02W-26A01 M 7-23-68 5050 5401		8.1	2750	263 13.12 53	83 6.86 27	119 5.18 20		0	189 3.10		706 19.92			0.0			1000 845	
04S/02W-27L01 M 7-16-68 5050 5401			610								38 1.07							
04S/02W-35F01 M 7-22-68 5050 5401			824								93 2.62							
05W/01W-04D01 M 7-16-68 5050 5401			586								25 0.71							
05S/01W-06H01 M 7-22-68 5050 0915 5401			4200								1310 36.94	7 0.11						
05S/01W-08A03 M 7-22-68 5050 5401		8.7	690	26 1.30 18	8 0.66 10	119 5.18 72		16 0.53	321 5.26		16 0.45			0.1			98 0	
05S/01W-09J01 M 7-22-68 5050 5401			3890								1040 29.33							
05S/01W-09K01 M 7-22-68 5050 5401		8.0	1170	96 4.79 41	32 2.60 23	95 4.13 36		0	361 5.92		172 4.85			0.3			370 74	
05S/01W-09M01 M 7-22-68 5050 5401		7.9	2640	220 10.98 45	79 6.48 26	161 7.00 29		0	270 4.42		727 20.51			0.2			874 653	
05S/01W-15C01 M 7-22-68 5050 5401			717								50 1.41							
05S/01W-17A01 M 7-00-68 5050 5401			527								14 0.39							
05S/02W-01N01 M 7-22-68 5050 0900 5401		8.4	465	6.4 0.32 7	1.2 0.10 2	95 4.13 91		2 0.07	216 3.54		14 0.39			0.1			21 0	
SOUTH BAY AREA 2-09.02																		
05S/01E-31R01 M 10-18-67 5050 1520 2400			790								51 1.44							
05S/01E-31R01 M 9-23-68 5050 1210 2400			938								71 2.00							

MINERAL ANALYSES OF GROUND WATER

State Well Number Date Lab Time Sampler	Temp.	pH Lab Field	EC Lab Field	Mineral Constituents in				Milligrams per Liter Milliequivalents per Liter Percent Reactance Value					Milligrams per Liter					
				Ca	Mg	Na	K	CO ₃	HCO ₃	SO ₄	Cl	NO ₃	F	B	SiO ₂	TDS SUM	TH NCH	
SOUTH BAY AREA 2-09.02																		
06S/01E-21B03 M 9-27-68 5050 1110 2400			808								21 0.59			0.0				
06S/01E-22P01 M 9-03-68 5050 1020 2400			439								65 1.83			1.2				
06S/01E-27C02 M 9-03-68 5050 0930 2400		8.2	790	53 2.64 31	23 1.92 23	90 3.92 46		0	294 4.82		64 1.80			1.3			228 0	
06S/01E-28A04 M 9-03-68 5050 1510 2400		8.6	821	24 1.20 15	7.3 0.60 7	148 6.44 78		10 0.33	259 4.24		84 2.37			0.6			90 0	
06S/01E-30M01 M 9-23-68 5050 1410 2400		8.3	640	59 2.94 43	29 2.37 35	34 1.48 22		0	253 4.15		39 1.10			0.1			266 59	
06W/01W-11B01 M 9-03-68 5050 1320 2400		8.6	605	69 3.44 50	19 1.57 23	42 1.83 27		12 0.40	282 4.62		24 0.68			0.1			251 0	
06S/01W-14E01 M 9-03-68 5050 1400 2400		8.3	740	70 3.49 46	21 1.72 23	54 2.35 31		0	248 4.06		82 2.31			0.1			261 58	
06S/01W-15N03 M 9-27-68 5050 1310 2400			1050								99 2.79							
06S/01W-15Q01 M 9-25-68 5050 1215 2400			444								13 0.37							
06S/01W-16A01 M 9-25-68 5050 1350 2400	61	8.1	1570	99 4.94 33	41 3.37 23	152 6.61 44		0	198 3.24		351 9.90			0.3			416 254	
06S/01W-19C02 M 9-25-68 5050 1420 2400			561								28 0.79							
06S/01W-26D01 M 10-18-67 5050 1500 2400			460								11 0.31							
06S/01W-26D01 M 9-27-68 5050 1020 2400			455								52 1.47							
06S/01W-27N03 M 10-18-67 5050 1400 2400		8.4	449	42 2.10 48	13 1.06 24	28 1.22 28		2 0.07	212 3.47		14 0.39			0.2			158 0	
06S/01W-27N04 M 9-25-68 5050 0950 2400		8.4	477	48 2.40 46	16 1.36 26	33 1.44 28		4 0.13	219 3.59		14 0.39			0.1			188 1	
06S/01W-29C01 M 9-25-68 5050 1110 2400	66	8.4	591	64 3.19 49	18 1.47 23	42 1.83 28		6 0.20	269 4.41		29 0.82			0.2			233 2	
06S/01W-31E01 M 9-03-68 5050 1230 2400			647								31 0.87							
06S/02W-09H01 M 9-25-68 5050 1215 2400		8.5	583	44 2.20 37	11 0.92 15	66 2.87 48		8 0.27	250 4.10		45 1.27			0.2			156 0	
06S/02W-09Q02 M 9-24-68 5050 1240 2400	61	8.2	619	51 2.54 40	16 1.28 20	59 2.57 40		0	245 4.02		36 1.02			0.1			191 0	
06S/02W-20N01 M 9-22-68 5050 1130 2400			584								36 1.02							
06S/02W-21A01 M 9-24-68 5050 1115 2400			194								11 0.31							
06S/02W-24M01 M 9-25-68 5050 1010 2400	64	8.2	954	90 4.49 45	42 3.48 35	47 2.04 20		0	297 4.87		41 1.16			0.1			399 155	

TABLE E-1 (Cont.)

MINERAL ANALYSES OF GROUND WATER

State Well Number Date Lab Time Sampler	Temp.	pH Lab Field	EC Lab Field	Mineral Constituents in				Milligrams per Liter Milliequivalents per Liter Percent Reactance Value					Milligrams per Liter					
				Ca	Mg	Na	K	CO ₃	HCO ₃	SO ₄	Cl	NO ₃	F	B	SiO ₂	TDS SUM	TH NCH	
SOUTH BAY AREA 2-09.02																		
06S/02W-29D02 M 10-18-67 5050 1130 2400			720								39 1.10	37 0.60		0.0				
06S/02W-29D02 M 9-27-68 5050 1110 2400			719								47 1.33	36 0.58		0.0				
06S/02W-34M01 M 9-27-68 5050 1220 2400			634								36 1.02							
07S/01E-20B80 M 8-30-68 5050 1130 2400			724								42 1.18	7.6 0.12		0.1				
07S/01E-25A02 M 8-31-68 5050 1000 2400		8.6	991	28 1.40 12	97 7.95 69	52 2.26 19		29 0.97	472 7.74		73 2.06			0.1			468 34	
07S/02E-07Q01 M 9-27-68 5050 0920 2400			863								50 1.41							
07S/02E-18B01 M 8-30-68 5050 1215 2400			1060								80 2.26							
07S/02E-19E01 M 8-30-68 5050 1040 2400		8.4	810	54 2.69 32	38 3.12 37	61 2.65 31		4 0.13	352 5.77		43 1.21			0.0			291 0	
07S/02E-33C04 M 8-30-68 5050 1110 2400			868								42 1.18							
07S/01W-06B01 M 9-26-68 5050 1000 2400			645								47 1.33							
07S/01W-35H01 M 10-05-67 5050 0830 2400		8.5	565	53 2.64 48	26 2.10 38	17 0.74 14		5 0.17	158 2.59		54 1.52			0.1			237 99	
07S/01W-35H01 M 9-18-68 5050 0940 2400	67	8.2	502	54 2.69 52	22 1.83 35	16 0.70 13		0	165 2.70		44 1.24			0.0			226 91	
08S/01E-04L04 M 8-30-68 5050 1030 2400		8.4	461	41 2.04 41	28 2.28 45	16 0.70 14		4 0.13	217 3.56		17 0.48			0.1			216 32	
08S/01E-08J01 M 9-03-68 5050 0920 2400			417								32 0.90							
08S/01E-10G01 M 8-30-68 5050 1000 2400		8.4	477	48 2.40 48	18 1.44 29	26 1.13 23		2 0.07	187 3.06		30 0.85			0.1			192 35	
08S/01E-16D01 M 8-30-68 5050 0900 2400	60	8.3	429	30 1.50 34	21 1.70 39	27 1.17 27		0	160 2.62		31 0.87			0.2			160 29	
08S/01E-17B01 M 9-30-68 5050 1100 2400		8.2	430	26 1.30 31	20 1.64 38	31 1.35 31		0	168 2.75		30 0.85			0.2			147 9	
08S/01E-27C02 M 9-03-68 5050 0930 2400			739								22 0.62	21 0.34		0.3				
08S/02E-07F01 M 8-19-68 5050 0920 2400	61	7.9	576	40 2.00 34	36 2.92 49	24 1.04 17		0	253 4.15		17 0.48			0.1			246 39	
08S/02E-16E01 M 8-20-68 5050 1330 2400		8.4	545	46 2.30 38	34 2.81 47	21 0.91 15		4 0.13	261 4.28		16 0.45			0.1			256 36	
08S/02E-17L02 M 8-19-68 5050 0940 2400			544								17 0.48							
08S/02E-34A01 M 8-19-68 5050 1005 2400		8.1	618	48 2.40 38	32 2.61 42	28 1.22 20		0	209 3.42		21 0.59			0.1			251 80	

MINERAL ANALYSES OF GROUND WATER

State Well Number Date Lab Time Sampler	Temp.	pH Lab Field	EC Lab Field	Mineral Constituents in				Milligrams per Liter Milliequivalents per Liter Percent Reactance Value					Milligrams per Liter					
				Ca	Mg	Na	K	CO ₃	HCO ₃	SO ₄	Cl	NO ₃	F	B	SiO ₂	TDS SUM	TH NCH	
SOUTH BAY AREA 2-09.02																		
08S/01W-15B01 M 10-17-67 5050 0855 2400		8.6	671	51 2.54 38	35 2.91 43	30 1.30 19		11 0.37	194 3.18		31 0.87			0.1			273 96	
08S/01W-15B01 M 8-20-68 5050 0900 2400		8.3	664	57 2.84 43	32 2.61 39	27 1.17 18		0	232 3.80		32 0.90			0.0			273 83	
09S/02E-02C01 M 8-19-68 5050 1035 2400		8.1	633	48 2.40 38	32 2.60 41	31 1.35 21		0	237 3.88		26 0.73			0.1			250 56	
09S/03E-22B03 M 8-20-68 5050 1130 2400			468								15 0.42							
09S/03E-36F03 M 8-20-68 5050 1210 2400		8.3	462	40 2.00 42	20 1.64 35	25 1.09 23		0	198 3.24		19 0.54			0.0			182 20	
LIVERMORE VALLEY 2-10.00																		
02S/02E-35G02 M 7-26-68 5050 1300 5100		7.9	3320	74 3.69 11	84 6.94 21	514 22.36 68		0	391 6.41		829 23.39			7.1			532 211	
03S/01E-03Q01 M 7-26-68 5050 1510 5100	64	8.5	1270	59 2.94 22	51 4.17 32	138 6.00 46		10 0.33	372 6.10		172 4.85			1.8			356 42	
03S/01E-08H01 M 7-26-68 5050 1515 5100	64	7.8	2560	117 5.84 22	119 9.82 38	237 10.31 40		0	384 6.29		489 13.79			2.0			784 469	
03S/01E-08H03 M 7-26-68 5050 1520 5100	62	7.8	1120	75 3.74 32	72 5.95 51	45 1.96 17		0	447 7.33		98 2.76			0.7			485 119	
03S/01E-09A01 M 7-26-68 5050 1545 5100		8.4	956	43 2.14 22	28 2.28 23	126 5.48 55		3 0.10	356 5.78		95 2.68			1.0			221 0	
03S/01E-09K02 M 7-26-68 5050 1535 5100	62	7.9	1240	55 2.74 22	70 5.77 45	96 4.18 33		0	445 7.29		123 3.47			2.0			426 61	
03S/01E-09L01 M 7-26-68 5050 1530 5100	62	7.9	1340	70 3.49 24	71 5.86 42	110 4.78 34		0	496 8.13		124 3.50			1.9			468 61	
03S/01E-09P01 M 7-26-68 5050 1525 5100	64	8.2	1340	96 4.79 34	64 5.24 37	93 4.04 29		0	527 8.64		135 3.81			1.8			502 70	
03S/01E-11E01 M 7-26-68 5050 1455 5100	64	8.0	1400	76 3.79 37	85 6.98 49	78 3.39 24		0	425 6.96		210 5.92			0.8			539 191	
03S/01E-11H01 M 7-29-68 5050 1345 5100		8.3	896	49 2.44 27	53 4.35 47	55 2.39 26		0	336 5.51		91 2.57			0.4			340 64	
03S/01E-13P02 M 7-26-68 5050 1440 5100		8.3	730	54 2.69 37	26 2.11 29	57 2.48 34		0	305 5.00		64 1.80			0.8			240 0	
03S/01E-15L01 M 7-26-68 5050 5100		7.9	589	54 2.69 46	24 1.99 34	27 1.17 20		0	228 3.74		39 1.10			0.1			234 47	
03S/01E-19A05 M 7-26-68 5050 1615 5100		8.1	712	66 3.29 44	34 2.82 38	31 1.35 18		0	316 5.18		36 1.02			0.2			306 47	
03S/02E-04M01 M 7-29-68 5050 5100		7.9	780	44 2.20 28	41 3.41 44	49 2.13 28		0	314 5.15		59 1.66			0.4			281 24	
03S/02E-06P01 M 7-29-68 5050 1300 5100		8.1	910	50 2.50 28	52 4.29 47	53 2.30 25		0	313 5.13		97 2.74			1.0			340 83	
03S/02E-07K01 M 7-29-68 5050 5100		8.3	673	37 1.85 27	33 2.73 40	53 2.30 33		0	311 5.10		41 1.16			0.2			229 0	
03S/02E-08H01 M 7-29-68 5050 5100	70	8.0	766	35 1.75 23	32 2.63 35	72 3.13 42		0	286 4.69		69 1.95			0.7			219 0	

TABLE E-1 (Cont.)

MINERAL ANALYSES OF GROUND WATER

State Well Number Date Lab Time Sampler	Temp.	pH Lab Field	EC Lab Field	Mineral Constituents in				Milligrams per Liter Milliequivalents per Liter Percent Reactance Value					Milligrams per Liter					
				Ca	Mg	Na	K	CO ₃	HCO ₃	SO ₄	Cl	NO ₃	F	B	SiO ₂	TDS SUM	TH NCH	
LIVERMORE VALLEY 2-10.00																		
03S/02E-10H01 M 7-26-68 5050 1410 5100	67	8.3	864	46 2.30 26	36 2.93 34	79 3.44 40		0	278 4.56		93 2.62		1.3			262 34		
03S/02E-29D01 M 7-26-68 5050 1430 5100		8.3	783	61 3.04 38	34 2.83 36	47 2.04 26		0	296 4.85		60 1.69		0.4			294 51		
03S/03E-19C01 M 7-26-68 5050 1400 5100		7.9	1720	34 1.70 10	46 3.83 22	270 11.74 68		0	532 8.72		231 6.52		5.6			277 0		
CENTRAL COASTAL REGION 3-00.00																		
PAJARO VALLEY 3-02.00																		
12S/01E-11N01 M 9-26-68 5050 1340		7.8	670			27 1.17		0	156 2.56		74 2.09	37.0 0.59						
12S/01E-23R01 M 9-26-68 5050 1305		8.4	625			49 2.13		2 0.07	298 4.89		25 0.70	0						
12S/02E-18K02 M 9-26-68 5050 1145		8.4	455			26 1.13		1 0.03	212 3.48		13 0.37	0.5 0.01						
12S/02E-19M01 M 9-26-68 5050 1030		7.9	1310			48 2.09		0	297 4.87		237 6.68	0						
12S/02E-31K01 M 8-26-68 5050 1430	69	7.7	1950			107 4.65		0	201 3.30		441 12.44	18.0 0.29						
12S/02E-32C01 M 8-26-68 5050 1455	69	8.4	622			36 1.56		4 0.13	220 3.61		44 1.24	4.0 0.06						
12S/02E-32K01 M 9-26-68 5050 1000	68	8.1	633			41 1.78		0	260 4.26		33 0.93	2.0 0.03						
12S/03E-19M01 M 8-22-68 5050 1435	65	8.2	390			37 1.61 45		0	94 1.54		62 1.75	12.0 0.19				98 21		
12S/03E-30A01 M 8-15-68 5050 1448	71	7.9	552			50 2.17 44		0	105 1.72		83 2.34	37.0 0.59				139 53		
13S/01E-01A01 M 7-03-68 5050 1500		7.6	3760			260 11.31		0	265 4.35		955 26.93	11.0 0.18						
13S/02E-06E02 M 7-08-68 5050 1300	65	8.4	1590			149 6.48		3 0.10	215 3.52		294 8.29	47.0 0.76						
13S/02E-06P01 M 9-26-68 5050 0900		8.4	983			192 8.35		3 0.10	186 3.05		154 4.34	0						
GILROY-HOLLISTER VALLEY 3-03.00																		
10S/03E-01E02 M 9-25-68 5050 1545	64	7.9	540			17 0.74		0	217 3.56		19 0.53	34.0 0.55						
10S/03E-23J02 M 9-25-68 5050 1525		7.7	536			21 0.91		0	185 3.03		30 0.85	50.0 0.80						
10S/04E-18G02 M 9-25-68 5050 1400		8.0	532			19 0.83		0	214 3.51		28 0.79	26.0 0.42						
10S/04E-18J01 M 9-25-68 5050 1345	69	8.3	476			26 1.13		0	222 3.64		18 0.51	16.0 0.26						
10S/04E-34L05 M 9-25-68 5050 1250	66	8.1	850			48 2.09		0	321 5.26		62 1.75	56.0 0.90						
11S/04E-21B02 M 9-25-68 5050 1150		7.7	797			27 1.17		0	324 5.31		26 0.73	48.0 0.77						

MINERAL ANALYSES OF GROUND WATER

State Well Number Date Lab Time Sampler	Temp.	pH Lab Field	EC Lab Field	Mineral Constituents in				Milligrams per Liter Milliequivalents per Liter Percent Reactance Value					Milligrams per Liter					
				Ca	Mg	Na	K	CO ₃	HCO ₃	SO ₄	Cl	NO ₃	F	B	SiO ₂	TDS SUM	TH NCH	
GILROY-HOLLISTER VALLEY 3-03.00																		
11S/05E-26Q03 M 9-25-68 5050 1145		<u>7.9</u>	<u>535</u>			24 1.04		0	236 3.87		22 0.62	3.2 0.05						
12S/05E-36A01 M 9-25-68 5050		<u>8.6</u>	<u>1390</u>			266 11.57		17 0.57	476 7.81		150 4.23	0.1 0.00						
12S/06E-07M02 M 9-25-68 5050		<u>7.9</u>	<u>435</u>			57 2.48		0	223 3.66		22 0.62	3.1 0.05						
12S/06E-19E01 M 9-25-68 5050		<u>7.7</u>	<u>1580</u>			250 10.87		0	361 5.92		334 9.42	0						
12S/06E-31B01 M 9-25-68 5050 1530		<u>8.4</u>	<u>2450</u>			413 17.96		12 0.40	512 8.40		490 13.82	1.2 0.02						
13S/05E-03J01 M 9-25-68 5050		<u>8.4</u>	<u>1440</u>			147 6.39		4 0.13	397 6.51		110 3.10	12.0 0.19						
13S/05E-11B05 M 9-25-68 5050 1430		<u>8.4</u>	<u>363</u>			21 0.91		1 0.03	102 1.67		23 0.65	26.0 0.42						
SALINAS VALLEY 3-04.00																		
13S/02E-01K01 M 8-22-68 5050 1315	69	<u>7.3</u>	<u>256</u>			25 1.09 45		0	71 1.16		29 0.82	20.0 0.32					66 8	
13S/02E-07R01 M 7-03-68 5050 1230		<u>7.8</u>	<u>976</u>			168 7.31 78		0	257 4.21		124 3.50	0.5 0.01					104 0	
13S/02E-13N01 M 8-22-68 5050 1255	69	<u>7.3</u>	<u>237</u>			28 1.22 55		0	65 1.06		37 1.04	1.9 0.03					49 0	
13S/02E-19R01 M 7-08-68 5050 1320	67	<u>8.0</u>	<u>1110</u>			106 4.61 44		0	223 3.66		226 6.37	1.2 0.02		0			297 114	
13S/02E-20J01 M 7-08-68 5050 1300		<u>7.7</u>	<u>1350</u>			104 4.52 37		0	71 1.16		262 7.39	1.8 0.03					393 335	
13S/02E-29C04 M 7-08-68 5050 1330	71	<u>7.9</u>	<u>783</u>			96 4.17 56		0	188 3.08		136 3.83	1.2 0.02					163 9	
13S/02E-31D02 M 7-22-68 5050 1040		<u>7.9</u>	<u>1230</u>			134 5.83 51		0	212 3.48		264 7.44	1.7 0.03					281 107	
13S/02E-31M02 M 7-08-68 5050 1430	69	<u>8.2</u>	<u>1270</u>			124 5.39 46		0	176 2.89		299 8.43	2.0 0.03					311 167	
13S/02E-31N02 M 7-08-68 5050	71	<u>8.0</u>	<u>1310</u>			107 4.65 38		0	162 2.66		294 8.29	2.3 0.04					384 251	
13S/02E-32A02 M 8-22-68 5050 1340	73	<u>8.1</u>	<u>650</u>			66 2.87 44		0	243 3.98		76 2.14	1.6 0.02					185 0	
13S/02E-32C01 M 7-02-68 5050 1200	68	<u>8.0</u>	<u>536</u>			53 2.30 43		0	203 3.33		56 1.58	1.2 0.02					153 0	
13S/02E-32N01 M 7-09-68 5050 1030	71	<u>8.3</u>	<u>621</u>			74 3.22 53		0	216 3.54		67 1.89	2.1 0.03					144 0	
13S/02E-33R01 M 7-12-68 5050 1030		<u>8.2</u>	<u>1010</u>			67 2.91 28		0	254 4.16		131 3.69	27.0 0.43					368 159	
13S/03E-04L01 M 8-15-68 5050 1230	66	<u>7.9</u>	<u>284</u>			32 1.39 51		0	83 1.36		42 1.18	1.7 0.03					68 0	
13S/03E-20B02 M 8-15-68 5050 1235	70	<u>7.8</u>	<u>278</u>			31 1.35 52		0	79 1.29		40 1.13	5.8 0.09					62 0	

TABLE E-1 (Cont.)

MINERAL ANALYSES OF GROUND WATER

State Well Number Date Lab Time Sampler	Temp.	pH Lab Field	EC Lab Field	Mineral Constituents in					Milligrams per Liter Milliequivalents per Liter Percent Reactance Value					Milligrams per Liter				
				Ca	Mg	Na	K	CO ₃	HCO ₃	SO ₄	Cl	NO ₃	F	B	SiO ₂	TDS SUM	TH NCH	
SALINAS VALLEY 3-04.00																		
13S/03E-29A01 M 8-14-68 5050 1213	72	7.8	533			63 2.74 58		0	55 0.90		114 3.21	17.0 0.27					99 54	
14S/01E-24Q02 M 8-14-68 5050 0957	65	7.8	1480			122 5.31 39		0	32 0.52		224 6.32	0.7 0.01					418 392	
14S/01E-25K01 M 8-14-68 5050 0950	64	7.6	634			64 2.78 51		0	34 0.56		136 3.83	42.0 0.68					135 107	
14S/02E-06Q01 M 7-09-68 5050 1115	73	7.9	606			77 3.35 55		0	208 3.41		59 1.66	2.6 0.04					136 0	
14S/02E-06R02 M 7-09-68 5050 1100		7.7	590			68 2.96 53		0	111 1.82		54 1.52	87.0 1.40					129 38	
14S/02E-08M02 M 7-09-68 5050 1520	71	8.0	491			54 2.35 47		0	196 3.21		48 1.35	1.8 0.03					132 0	
14S/02E-11D01 M 7-12-68 5050 1300		8.3	688			45 1.96 28		0	242 3.97		72 2.03	7.3 0.12					256 57	
14S/02E-12Q01 M 7-18-68 5050 1300	68	8.4	553			35 1.52 26		6 0.20	229 3.75		43 1.21	7.2 0.11					211 13	
14S/02E-14N01 M 7-18-68 5050 1400		8.2	601			54 2.35 39		0	199 3.26		62 1.75	3.7 0.06					183 20	
14S/02E-16A01 M 7-12-68 5050 1530		8.2	733			60 2.61 36		0	171 2.80		78 2.20	0.4 0.01					233 93	
14S/02E-18D01 M 7-09-68 5050 1500	63	8.0	1500			124 5.39 34		0	244 4.00		274 7.73	5.5 0.09					534 334	
14S/02E-23J01 M 7-18-68 5050 1030	68	8.1	1030			83 3.61 35		0	195 3.20		127 3.58	8.4 0.13					329 169	
14S/02E-24E01 M 7-18-68 5050 1245	71	8.1	700			59 2.57 37		0	210 3.44		80 2.26	3.5 0.06					218 46	
14S/02E-25B01 M 8-29-68 5050 1330	63	8.1	1550			119 5.18 33		0	296 4.85		229 6.46	14.0 0.22					513 270	
14S/03E-30E01 M 7-22-68 5050 1300		8.0	2190			184 8.00 35		0	411 6.74		372 10.49	13.0 0.21					732 395	
14S/03E-33G01 M 8-13-68 5050 1015	68	7.8	927			63 2.74		0	227 3.72		118 3.33	7.5 0.12						
15S/01E-22C01 M 8-14-68 5050 0930		7.3	910			87 3.78		0	203 3.33		128 3.61	12.0 0.19						
15S/01E-26N02 M 8-14-68 5050 1010	75	7.3	1080			122 5.31		0	142 2.33		204 5.75	8.5 0.14						
15S/02E-02Q01 M 7-19-68 5050 1300	64	7.3	1260			76 3.30		0	362 5.94		88 2.48	0						
15S/03E-04K03 M 8-14-68 5050 1500	70	7.9	721			55 2.39		0	184 3.02		41 1.16	0.7 0.01						
15S/03E-07D02 M 7-12-68 5050 1008	71	7.9	486			24 1.04		0	160 2.62		13 0.37	1.5 0.02						
15S/03E-16M01 M 7-12-68 5050 1500	64	7.9	1180			59 2.57		0	378 6.20		72 2.03	6.2 0.10						

TABLE E-1 (Cont.)

MINERAL ANALYSES OF GROUND WATER

State Well Number Date Lab Time Sampler	Temp.	pH	EC	Mineral Constituents in					Milligrams per Liter Milliequivalents per Liter Percent Reactance Value					Milligrams per Liter				
		Lab Field	Lab Field	Ca	Mg	Na	K	CO ₃	HCO ₃	SO ₄	Cl	NO ₃	F	B	SiO ₂	TDS SUM	TH NCH	
SALINAS VALLEY 3-04.00																		
16S/02E-01L01 M 8-30-68 5050 1330		<u>7.1</u>	<u>659</u>			76 3.30		0	133 2.18		111 3.13	8.0 0.13						
16S/02E-03J01 M 8-30-68 5050 1215		<u>7.2</u>	<u>854</u>			68 2.96		0	260 4.26		104 2.93	5.0 0.08						
16S/02E-12G01 M 8-30-68 5050 1430		<u>7.0</u>	<u>454</u>			62 2.70		0	108 1.77		65 1.83	1.2 0.02						
17S/05E-09Q01 M 7-02-68 5050 1235	61	<u>8.0</u>	<u>616</u>			29 1.26		0	210 3.44		24 0.68	0.3 0.00						
17S/06E-07Q01 M 7-02-68 5050 1400	62	<u>8.0</u>	<u>721</u>			54 2.35		0	178 2.92		55 1.55	12.0 0.19						
17S/06E-27K01 M 7-03-68 5050 1100	64	<u>7.7</u>	<u>1160</u>			100 4.35		0	283 4.64		70 1.97	7.5 0.12						
17S/06E-35F01 M 7-03-68 5050 1025	64	<u>8.5</u>	<u>1080</u>			113 4.91		7 0.23	212 3.48		73 2.06	1.8 0.03						
18S/06E-01E01 M 7-08-68 5050 0912	65	<u>7.9</u>	<u>806</u>			74 3.22		0	250 4.10		32 0.90	15.0 0.24						
18S/06E-28J01 M 7-08-68 5050 1350	64	<u>7.9</u>	<u>536</u>			22 0.96		0	175 2.87		21 0.59	9.5 0.15						
19S/07E-10P01 M 7-09-68 5050 1055	62	<u>7.6</u>	<u>1120</u>			58 2.52		0	235 3.85		150 4.23	25.0 0.40						
19S/07E-13D02 M 7-09-68 5050 1115	62	<u>8.4</u>	<u>1610</u>			140 6.09		0	348 5.71		87 2.45	37.0 0.59						
19S/08E-32A01 M 7-09-68 5050 1315	65	<u>8.5</u>	<u>3730</u>			502 21.84		10 0.33	287 4.71		350 9.87	34.0 0.55						
19S/08E-33R01 M 7-09-68 5050 1215	66	<u>8.4</u>	<u>3240</u>			397 17.27		5 0.17	296 4.85		307 8.66	31.0 0.50						
20S/08E-24J02 M 7-16-68 5050 1000	72	<u>7.3</u>	<u>3980</u>			462 20.10		0	258 4.23		781 22.02	4.2 0.07		0.80				
21S/09E-07J01 M 7-10-68 5050 1105	68	<u>7.9</u>	<u>1940</u>			136 5.91		6 0.20	229 3.75		175 4.93	47.0 0.76						
21S/09E-24L01 M 7-10-68 5050 1040	66	<u>8.4</u>	<u>2050</u>			167 7.26		1 0.03	254 4.16		112 3.16	12.0 0.19		0.60				
22S/10E-17N01 M 7-10-68 5050 0920	65	<u>8.4</u>	<u>730</u>			39 1.70		4 0.13	188 3.08		46 1.30	12.0 0.19						
22S/10E-3-G01 M 9-10-68 5050 1053	69	<u>8.5</u>	<u>961</u>			80 3.48		7 0.23	272 4.46		94 2.65	4.2 0.07		0.50				
23S/08E-08K01 M 8-23-68 5050		<u>8.4</u>	<u>302</u>			23 1.00		1 0.03	112 1.84		20 0.56	9.3 0.15						
CARMEL VALLEY 3-07.00																		
16S/01E-25B01 M 8-28-68 5050 0955	67	<u>7.8</u>	<u>488</u>			37 1.61		0	129 2.11		29 0.82	2.0 0.03						
16S/01W-13L02 M 8-28-68 5050 0955	67	<u>8.4</u>	<u>915</u>			69 3.00		3 0.10	244 4.00		100 2.82	2.2 0.03					303 98	

TABLE E-2

TRACE ELEMENT ANALYSES OF GROUND WATER

State Well Number	Date Sampled	Constituents in Milligrams per Liter						
		Aluminum	Arsenic	Copper	Iron	Lead	Manganese	Zinc
NORTH COASTAL REGION 1-00.00								
POINT ARENA 1-20.00								
12N/16W-18K01M	9-10-68				0.02			
12N/17W-12L01M	9-11-68				0.08			
12N/17W-13L01M	9-11-68				0.00			
13N/16W-31M01M	9-12-68				0.00			
13N/17W-24D01M	9-12-68				0.01			
13N/17W-25H01M	9-12-68				0.16			
FORT BRAGG TERRACE 1-21.00								
16N/17W-30M01M	9-11-68				0.00			
17N/17W-19P01M	9-11-68				5.9			
17N/17W-30F01M	9-11-68				0.01			
18N/17W-07K01M	9-10-68				0.00			
18N/17W-19D01M	9-10-68				0.01			
19N/17W-20N01M	9-10-68				2.3			
19N/17W-30G01M	9-10-68				0.00			
19N/17W-30Q01M	9-10-68				0.05			

Appendix F
WASTE WATER

INTRODUCTION

Waste waters constitute a portion of our total water resources, and, like streams and lakes, if carefully managed can be put to good use. This appendix contains data on the quality and quantity of waste water discharged at various locations in the Central Coastal Area and on the use of such waters. Data are presented for the period from October 1, 1967, through September 30, 1968.

In all tabulations, data are presented according to California Water Quality Control Board regions which are geographic areas defined in Section 13040 of the Water Code. For the Central Coastal Area these are: the southern portion of the North Coastal Region; the San Francisco Bay Region; and the northern portion of the Central Coastal Region.

Prior departmental publications which contain similar data for the Central Coastal Area as well as other portions of the State, and additional reports on reclamation of water from wastes in specific areas are:

"Reclamation of Water from Sewage or Industrial Waste."
December 1952. (Data for 1950-51 and 1951-52.)

"Reclamation of Water from Sewage or Industrial Waste."
June 1954. (Data for 1952-53.)

"Reclamation of Water from Sewage and Industrial Wastes,
July 1, 1953-June 30, 1955." Bulletin No. 68. January
1958.

"Reclamation of Water from Sewage and Industrial Wastes
in California, July 1, 1955-June 30, 1962." Bulletin
No. 68-62. October 1963.

"Quantity, Quality and Use of Waste Water in Southern
California, July 1, 1962-June 30, 1963." Office
report. December 1965.

"Quantity, Quality and Use of Waste Water in Southern California, July 1, 1962-June 30, 1963." Office report. April 1966.

"Quality and Use of Waste Water 1962-1965." Office report. July 1966. (Data for Central Coastal California including San Francisco Bay area.)

"Quantity, Quality and Use of Waste Water in Southern California, July 1, 1964-June 30, 1965." Office report. January 1967.

"Reclamation of Water from Sewage and Industrial Wastes, Watsonville Area, Santa Cruz and Monterey Counties." Bulletin No. 67. 1955.

"Feasibility of Reclamation of Water from Sewage in International Outfall Sewer, Tia Juana Valley, California." Office report. December 1955.

"Feasibility of Reclamation of Water from Wastes in the Los Angeles Metropolitan Area." Bulletin No. 80. December 1961.

"Reclamation of Water from Wastes in Coastal San Diego County." Bulletin No. 80-2. February 1968.

"Reclamation of Water from Wastes: Coachella Valley." Bulletin No. 80-3. December 1966.

Department bulletins may be purchased from the Office of Procurement, Documents Section, P. O. Box 20191, Sacramento, California, 95820. They may be found in the Resources Agency Library at 1416 Ninth Street, Sacramento, as well as in many public libraries throughout the State. Office reports are prepared for intradepartmental use, but are often available for reference in department offices.

Changes in Inventory Program

North Coastal Region

In 1967-68, data were obtained concerning four waste dischargers not previously reported. They are:

1. City of Cotati. This treatment plant is located in Section 26 of Township 6 North, Range 8 West, Sonoma County. Treatment consists of grinding, primary settling, ponding; sludge digestion, and drying. The average flow during the 1967-68 water year was 0.1 mgd.
2. City of Rohnert Park. This treatment plant is located in Section 22 of Township 6 North, Range 8 West, Sonoma County. Treatment consists of grinding, primary settling, ponding; sludge digestion, and drying. The average flow during the 1967-68 water year was 0.5 mgd.
3. City of Santa Rosa (Laguna Plant). This treatment plant is located in Section 17 of Township 6 North, Range 8 West, Sonoma County. Treatment consists of grinding, aerated grit removal, primary settling, aeration, secondary settling, chlorination, and aerated sludge digestion. The average flow during the 1967-68 water year was 0.2 mgd.
4. City of Santa Rosa (Oakmont Water Reclamation Plant). This treatment plant is located in Section 15 of Township 7 North, Range 7 West, Sonoma County. Treatment consists of grinding, aeration, settling, chlorination, sand filtration, ponding; sludge digestion, and drying. The average flow during the 1967-68 water year was 0.04 mgd.

San Francisco Bay Region

In 1967-68, data were obtained concerning seven waste dischargers not previously reported. They are:

1. Contra Costa Sanitary District No. 3. This treatment plant is located in Section 20 of Township 2 North, Range 4 West, Contra Costa County. Treatment consists of grit removal, grinding, and primary settling; sludge digestion, and drying. The average flow during the 1967-68 water year was 1.0 mgd.
2. Estero Municipal Improvement District (Foster City). This treatment plant is located in Section 23 of Township 4 South, Range 4 West, San Mateo County. Treatment consists of grinding, primary settling, chlorination, and sludge incineration. The average flow during the 1967-68 water year was 1.2 mgd.

San Francisco Bay Region (Continued)

3. Marin County Sanitary District No. 5 (Tiburon). This treatment plant is located in Section 6 of Township 1 South, Range 5 West, Marin County. Treatment consists of prechlorination, grinding, primary settling, postchlorination, sludge digestion, and filtration. The average flow during the 1967-68 water year was 0.7 mgd.

4. Richardson Bay Sanitary District. This treatment plant is located in Section 36 of Township 1 North, Range 6 West, Marin County. Treatment consists of grinding, prechlorination, primary settling, primary mixing (spiral vortex), step aeration, secondary mixing (spiral vortex), secondary settling, postchlorination; sludge digestion, and incineration. The average flow during the 1967-68 water year was 0.2 mgd.

5. San Francisco International Airport. This treatment plant is located in Section 34 of Township 3 South, Range 5 West, San Mateo County. Treatment consists of prechlorination, oil flotation, screening, grinding, primary settling; primary and secondary sludge digestion and drying. The average flow during the 1967-68 water year was 0.9 mgd.

6. Treasure Island (U. S. Navy). This treatment plant is located in Section 6 of Township 1 South, Range 5 West, San Francisco County. A new treatment plant is expected to be completed by July 1969 and will consist of prechlorination, grinding, preaeration, grit removal, primary settling, biofiltration, secondary settling, postchlorination; primary and secondary sludge digestion, and centrifuging. The average flow during the 1967-68 water year was 0.9 mgd.

7. Yountville Veterans Home. This treatment plant is located in Section 1 of Township 6 North, Range 5 West, Napa County. Treatment consists of prechlorination, grinding, primary settling, primary biofiltration, secondary settling, secondary biofiltration, postchlorination; sludge digestion, and drying. The average flow during the 1967-68 water year was 0.2 mgd.

Central Coastal Region

1. Morgan Hill. The Morgan Hill treatment plant has been shut down and all sewage is pumped to the City of Gilroy plant for treatment. Currently, the Gilroy plant has not changed its treatment process, but a new and enlarged plant is being designed.

DEFINITIONS

The following terms are defined for use in this appendix:

Sewage. Any and all waste substances, liquid or solid, associated with human habitation, or which contain or may be contaminated with human or animal excreta or excrement, offal, or any feculent matter. (Section 13005 of the Water Code.)

Other Waste. Any and all liquid or solid waste substances (not sewage) from any producing, manufacturing, or processing operation of whatever nature. (Section 13005 of the Water Code.)

Waste Water. Water containing sewage, other waste, or any combination thereof.

Sewerage System. A system for collecting, transporting, pumping, treating, and disposing of sewage and other wastes.

Reclaimed Waste Waters. Waters containing sewage or other waste which have been treated or otherwise purified to enable direct beneficial reuse or to allow reuse that would not otherwise occur. (Section 13005.1 of the Water Code.)

Primary Sewage Treatment. Treatment in a sewage treatment plant, which removes by sedimentation and flotation, a large portion of suspended matter, but little or no colloidal and dissolved matter. May be the first step in a major sewerage system or the total process in smaller sewerage systems.

Secondary Sewage Treatment. Treatment of sewage by biological methods which follows primary treatment and which accomplishes further stabilization of organic matter.

TABLE F-1

SUMMARY

QUANTITY OF WASTE WATER DISCHARGED AND REUSED
CENTRAL COASTAL AREA
WATER YEAR 1968

Water Quality Control Region	Volume in Acre-Feet			
	Reused	Place of Disposal for Waste Water not Reused		Total Discharged
		Land or Watercourse	Saline Water Body	
North Coastal Region (No. 1)	730	12,800	0	12,800
Number of Dischargers	5	9		10
San Francisco Bay Region (No. 2)	4,040	18,700	579,600	598,300
Number of Dischargers	6	6	57	65
Central Coastal Region (No. 3)	650	20,000	23,900	43,900
Number of Dischargers	2	22	9	31
TOTAL	5,420	51,500	603,500	655,000
DISCHARGERS	13	37	66	106

TABLE F-2
QUANTITY OF WASTE WATER DISCHARGED AND REUSED
CENTRAL COASTAL AREA
WATER YEAR 1968

Discharger	: Average : Discharge : Rate : (Mgd)	: Volume : Discharged : (AF)	: Portion : Reused : (AF)	: Type of Reuse	: Place of Disposal : For Waste Water : Not Reused
------------	---	------------------------------------	---------------------------------	-----------------	--

North Coastal Water Quality Control Board Region (No. 1)

City of Cloverdale	0.3	340	0		Russian River
City of Cotati	0.1	110	0		Laguna de Santa Rosa
City of Healdsburg	0.5*	560	24	Irrigation	Dry Creek
Mendocino State Hospital	0.4	450	450	Irrigation	
City of Rohnert Park	0.5	560	0		Laguna de Santa Rosa
City of Santa Rosa					
Laguna Plant	0.2	230	0		Laguna de Santa Rosa
Oakmont Plant	<0.1	40	5	Irrigation	Land
West College Avenue Plant	6.6	7,400	0		Santa Rosa Creek
City of Sebastopol	0.4*	450	240	Irrigation	Laguna de Santa Rosa
City of Ukiah	<u>2.4</u>	<u>2,690</u>	<u>8</u>	Irrigation	Russian River
TOTAL IN REGION 1	11.5	12,830	727		

San Francisco Bay Water Quality Control Board Region (No. 2)

City of Benicia	0.6	670	0		Carquinez Strait
City of Burlingame	3.4	3,810	0		San Francisco Bay
C and H Sugar Refinery	44.4	49,700	0		Carquinez Strait
Central Contra Costa Sanitary District	18.8	21,100	0		Suisun Bay
Contra Costa Sanitary District No. 3	1.0	1,120	0		San Pablo Bay
Contra Costa Sanitary District No. 7A	0.8	900	0		Suisun Bay
City of Concord	4.0	4,480	0		Walnut Creek
Crockett-Valona Sanitary District	0.3	340	0		Carquinez Strait
East Bay Municipal Utility District	81.4	91,200	440	Cooling	San Francisco Bay
Estero Municipal Improvement District	1.2	1,340	0		San Francisco Bay
Fairfield-Suisun Sewer District	3.5	3,920	0		Suisun Slough
City of Hayward	11.6	13,000	0		San Francisco Bay
Las Gallinas Valley Sanitary District	2.4	2,690	0		Miller Creek
City of Livermore	2.7	3,020	530	Irrigation	Land
City of Los Altos	1.5	1,680	0		San Francisco Bay

TABLE F-2 (Continued)
 QUANTITY OF WASTE WATER DISCHARGED AND REUSED
 CENTRAL COASTAL AREA
 WATER YEAR 1968

Discharger	Average Discharge Rate (Mgd)	Volume Discharged (AF)	Portion Reused (AF)	Type of Reuse	Place of Disposal For Waste Water Not Reused
<u>San Francisco Bay Water Quality Control Board Region (No. 2) (Continued)</u>					
Marin County Sanitary District					
District No. 1	5.0	5,600	0		San Francisco Bay
District No. 5 (Main)	0.7	780	0		Raccoon Strait
District No. 6 (Ignacio)	0.7	780	0		San Pablo Bay
District No. 6 (Novato)	2.1	2,350	0		Novato Creek
City of Martinez	1.3	1,460	0		Carquinez Strait
Menlo Park Sanitary District	4.7	5,260	0		San Francisco Bay
City of Mill Valley	1.6	1,790	0		Richardson Bay
City of Milbrae	1.9	2,130	0		San Francisco Bay
Milpitas Sanitary District	2.3	2,580	0		Coyote Creek
City of Mountain View	5.9	6,610	0		San Francisco Bay
Mountain View Sanitary District	0.6	670	0		Carquinez Strait
Napa Sanitation District	5.6	6,270	0		Napa River
North San Mateo County Sanitation District	3.6	4,030	0		Pacific Ocean
Oro Loma Sanitary District	13.2	14,800	0		San Francisco Bay
City of Pacifica					
Linda-Mar Plant	1.5	1,680	0		Pacific Ocean
Sharp Park Plant	0.9	1,010	0		Pacific Ocean
City of Palo Alto	11.9	13,300	40	Fire Control	San Francisco Bay
City of Petaluma	2.1	2,350	0		Petaluma River
City of Pinole	0.8	900	0		San Pablo Bay
City of Pleasanton	0.9	1,010	1,010	Irrigation	
City of Redwood City	7.1	7,950	0		San Francisco Bay
Richardson Bay Sanitary District	0.2	220	0		Raccoon Strait
City of Richmond	8.7	9,740	0		San Francisco Bay
Rodeo Sanitary District	0.6	670	0		San Pablo Bay
Cities of San Carlos-Belmont	4.5	5,040	0		San Francisco Bay
San Francisco International Airport	0.9	1,010	0		San Francisco Bay
City and County of San Francisco					
McQueen Plant	0.8	900	900	Landscape Irrigation	
North Point Plant	60.7	68,000	0		San Francisco Bay
Richmond-Sunset Plant	20.6	23,100	0		Pacific Ocean
Southeast Plant	18.8	21,100	0		San Francisco Bay
City of San Jose	75.5	84,600	0		San Francisco Bay
City of San Leandro					
Domestic Plant	3.9	4,370	0		San Francisco Bay
Industrial Plant	3.0	3,360	0		San Francisco Bay

TABLE F-2 (Continued)
 QUANTITY OF WASTE WATER DISCHARGED AND REUSED
 CENTRAL COASTAL AREA
 WATER YEAR 1968

Discharger	: Average : Discharge : Rate : (Mgd)	: Volume : Discharged : (AF)	: Portion : Reused : (AF)	: Type of Reuse	: Place of Disposal : For Waste Water : Not Reused
------------	---	------------------------------------	---------------------------------	-----------------	--

San Francisco Bay Water Quality Control Board Region (No. 2) (Continued)

City of San Mateo	9.4	10,500	0		San Francisco Bay
San Pablo Sanitary District	6.7	7,500	0		San Pablo Bay
San Rafael Sanitation District	2.4	2,690	0		San Francisco Bay
Sausalito-Marín City Sanitary District	1.7	1,900	0		San Francisco Bay
Shell Chemical Company, Pittsburg Plant	14	15,700	0		Suisun Bay
Sonoma Valley County Sanitation District	1.7	1,900	0		Schell Slough
Cities of South San Francisco- San Bruno	8.7	9,740	0		San Francisco Bay
Stege Sanitary District	3.7	4,140	0		San Francisco Bay
City of Sunnyvale	14.2	15,900	0		San Francisco Bay
Travis Air Force Base	1.5	1,680	1,120	Irrigation	Union Creek
Treasure Island, U. S. N.	1.0	1,120	0		San Francisco Bay
Union Sanitary District					
Newark Plant No. 1	3.9	4,370	0		San Francisco Bay
Irvington Plant No. 2	5.1	5,710	0		San Francisco Bay
Alvarado Plant No. 3	1.3	1,460	0		San Francisco Bay
Vallejo Sanitation and Flood Control District	6.9	7,730	0		Carquinez Strait
Valley Community Services District	1.5	1,680	0		Alamo Canal
Yountville Veterans Home	0.2	220	0		Napa River
TOTAL IN REGION 2	534.1	598,330	4,040		

Central Coastal Water Quality Control Board Region (No. 3)

Aptos County Sanitation District	0.5	560	0		Monterey Bay
Atascadero County Sanitation District	<0.1	70	0		Land
Atascadero State Hospital	0.3	350	0		Land
Carmel Sanitary District	0.9	1,010	600	Irrigation	Carmel Bay
Castroville County Sanitation District	0.4	450	0		Tembladero Slough
Chular County Sanitation District	<0.1	20	0		Land
East Cliff County Sanitation District	2.2*	2,460	0		Monterey Bay

*Estimated

TABLE F-2 (Continued)
 QUANTITY OF WASTE WATER DISCHARGED AND REUSED
 CENTRAL COASTAL AREA
 WATER YEAR 1968

Discharger	Average Discharge Rate (Mgd)	Volume Discharged (AF)	Portion Reused (AF)	Type of Reuse	Place of Disposal For Waste Water Not Reused
<u>Central Coastal Water Quality Control Board Region (No. 3) (Continued)</u>					
City of Gilroy					
Domestic	1.4 ^{1/}	1,560	0		Land
Industrial	1.5	1,680	0		Land
City of Gonzales	0.3	340	0		Land
City of Greenfield	0.2	220	0		Land
City of Hollister					
Domestic Plant	0.6	670	0		Land
Industrial Plant	1.5	1,680	0		San Benito River
City of King City					
Domestic Plant	0.4	450	0		Salinas River
Airport Plant	<0.1	80	0		San Lorenzo Creek
City of Monterey	2.6	2,910	0		Monterey Bay
City of Morgan Hill	0 ^{2/}	0	0		Land
City of Pacific Grove	1.8 ^{3/}	2,020	0		Pacific Ocean
City of Paso Robles	0.9	960	0		Salinas River
Paso Robles School for Boys	<0.1	70	0		Land
City of Salinas					
Domestic Plant 1	4.4	4,930	0		Salinas River
Domestic Plant 2 (Alisal)	1.1	1,230	0		Salinas River
Industrial	4.2	4,700	0		Land
City of San Juan Bautista	0.1	110	0		Land
San Miguel Sanitary District	<0.1 ^{3/}	100	0		Land
City of Santa Cruz	6.0	6,720	0		Monterey Bay
Seaside County Sanitation District	1.3	1,460	0		Monterey Bay
Soledad Prison (California Correctional Training Facility)	0.5	560	50	Irrigation	Salinas River
City of Soledad	0.2	220	0		Land
Tres Pinos County Water District	<0.1	<10	0		Land
City of Watsonville	<u>5.6</u>	<u>6,270</u>	<u>0</u>		Monterey Bay
TOTAL IN REGION 3	39.5	43,880	650		

1/ Includes Morgan Hill
 2/ Included in Gilroy Domestic
 3/ Estimated

TABLE F-3
ANALYSES OF WASTE WATER
PART I

Source	Date Time (PST)	Type of Sample	Flow in mgd	pH Lab	Specific conductance (micro- mhos at 25°C)	Mineral constituents													T.D.S. in mg/l	Hardness		Per- cent Sodi- um
						milligrams per liter														as CaCO ₃ in mg/l	Total	
						milliequivalents per liter																
						Cal- cium (Ca)	Magne- sium (Mg)	Sodi- um (Na)	Potas- sium (K)	Ammo- nium (NH ₄)	Car- bonate (CO ₃)	Bicar- bonate (HCO ₃)	Sul- fate (SO ₄)	Chlo- ride (Cl)	Ni- trate (NO ₃)	Boron (B)	Fluo- ride (F)	Silica (SiO ₂)				
SAN FRANCISCO BAY REGION (No. 2)																						
EAST BAY MUNICIPAL UTILITY DISTRICT 1/	10- -67	Monthly Average	77.9	6.7		59.5	15.9	200						132	332					215		
	11- -67	Monthly Average	74.8	6.8		42.6	21.6	178							415					196		
	12- -67	Monthly Average	76.4	6.9		28.1	14.2						132	174						130		
	1- -68	Monthly Average	88.5	7.0				142														
	2- -68	Monthly Average	90.2	6.9		48.3	15.1						106	269						184		
	3- -68	Monthly Average	92.9	6.9		47.4	11.9	210					126	256						168		
	4- -68	Monthly Average	78.2	6.9		31.7	11.5						100	244						127		
	5- -68	Monthly Average	76.9	6.8		30.3	9.9						86	258						117		
	6- -68	Monthly Average	77.2	6.7		27.0	16.1	150					96	292						135		
	7- -68	Monthly Average	80.4	7.0		28.4	20.8	175	21.5				146	310						138		
	8- -68	Monthly Average	83.5	7.2		26.6	17.5							310						139		
	9- -68	Monthly Average	79.7	7.1		33.4	17.4						128	355						151		
CITY OF LIVERMORE 1/	1- -68	Monthly Average	2.7	7.9	1549	52.6	45.8	212	15.6	20	0	138		386		1.0	0.5		844		60	
	2- -68	Monthly Average	2.6	7.6	1626	53.3	36.7	252	16.4	9.7	0	83		334		1.6	0.24		1135		62	
	3- -68	Monthly Average	2.4	7.8	1660	58	50	290	15	< 0.01	0	85		450		1.3	0.65		1291		63	
	4- -68	Monthly Average	2.4	7.6	2181	61	41	310	18.2	37	0	122		445		2.2	0.24		1461		60	
	5- -68	Monthly Average	2.6	7.8	1925	54.5	40.8	260	13	1.3	0	127		470		2.1	0.40		1261		64	
	6- -68	Monthly Average	2.6	7.6	1700	55	34	236	9.9	< 0.01	0	57		359		2.5	0.22		1114		64	
	7- -68	Monthly Average	2.8	7.8	1719	68	20	222	12	0.60	0	106		354		1.1	0.34		1089		64	
	8- -68	Monthly Average	2.6	7.6	1717	38	36	203	12.0	0.81	0	68		360		1.4	0.36		1051		63	
	9- -68	Monthly Average	2.7	7.8	1225	46	30	223	12.4	0.42	0	34		348		1.0	0.30		1012		65	
MENLO PARK SANITARY DISTRICT	10-30-67	18-Hour Composite	3.35	7.0	1380			162 7.05						229 6.46		0.9			840	191	65	
CITY OF MILLBRAE	10-27-67	6-Hour Composite		6.9	3160			455 19.79						765 21.58		1.0			1800	328	75	
CITY OF MOUNTAIN VIEW	10-31-67	24-Hour Composite	5.72	7.4	1770			191 8.31						260 7.33		0.8			709	212	66	
CITY OF PALO ALTO	10-27-67	24-Hour Composite		7.1	1050			119 5.18						117 3.30		1.1			535	155	62	

1/ All analyses reported by discharger.

TABLE F-3
ANALYSES OF WASTE WATER
PART 2

Source	Date Time P.S.T.	Type of sample	Flow in mgd	Heavy Metals in mg/l								Organics in mg/l				Nutrients in mg/l						
				Alumi- num (Al)	Ar- senic (As)	Chromi- um (Hex) (Cr+6)	Copper (Cu)	Lead (Pb)	Manga- nese (Mn)	Zinc (Zn)	Total iron (Fe)	Deter- gents (mbas)	Grease and oil	Phen- ols	BOD (5 day)	Nitrogen Series				Phosphate		
																(NH3)	(NO2)	(NO3)	ORG	(NH3) + ORG	Ortho (PO4)	Total
NORTH COASTAL REGION (No. 1)																						
CITY OF SANTA ROSA 1/ (West College Avenue Plant)	10- -67	Monthly Average	5.60												15 2/							
	11- -67	Monthly Average	5.71												24							
	12- -67	Monthly Average	6.38												53							
	1- -68	Monthly Average	7.86								6.9				46							
	2- -68	Monthly Average	9.88												43							
	3- -68	Monthly Average	9.07												32							
	4- -68	Monthly Average	6.68												22							
	5- -68	Monthly Average	5.94								4.8				30							
	6- -68	Monthly Average	5.59												43							
	7- -68	Monthly Average	5.48												63							
	8- -68	Monthly Average	5.63												50							
	9- -68	Monthly Average	5.57								4.3				54							
SAN FRANCISCO BAY REGION (No. 2)																						
EAST BAY MUNICIPAL UTILITY DISTRICT 1/	10- -67	Monthly Average	77.9	2.6		0.02						4.8	52	< 0.1	275	19.6	0.20	2.0		27		
	11- -67	Monthly Average	74.8	2.5		< 0.01						4.8	38	< 0.1	211	17.3		1.0		45		
	12- -67	Monthly Average	76.4	0.9		0.06						3.3	154	< 0.1	201	13.0	0.28	2.0		21		
	1- -68	Monthly Average	88.5	1.5		0.21						5.5	55	< 0.1	175					28		
	2- -68	Monthly Average	90.2	0.4		< 0.01						5.6	55	< 0.1	144	13.8	0.12	1.5		30		
	3- -68	Monthly Average	92.9	1.0		0.10						2.0	41	< 0.1	167	17.3	0.16	1.4		30		
	4- -68	Monthly Average	78.2	0.6		0.2						3.9	69	< 0.1	172	17.7	0.18	1.4		37		
	5- -68	Monthly Average	76.9	1.5		< 0.1						5.5	41	< 0.1	152	19.6	0.16	2.0		32		
	6- -68	Monthly Average	77.2	0.6		< 0.1						6.2	53	< 0.1	156	20.5	0.18	1.0		30		
	7- -68	Monthly Average	80.4	1.0		0.10						6.8	58	< 0.1	199	17.5	0.12			25		
	8- -68	Monthly Average	83.5	1.0		0.01						5.3	32	0.0	323					27		
	9- -68	Monthly Average	79.7	1.2		< 0.01						3.9	53	< 0.1	228	16.8	0.10	0.80		38		
CITY OF LIVERMORE 1/	1- -68	Monthly Average	2.7									0.50	0.80		17	15.6	0.06	7.1	0.8	42		
	2- -68	Monthly Average	2.6									0.41	0.74		14.7	7.5	0.09	7.6	2.49	45		
	3- -68	Monthly Average	2.4		< 0.01 3/	< 0.003 3/			< 0.03 3/			0.53	0.33		10.5	< 0.01	< 0.01	14.7	2.9	45		
	4- -68	Monthly Average	2.4									0.44	0.34		9.0	28.5	< 0.01	8.0	3.54	45		
	5- -68	Monthly Average	2.6									0.40	0.44		17.7	1.0	< 0.01	13.8	0.7	42		
	6- -68	Monthly Average	2.6									0.40	0.25		14.8	< 0.01	< 0.01	15.1	1.2	79		
	7- -68	Monthly Average	2.8									0.44	0.10		15.7	0.48	< 0.01	16.5		32		
	8- -68	Monthly Average	2.6									0.45			0.9	0.54	< 0.01	14.0		42		
	9- -68	Monthly Average	2.7		< 0.01 4/	< 0.005 4/			< 0.03 4/			0.36	0.60		< 0.1	0.33	< 0.01	21.0	2.10	49		
MENLO PARK SANITARY DISTRICT	10-30-67	18-Hour Composite	3.35									5.0					0.2		33	26		
CITY OF MILLBRAE	10-27-67	6-Hour Composite										5.5					0.3		47	39		
CITY OF MOUNTAIN VIEW	10-31-67	24-Hour Composite	5.72									5.3					0.4		57	33		
CITY OF PALO ALTO	10-27-67	24-Hour Composite										3.3					0.3		28	20		

1/ All analyses reported by discharger.

2/ Pond effluent, samples filtered for removal of algae.

3/ Six-month preserved composite, October 1967 through March 1968.

14/ Six-month preserved composite, April 1968 through September 1968.

TABLE F-3
ANALYSES OF WASTE WATER
PART 3

Source	Date Time P.S.T.	Type of sample	Flow in mgd	Suspended solids in mg/l	Volatile suspended solids in mg/l	Settleable solids in ml/l	Remarks
NORTH COASTAL REGION (No. 1) CITY OF SANTA ROSA ^{1/} (West College Avenue Plant)	10- -67	Monthly Average	5.60	68 ^{2/}	52 ^{2/}		
	11- -67	Monthly Average	5.71	44	42		
	12- -67	Monthly Average	6.38	52	50		
	1- -68	Monthly Average	7.86	60	51		
	2- -68	Monthly Average	9.88	55	44		
	3- -68	Monthly Average	9.07	53	43		
	4- -68	Monthly Average	6.68	60	56		
	5- -68	Monthly Average	5.94	63	54		
	6- -68	Monthly Average	5.59	55	48		
	7- -68	Monthly Average	5.48	36	37		
	8- -68	Monthly Average	5.63	46	36		
	9- -68	Monthly Average	5.57	39	39		
SAN FRANCISCO BAY REGION (No. 2) EAST BAY MUNICIPAL UTILITY DISTRICT ^{1/}	10- -67	Monthly Average	77.9	150 ^{3/}		0.2 ^{3/}	
	11- -67	Monthly Average	74.8	142		0.2	
	12- -67	Monthly Average	76.4	181		0.8	
	1- -68	Monthly Average	88.5	179		0.5	
	2- -68	Monthly Average	90.2	138		0.2	
	3- -68	Monthly Average	92.9	158		0.4	
	4- -68	Monthly Average	78.2	117		0.2	
	5- -68	Monthly Average	76.9	122		0.5	
	6- -68	Monthly Average	77.2	119		0.5	
	7- -68	Monthly Average	80.4	119		0.2	
	8- -68	Monthly Average	83.5	115		0.4	
	9- -68	Monthly Average	79.7	99		0.3	
CITY OF LIVERMORE ^{1/}	1- -68	Monthly Average	2.7	7	6	< 0.1	
	2- -68	Monthly Average	2.6	8.6	8.2	< 0.1	
	3- -68	Monthly Average	2.4	10.2	4.0	< 0.1	
	4- -68	Monthly Average	2.4	13	8	< 0.1	
	5- -68	Monthly Average	2.6	12.3	10.8	< 0.1	
	6- -68	Monthly Average	2.6	8	7	< 0.1	
	7- -68	Monthly Average	2.8	5.8	3.8	< 0.1	
	8- -68	Monthly Average	2.6	9.5	7.1	< 0.1	
	9- -68	Monthly Average	2.7	7	5.3	< 0.1	

^{1/} All analyses reported by discharger.

^{2/} Pond effluent, samples filtered for removal of algae.

^{3/} Contains digested sludge.

FIGURE F-1

LOCATION OF WASTE DISCHARGERS
CENTRAL COASTAL AREAFigure F-1 - Sheet 3 of 6 - Southern Portion of North Coastal Region (No. 1)

<u>Number</u>	<u>Discharger</u>	<u>Number</u>	<u>Discharger</u>
1	City of Cloverdale	6	City of Santa Rosa, Laguna Plant
2	City of Cotati	7	City of Santa Rosa, Oakmont Plant
3	City of Healdsburg	8	City of Santa Rosa, West College Avenue Plant
4	Mendocino State Hospital	9	City of Sebastopol
5	City of Rohnert Park	10	City of Ukiah

Figure F-1 - Sheet 4 of 6 - San Francisco Bay Region (No. 2)

<u>Number</u>	<u>Discharger</u>	<u>Number</u>	<u>Discharger</u>
11	City of Benicia	33	City of Millbrae
12	City of Burlingame	34	Milpitas Sanitary District
13	C & H Sugar Refinery	35	City of Mountain View
14	Central Contra Costa Sanitary District	36	Mountain View Sanitary District
15	Contra Costa Sanitary District No. 3	37	Napa Sanitation District
16	Contra Costa Sanitary District No. 7A	38	North San Mateo County Sanitation District
17	City of Concord	39	Oro Loma Sanitary District
18	Crockett-Valona Sanitary District	40	City of Pacifica, Sharp Park Plant
19	East Bay Municipal Utility District	41	City of Pacifica, Linda Mar Plant
20	Estero Municipal Improvement District	42	City of Palo Alto
21	Fairfield-Suisun Sanitary District	43	City of Petaluma
22	City of Hayward	44	City of Pinole
23	Las Gallinas Valley Sanitary District	45	City of Pleasanton
24	City of Livermore	46	City of Redwood City
25	City of Los Altos	47	Richardson Bay Sanitary District
26	Marin County Sanitary District No. 1	48	City of Richmond
27	Marin County Sanitary District No. 5	49	Rodeo Sanitary District
28	Marin County Sanitary District No. 6, Ignacio	50	Cities of San Carlos-Belmont
29	Marin County Sanitary District No. 6, Novato	51	San Francisco International Airport
30	City of Martinez	52	City and County of San Francisco, McQueen Plant
31	Menlo Park Sanitary District	53	City and County of San Francisco, North Point Plant
32	City of Mill Valley	54	City and County of San Francisco, Richmond-Sunset Plant
		55	City and County of San Francisco, Southeast Plant
		56	City of San Jose
		57	City of San Leandro, Domestic and Industrial

FIGURE F-1 (Continued)

Figure F-1 - Sheet 4 of 6 - San Francisco Bay Region (No. 2) (Continued)


<u>Number</u>	<u>Discharger</u>	<u>Number</u>	<u>Discharger</u>
58	City of San Mateo	67	Travis Air Force Base
59	San Pablo Sanitary District	68	Treasure Island
60	San Rafael Sanitation District	69	Union Sanitary District, Newark Plant No. 1
61	Sausalito-Marín City Sanitary District	70	Union Sanitary District, Irvington Plant No. 2
62	Shell Chemical Company, Pittsburg Plant	71	Union Sanitary District, Alvarado Plant No. 3
63	Sonoma Valley County Sanitation District	72	Vallejo Sanitation and Flood Control District
64	Cities of South San Francisco and San Bruno	73	Valley Community Services District
65	Stege Sanitary District	74	Yountville Veterans Home
66	City of Sunnyvale		


Figure F-1 - Sheet 5 of 6 - Northern Portion of Central Coastal Region (No. 3)


<u>Number</u>	<u>Discharger</u>	<u>Number</u>	<u>Discharger</u>
75	Aptos County Sanitation District	87	City of Pacific Grove
76	Carmel Sanitary District	88	City of Salinas, Domestic Plant No. 1
77	Castroville County Sanitation District	89	City of Salinas, Domestic Plant No. 2
78	Chualar County Sanitation District	90	City of Salinas, Industrial Plant
79	East Cliff County Sanitation District	91	City of San Juan Bautista
80	City of Gilroy, Domestic and Industrial	92	City of Santa Cruz
81	City of Gonzales	93	Seaside County Sanitation District
82	City of Greenfield	94	Soledad State Prison
83	City of Hollister, Domestic	95	City of Soledad
84	City of Hollister, Industrial	96	Tres Pinos County Water District
85	City of Monterey	97	City of Watsonville
86	City of Morgan Hill		


Figure F-1 - Sheet 6 of 6 - Middle Portion of Central Coastal Region (No. 3)

<u>Number</u>	<u>Discharger</u>	<u>Number</u>	<u>Discharger</u>
98	Atascadero County Sanitation District	101	King City Airport
99	Atascadero State Hospital	102	City of Paso Robles
100	City of King City	103	Paso Robles School for Boys
		104	San Miguel Sanitary District











THIS BOOK IS DUE ON THE LAST DATE
STAMPED BELOW

BOOKS REQUESTED BY ANOTHER BORROWER
ARE SUBJECT TO RECALL AFTER ONE WEEK.
RENEWED BOOKS ARE SUBJECT TO
IMMEDIATE RECALL

SEP 4 1977

JUN 5 REC'D

JAN 29 REC'D

JUL 4 1985

RECEIVED

JUN 1 1986
PHYS SCI LIBRARY

~~DEC 10 1990~~

DEC 3 1990


RECEIVED

DEC 15 1990

PHYS SCI LIBRARY

LIBRARY, UNIVERSITY OF CALIFORNIA, DAVIS

Book Slip-Series 458



TC California. Dept. of Water Resources.
824 Bulletin.

C2

A2

no. 130:68

v. 1-3

appx. A-F

PHYSICAL
SCIENCES
LIBRARY

